


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)



Scotland, 15th Detailed Ann: Report of the
Registrar-General of Births, Deaths & Marriages
(Abstracts of 1869).

sent Reminders Ad'd

MEDICAL LIBRARY



22500993413

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

1684

FIFTEENTH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1869.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1873.

[C.—781.]



WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	ser
No.	WA

REPORT.

TO THE

RIGHT HON^{BLE}. H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, 11th November 1872.*

SIR,

AT the close of the year 1869 I laid before you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that I transmitted my Fifth Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative Tables.

As the year 1869 was one of very high mortality, and it seemed very desirable to trace, if possible, the cause of the high Death-rate, I directed that special attention should be paid to that subject, and that a few additional Tables should be prepared which would have the effect of throwing some light thereon.

As the subject of Education has engaged much of the attention of the Legislature and of the people, I thought the Marriage Registers could be made to aid in throwing some light

* This Report was in the hands of the printer at the date it bears, but owing to the long-continued strike the proof was not ready until the month of June 1873.

on the subject, by showing what proportions of the persons belonging to the different Religious Denominations were able to sign their names in writing in these Registers, and an interesting Table is appended, which is well worthy of an attentive perusal.

To facilitate sanitary inquiries, I have continued the series of Tables commenced in last Report, which gives full particulars as to the Diseases causing death, and the Ages of all persons who died, in the Small Towns of Scotland. Previously these towns were included in the Rural Districts. Full particulars are therefore now given in these Reports relative to every town in Scotland which contains above 3000 inhabitants.

I have the honour to be,

SIR,

Your faithful Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Tables of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1869 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the fourteen years 1855 to 1869,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Towns, Large Towns, Small Towns, and Rural Districts of Scotland from 1855 to 1869 inclusive,	xii
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1869,	xiii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1869,	xiv
Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland in 1869, when it is divided into Four Groups of Districts, according to Density of Population,	xvi

BIRTHS.

Births in 1869, and their Proportion to the Population, with relative Tables,	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1869 inclusive,	xv
Number and Proportion of Twins and Triplets,	xii & xv

MARRIAGES.

Number of Marriages in 1869, and their Proportion to the Population,	xiii
Influence of Density of Population on the Marriages,	xiii
Proportion of Legitimate Children to the Marriages in Scotland and England,	xiii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1869, and from 1855 to 1869, with relative Tables,	xiv
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xv
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xvi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xvii & xxi
Number and Proportion of Persons belonging to each of the Religious Denominations who signed the Marriage Register by Mark, with relative Table,	xviii

DEATHS.

Number of Deaths in Scotland in 1869, and their Proportion to the Population,	xix
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the years 1855 to 1869, with relative Tables,	xxii
Death-rates in the Principal Towns, Large Towns, Small Towns, and Rural Districts of Scotland from 1855 to 1869 inclusive,	xxiii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1858-1869,	xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Three Great Groups of Districts, during the year 1869,	xxiv
Mortality of Female lower than that of the Male at about every period of life,	xxiv
High Mortality in Towns at every period of life, as compared with that of the Rural Districts,	xxv
Causes of Death in 1869, with relative Tables,	xxviii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxix
Small-pox Deaths in Scotland for fifteen years,	xxxii
Particulars relative to Vaccination in Scotland, with relative Tables,	xxxiii
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xxxiv
The Nineteen most fatal Diseases in England and Scotland in 1869,	xxxvii

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1869.

Weather, Weekly and Monthly, and its Influence on the Mortality,	xxxviii
Table showing the Meteorology of Scotland during each month of the year 1869, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	xxxix
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1869,	xl
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1869,	xliii
Influence of Season, etc., on the Mortality at different Ages	xliv
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1869, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland,	xlvi

APPENDIX TABLES.

Vaccinations in the several Counties of Scotland during 1869,	xlix
Religious Denominations of the Persons who signed the Marriage Register by Mark in 1869,	l-lii

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1869, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County,	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1869, also of the Illegitimate Births, in every Registration District,	2-22
Summary Table of Population in 1861 and 1871; and of the Births, Deaths, and Marriages in 1869, in the Insular, the Mainland-Rural, and Town Districts of Scotland,	23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1869; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
Table of the Civil Condition of the Parties who married in 1869; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1869,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1869,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1869, together with the Population of these Counties and Towns in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1869, together with the Male Population of these Counties and Towns in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1869, together with the Female Population of these Counties and Towns in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Small Towns of Scotland,	36-39
Do. Males,	40-43
Do. Females,	44-47
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1869,	48-51
Do. Males,	52-55
Do. Females,	56-59
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1869, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts,	60-63
Do. Males,	64-67
Do. Females,	68-71
Summary Table of the Causes of Death in both Sexes in each of the Small Towns of Scotland, whose respective Populations numbered from 3000 to 10,000 persons,	72-79
Do. Males,	80-87
Do. Females,	88-95
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	96-99
Do. Males,	100-103
Do. Females,	104-107
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life,	108-111
Do. Males,	112-115
Do. Females,	116-119
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life,	120-123
Do. Males,	124-127
Do. Females,	128-131
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life,	132-135
Do. Males,	136-139
Do. Females,	140-143
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	144-147
Do. Males,	148-151
Do. Females,	152-155
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life,	156-159
Do. Males,	160-163
Do. Females,	164-167

	Page
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	. 168-171
Do. Males, 172-175
Do. Females, 176-179
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, .	. 180-183
Do. Males, 184-187
Do. Females, 188-191
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	. 192-195
Do. Males, 196-199
Do. Females, 200-203
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, .	. 204-207
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	. 208-211
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, .	. 212-215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, .	. 216-219
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1869, in each of the Divisions and Counties of Scotland,	220

Constitution of the Compound Districts,	221
Index to Districts,	222

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1869, to which the Report refers, was rather above than under the average in respect of its commercial and manufacturing prosperity. Food of all kinds was cheap, plentiful, and of good quality; and the demand for labour, in almost every branch of industry, was steady. The natural consequence was, that the number of Marriages over Scotland increased, being 289 above those of the previous year; but, to counterbalance this, the mortality was excessive, for 6455 more Deaths occurred than during 1868, which was itself a year of high death-rate. Whatever cause, therefore, produced this high mortality, it could not be connected in any way with scarcity, bad quality, or high price of the articles of food.

Since our last Detailed Report was issued, the Census of the Population has been taken, and we are thus enabled to correct our estimates of the population of each group of Districts for each year between 1861 and 1871, and also to correct the proportion in which the Births, Deaths, and Marriages

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1869, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths	Per-centage to Population.			Per cent of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,068	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7

occurred to the corrected populations. All the Tables in this Report have been so corrected. The estimated population of all Scotland to the middle of the year was 3,305,885; that of the Insular group of Districts being 158,273; of the Mainland-Rural Districts, 1,814,246; and of the Town Districts, 1,333,366 persons. When Scotland, however, is divided into four groups, according to the sizes of the Towns in each, the estimated population of the Principal Towns would be 1,033,853 persons; of the Large Towns, 299,513; of the Small Towns, 533,960; and of the Rural Districts, 1,438,559 persons, to the middle of the year 1869.

TABLE II.—POPULATION of SCOTLAND in its THREE GROUPS of INSULAR, MAINLAND-RURAL, and TOWN, estimated to the middle of 1869.

THREE GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1869.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . . .	73,409	87,324	160,733	72,175	85,580	157,755	72,391	85,882	158,273
Mainland- Rural . . . }	848,998	913,578	1,762,576	880,835	942,707	1,823,542	876,031	938,215	1,814,246
Town . . .	527,441	611,544	1,138,985	650,133	728,588	1,378,721	626,768	706,598	1,333,366
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,575,190	1,730,695	3,305,885

N.B.—The Town Districts in this Table only include the Towns with above 10,000 Inhabitants.

TABLE III.—POPULATION of SCOTLAND when broken up into Four Groups according to the massing of the Population in Towns of different sizes.

FOUR GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1869.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	407,839	477,116	884,955	502,021	566,535	1,068,556	484,095	549,758	1,033,853
Large Towns	119,602	134,428	254,030	148,112	162,053	310,165	142,673	156,840	299,513
Small Towns	238,317	264,516	502,833	257,076	283,731	540,807	253,690	280,270	533,960
Rural Districts	684,090	736,386	1,420,476	695,934	744,556	1,440,490	694,732	743,827	1,438,559

TABLE IV.—BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1869.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	11651
1866	4253	60420	48994	264	6543	4866	2661	34315	34372	815	11127	11746
1867	4301	60080	49663	229	6180	4739	2583	33190	32295	829	10763	11026
1868	4302	60987	50225	260	6355	4739	2511	32184	34721	707	10458	10690
1869	4096	59123	50135	265	6182	4619	2784	34138	38953	699	10088	11357

BIRTHS.

113,354 Births were registered in Scotland during the year 1869, being at the low rate of 346 births in every ten thousand persons, or 3·46 per cent. The births thus fell 2160 below those of the previous year; and the proportion of births had not been so low since 1862.

Of the 113,354 births, 4096 were registered in the Insular Districts, 59,123 in the Mainland-Rural Districts, and 50,135 in the Town Districts, —indicating a proportion in every ten thousand persons of 258 births in the Insular, 326 births in the Mainland-Rural, and 376 births in the Town Districts. (Tables IV. and V.)

This increasing proportion of births, according to the massing of the population, was even more strongly marked in the four groups into which Scotland is divided according to the size of the Towns in each. Thus, in every ten thousand persons in each of the four groups there occurred in the proportion of 382 births in the Principal Towns, 354 in the Large Towns, 353 in the Small Towns, but only 308 births in the purely Rural Districts.

The reason or cause of this striking difference in the proportion of births in these several groups admits of a ready explanation, which will be given in our next Report, when it will be necessary to review the Births, Deaths, and Marriages which have been registered in Scotland during the ten years 1861–1870. Here attention is directed to the fact, which, it will be seen from Table VII., manifests itself with unfailing regularity during each of the years which have elapsed since the Registration Act came into operation in Scotland.

Of the 113,354 births, 102,288 were legitimate, and 11,066 illegitimate; thus showing that 9·7 per cent. of the births were illegitimate. This was rather a smaller proportion than had occurred for the six previous years. In the Insular Districts only 6·4 per cent. of the births were illegitimate, 9·2 per cent. in the Town Districts, but 10·4 per cent. in the Mainland-Rural Districts. In the four groups of Districts, according to the size of Town, it appeared that 7·6 per cent. of the births were illegitimate in the

TABLE V.—PER-CENTAGE OF BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1869; also the Per-centage of the Illegitimate to the Total Births

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0·610	0·856
1861	2·800	3·298	3·827	5·0	9·7	9·1	1·594	1·746	2·531	0·572	0·583	0·846
1862	2·780	3·308	3·776	4·9	9·9	9·8	1·855	1·847	2·702	0·518	0·590	0·819
1863	2·701	3·331	3·940	4·9	10·6	9·7	1·833	1·952	2·845	0·490	0·608	0·894
1864	2·716	3·400	3·904	5·3	10·6	9·6	1·702	2·001	2·968	0·485	0·606	0·918
1865	3·164	3·312	3·942	6·6	10·6	9·4	1·560	1·842	2·866	0·486	0·624	0·943
1866	2·672	3·370	3·882	6·2	10·8	9·9	1·671	1·914	2·730	0·513	0·621	0·933
1867	2·707	3·332	3·869	5·3	10·2	9·5	1·626	1·841	2·516	0·518	0·597	0·859
1868	2·713	3·372	3·839	6·0	10·4	9·4	1·583	1·779	2·654	0·446	0·578	0·817
1869	2·588	3·259	3·760	6·4	10·4	9·2	1·759	1·881	2·921	0·441	0·556	0·851

Large Towns, 9·6 per cent. in the Principal Towns, 9·7 per cent. in the Small Towns, but in the purely Rural Districts, 10·4 per cent. (Table XIV.)

Of the children born during the year, 58,321 were boys, and 55,033 girls, showing that 105·9 (*i.e.* 106) boys were born for every 100 girls. In the Insular Districts the proportion of boys was much higher; for 110·1 boys were born for every 100 girls. In the Mainland-Rural Districts 107 boys were born for every 100 girls; but in the Town Districts, where the vitality of the population is lower, only 104·3 boys were born for every 100 girls. (Table XII.)

During the year 1869 there were 1407 twin births and 15 triplet births, giving the proportion of one twin birth to every 79 women who bore living children during the year, and one triplet birth to every 7461 mothers.

TABLE VI.—BIRTHS, DEATHS, and MARRIAGES in the PRINCIPAL TOWNS, LARGE TOWNS, SMALL TOWNS, and RURAL DISTRICTS of SCOTLAND, 1855–1869.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.
1855	28113	22706	6937	8374	5954	1980	16042	10015	3371	40820	23329	7392
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	43591	21359	7830
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	43506	22674	8338
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	44495	23855	7833
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	45438	23542	8086
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	45209	24992	8111
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	44510	22995	7838
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	44639	24736	7747
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	44851	26114	8083
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	45623	26145	7844
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	45084	24224	8181
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	45347	25167	8112
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	45203	24216	7985
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	45726	23303	7696
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	44324	25021	7389

TABLE VII.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES in the PRINCIPAL TOWNS, LARGE TOWNS, SMALL TOWNS, and RURAL DISTRICTS of SCOTLAND, 1855–1869.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Births	Deaths.	Mar- riages	Births.	Deaths.	Mar- riages	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.
1855	3·3971	2·7436	0·8382	3·5250	2·5063	0·8334	3·3240	2·0751	0·6984	2·8852	1·6490	0·5225
1856	3·7872	2·6571	0·8967	3·8353	2·2352	0·8213	3·5545	1·9618	0·7048	3·0094	1·5089	0·5531
1857	3·8553	2·7566	0·8821	3·8584	2·4086	0·8682	3·6413	2·0420	0·7022	3·0720	1·6010	0·5887
1858	3·7974	2·7341	0·8006	3·7708	2·5037	0·7410	3·5791	2·0400	0·6343	3·1401	1·6835	0·5528
1859	3·8072	2·5766	0·8708	3·8330	2·3191	0·7702	3·7237	2·0183	0·7319	3·2050	1·6605	0·5703
1860	3·7560	2·9706	0·8761	3·6616	2·3987	0·7872	3·6371	2·2075	0·6866	3·1871	1·7619	0·5718
1861	3·8632	2·6034	0·8719	3·7975	2·2840	0·7598	3·6631	2·0577	0·6680	3·1318	1·6180	0·5515
1862	3·8094	2·7612	0·8544	3·7014	2·5210	0·7052	3·6214	2·1546	0·6481	3·1368	1·7382	0·5444
1863	3·8869	2·9291	0·9253	3·7241	2·5518	0·7672	3·6315	2·2405	0·6833	3·1435	1·8303	0·5665
1864	3·9389	3·0730	0·9450	3·6988	2·6314	0·8241	3·7512	2·3785	0·7255	3·1919	1·8291	0·5488
1865	3·9750	2·9065	0·9749	3·8310	2·4931	0·8332	3·7180	2·1703	0·7278	3·1494	1·6922	0·5715
1866	3·9449	2·8113	0·9670	3·7055	2·4481	0·8079	3·6993	2·2604	0·7348	3·1631	1·7554	0·5658
1867	3·9583	2·6908	0·9000	3·7009	2·3544	0·7491	3·6447	2·1961	0·6854	3·1490	1·6869	0·5562
1868	3·8926	2·7635	0·8665	3·6557	2·2766	0·7150	3·6905	2·1491	0·6544	3·1817	1·6215	0·5355
1869	3·8223	3·0436	0·8856	3·5451	2·4994	0·7348	3·5386	2·2288	0·6363	3·0812	1·7393	0·5136

MARRIAGES.

22,144 Marriages were registered in Scotland during the year 1869, being in the proportion of 67 marriages in every ten thousand persons of the corrected estimated population. The number of marriages was thus 289 above that of the previous year, but much below that of the years 1863-64-65-66, and 1867.

As usual, the proportion of marriages was much higher in the Town than in the Rural Districts. Thus, for every ten thousand persons in each of the three groups of Districts into which Scotland is divided, there occurred in the proportion of 44 marriages in the Insular, 55 marriages in the Mainland-Rural, and 85 marriages in the Town Districts. (Table IX.)

But the fact that marriages in Scotland occur in proportion to the density of the population—or, in other words, are most numerous where the greatest masses of human beings are congregated together, and are fewest where the population is most scattered—was most strikingly seen when Scotland was divided into four groups, according to the sizes of the Towns in each group. (Tables XIII. and XIV.) Thus, for every ten thousand persons in each group, there occurred in 1869 in the proportion of 88 marriages in the Principal Towns, 73 marriages in the Large Towns, 63 marriages in the Small Towns but only 51 marriages in the purely Rural Districts. Table VII. shows that these are not far from the average relative proportion of marriages in each of these four groups from 1855, the first year when the Scottish Registration Act came into operation; so that it must be regarded as an ascertained law relative to marriage in Scotland that density of population has a most powerful effect in influencing the proportion of marriages.

The proportion of legitimate children born to each marriage during the year 1869 was much larger in Scotland than in England. Thus, to the 22,144 marriages in Scotland, there were born 102,288 legitimate children, giving a proportion of 4·62 children for every marriage, or 462 children for every 100 marriages. In England, during the same year, there were 176,970 marriages, and 728,690 legitimate children, being in the proportion of 4·12 children to every marriage, or 412 children to every 100 marriages.

Of the 22,144 marriages, 9761 were contracted according to the rites of the Established Church of Scotland, 5095 according to the rites of the Free Church, 3277 according to those of the United Presbyterian Church, 2043 according to those of the Roman Catholic Church, 450 according to

TABLE VIII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1869, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1869.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	462,803	18495	3·996	1779	9·6	15648	3·373	4218	0·932
Edinburgh .	195,194	6754	3·460	660	9·7	5406	2·769	1751	0·897
Dundee .	114,968	4407	3·833	508	11·5	3564	3·093	922	0·802
Aberdeen .	85,443	3101	3·629	363	11·7	1787	2·091	682	0·798
Greenock .	56,601	2424	4·282	136	5·6	1750	3·092	532	0·940
Paisley .	48,108	1737	3·610	165	9·5	1449	3·012	408	0·848
Leith .	44,396	1766	3·977	116	6·6	1169	2·633	424	0·955
Perth .	26,331	833	3·163	82	9·9	694	2·624	219	0·831

those of the Episcopalian Church, 1393 according to the varying rites of the smaller Religious Denominations; while in 56 instances the name of the Denomination was not stated, and in 60 instances the marriage was what is termed in Scotland ‘irregular’—that is to say, was contracted without previous publication of banns. (Table XV.)

These facts indicate that 44·08 per cent. of the marriages were contracted

TABLE IX.—NUMBER OF BIRTHS, DEATHS, AND MARRIAGES in 1869, and their Proportion to the estimated Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population by Census 1871.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per- cent.	No.	Per- cent.	No.	Per- cent.	No.	Per- cent.
SCOTLAND		3,360,018	113354	3·459	11066	9·7	75875	2·295	22144	0·669
INSULAR DISTRICTS		157,755	4096	2·588	265	6·4	2784	1·759	699	0·441
MAINLAND-RURAL DISTS. . .		1,823,542	59123	3·259	6182	10·4	34138	1·881	10088	0·556
TOWN DISTRICTS		1,378,721	50135	3·760	4619	9·2	38953	2·921	11357	0·851
DIVISIONS.										
I.	NORTHERN	127,191	3144	2·459	242	7·7	2044	1·599	577	0·451
II.	NORTH-WESTERN	166,351	4246	2·549	286	6·7	2932	1·760	717	0·430
III.	NORTH-EASTERN	393,199	12796	3·298	1893	14·8	6550	1·688	2237	0·576
IV.	EAST-MIDLAND	559,676	18159	3·286	1848	10·2	12087	2·187	3531	0·639
V.	WEST-MIDLAND	251,088	8065	3·234	644	8·0	5423	2·134	1429	0·574
VI.	SOUTH-WESTERN	1,183,218	44524	3·877	3714	8·3	32167	2·801	9057	0·788
VII.	SOUTH-EASTERN	470,206	16031	3·425	1454	9·0	10817	2·311	3451	0·737
VIII.	SOUTHERN	209,089	6389	3·040	985	15·4	3855	1·834	1145	0·545
COUNTIES.										
1	Shetland	31,608	755	2·387	36	4·7	516	1·631	144	0·455
2	Orkney	31,274	774	2·457	53	6·8	536	1·701	157	0·498
3	Caithness	41,011	1136	2·754	121	10·6	623	1·510	203	0·492
4	Sutherland	23,298	479	2·040	32	8·4	369	1·572	73	0·311
5	Ross and Cromarty	82,093	2120	2·580	85	4·0	1372	1·669	312	0·379
6	Inverness	84,258	2126	2·519	201	9·4	1560	1·849	405	0·480
7	Nairn	8,372	243	2·904	29	12·2	215	2·569	42	0·502
8	Elgin	44,549	1286	2·889	208	16·1	832	1·869	209	0·469
9	Banff	58,883	1836	3·148	306	16·6	920	1·578	273	0·468
10	Aberdeen	246,298	8328	3·445	1195	14·3	4036	1·669	1531	0·633
11	Kincardine	35,097	1103	3·148	155	14·0	547	1·561	182	0·519
12	Forfar	240,049	8332	3·480	977	11·7	5970	2·493	1661	0·693
13	Perth	128,550	3604	2·783	366	11·5	2693	2·080	718	0·554
14	Fife	160,924	5245	3·289	413	7·8	2883	1·805	1005	0·629
15	Kinross	7,918	219	2·710	21	9·6	112	1·386	41	0·507
16	Clackmannan	22,235	759	3·479	71	9·3	429	1·966	106	0·486
17	Stirling	93,345	3394	3·677	290	8·5	2272	2·461	627	0·680
18	Dumbarton	61,116	2165	3·624	159	7·3	1328	2·275	385	0·644
19	Argyll	79,661	2123	2·637	165	7·8	1447	1·797	327	0·406
20	Bute	16,966	383	2·270	30	7·8	376	2·233	90	0·534
21	Renfrew	195,305	7162	3·769	525	7·3	5092	2·680	1539	0·810
22	Ayr	200,908	7345	3·662	685	9·3	4385	2·186	1300	0·619
23	Lanark	787,005	30017	3·961	2504	8·3	22690	2·994	6218	0·820
24	Linlithgow	41,379	1746	4·170	148	8·5	875	2·138	243	0·594
25	Edinburgh	328,138	11107	3·500	978	8·8	8150	2·578	2676	0·843
26	Haddington	37,755	1211	3·209	116	9·6	785	2·080	221	0·585
27	Berwick	36,382	1105	3·035	121	10·9	586	1·609	191	0·524
28	Peebles	12,218	384	3·166	44	11·5	189	1·558	46	0·379
29	Selkirk	14,334	478	3·510	47	6·1	232	1·703	74	0·543
30	Roxburgh	53,558	1695	3·163	208	12·3	997	1·860	314	0·585
31	Dumfries	74,842	2250	2·997	373	16·5	1359	1·810	418	0·557
32	Kirkcudbright	42,087	1293	3·063	195	15·1	797	1·888	211	0·500
33	Wigtown	38,602	1151	2·931	209	18·2	702	1·788	202	0·514

according to the rites of the Established Church of Scotland, 23·01 per cent. according to those of the Free Church, 14·80 per cent. according to those of the United Presbyterian Church, 9·23 per cent. according to those of the Romish Church, 2·03 per cent. according to those of the Episcopal Church, 6·29 per cent. according to those of the smaller Religious Denominations; while in 0·25 per cent. the name of the Denomination was not stated, and in 0·31 per cent. the marriage was irregular.

Of the 22,144 men who married during the year, the exact age was ascertained in 22,130 cases; and of these, 1576, or 7·08 per cent., of the

TABLE X.—BIRTHS in SCOTLAND, 1855–1869; with the Number and Proportion of Male and Female Births in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13*	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78

* Of these, one was a Quadruple Birth.

TABLE XI.—BIRTHS, 1869. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1869, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2147	1949	4096	2001	1830	3831	146	119	265	46	...
Mainland-Rural	30571	28552	59123	27407	25534	52941	3164	3018	6182	758	8
Town	25603	24532	50135	23303	22213	45516	2300	2319	4619	603	7
SCOTLAND . . .	58321	55033	113354	52711	49577	102288	5610	5456	11066	1407	15

TABLE XII.—PROPORTION OF BIRTHS, 1869. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland, its Insular, Mainland-Rural, and Town Districts.

DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. One in every	Proportion of MOTHERS who bare TRIPLETS. One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·588	6·4	110·1	109·3	122·7	88	...
Mainland-Rural	3·258	10·4	107·0	107·3	104·8	77	7295
Town	3·760	9·2	104·3	104·9	99·2	82	7076
SCOTLAND . . .	3·459	9·7	105·9	106·3	102·8	79	7461

men were minors, or were under 21 years of age. Of the 22,144 women who married, the exact age was ascertained in 22,125 cases; and of these, 4622, or 20·87 per cent., of the women were minors, or under 21 years of age. (Tables XVIII., XXI., and XXII.)

The ages of the parties marrying in England are ascertained too imperfectly to afford the means of strict comparison with the Scottish Returns; for, of the 176,970 marriages registered in England in 1869, the exact ages of both parties were only specified in 121,681 instances; and of that number, 11,550 men, or 9·49 per cent. of the men, and 31,201 women, or 25·64 per cent. of the women, were minors, or were under 21 years of age. If these numbers be taken as showing the true proportion of minor marriages in England, they would indicate that a larger proportion of minors married in England than in Scotland.

Of the 22,144 marriages, the conjugal or civil condition of the parties previous to their marriage was ascertained in 22,043 cases. Of these 22,043 marriages, 18,818 were between bachelors and spinsters; 625

TABLE XIII.—Births, Deaths, and Marriages in the Four Groups of Districts of Scotland in 1869.

Four Groups of Districts.	BIRTHS.				DEATHS.			MAR-RIAGES.
	Males.	Females.	Total.	Ille-gitimate.	Males.	Females.	Total.	
Principal Towns . .	20199	19318	39517	3809	15744	15723	31467	9156
Large Towns . . .	5404	5214	10618	810	3647	3839	7486	2201
Small Towns . . .	9750	9145	18895	1837	6022	5879	11901	3398
Rural Districts . . .	22968	21356	44324	4610	12455	12566	25021	7389

TABLE XIV.—Proportion of Births, Deaths, and Marriages in each of the Four Groups of Districts of Scotland in 1869.

Four Groups of Districts.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	BIRTHS.			DEATHS.			MAR-RIAGES		One Birth to every	One Death to every	One Mar-riage to every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns .	4·172	3·513	3·822	3·252	2·860	3·043	0·885	9·6	26	33	113
Large Towns . .	3·787	3·324	3·545	2·556	2·447	2·499	0·734	7·6	28	40	136
Small Towns . .	3·843	3·263	3·538	2·373	2·097	2·228	0·636	9·7	28	45	157
Rural Districts .	3·306	2·871	3·081	1·793	1·670	1·739	0·513	10·4	32	57	195

TABLE XV.—MARRIAGES, 1869. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

RELIGIOUS DENOMINATIONS.		Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages.	Established Church .	322	5338	4101	9761	46·07	52·91	36·11	44·08
	Free Church . . .	246	2318	2531	5095	35·19	22·98	22·29	23·01
	United Presbyterian Church	67	1391	1819	3277	9·59	13·79	16·02	14·80
	Roman Catholic Church	28	513	1502	2043	4·00	5·09	13·23	9·23
	Episcopal Church .	3	111	336	450	0·43	1·10	2·96	2·03
	Other Denominations .	31	393	969	1393	4·43	3·89	8·53	6·29
	Denomination not stated	...	17	39	56	...	0·17	0·34	0·25
Irregular Marriages .		2	7	60	69	0·29	0·07	0·52	0·31
Total Marriages .		699	10088	11357	22144	100·00	100·00	100·00	100·00

between bachelors and widows; 1949 between widowers and spinsters; and 651 between widowers and widows. (Tables XXI., XXII., and XXIII.) These numbers indicate that 85·38 per cent. of the marriages were between bachelors and spinsters; 2·83 per cent. between bachelors and widows; 8·84 per cent. between widowers and spinsters; and 2·95 per cent. between widowers and widows.

During 1869, the state of elementary education among the people, in so far as indicated by the ability to write their names in the Marriage Register, is shown for every county of Scotland in Table XXIII. Thus it appears that of the 22,144 men who married during the year, 19,911, being 89·92 per cent., signed their names in writing in the marriage register; while 2233, or 10·08 per cent., being unable to write, were

TABLE XVI.—MARRIAGES, 1855–1869. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1869.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69

TABLE XVII.—Proportion of MARRIAGES, 1855–1869. Proportion of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1869.

YEARS.	PER-CENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31

obliged to append their mark. Of the 22,144 women who married, 17,723, or 80·04 per cent., signed their names in writing; while 4421, or 19·96 per cent., being unable to write, were obliged to append their mark.

As the education of the people is one of the most important questions of the day, it seemed to be desirable to ascertain, in so far as this test of signing the marriage register goes, what was the state of elementary education among the various Religious Denominations. Table XXIV. and Appendix Table, p. l., were therefore prepared, which bring out some facts well worthy of consideration. By Table XXIV. it appears that of the persons married by the Established Church of Scotland, 7·04 per cent. of the men, and 16·53 per cent. of the women, were not able to sign their names by writing, so were obliged to sign by mark. Of the Free Church marriages, 6·69 per cent. of the men, and 15·70 per cent. of the

TABLE XVIII.—MARRIAGES, 1869. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	—	—	—	—	—	—	—	—
15—16	—	11	—	—	—	3	—	8
16—17	1	79	—	2	—	35	1	42
17—18	12	289	—	5	—	105	12	179
18—19	133	879	2	10	59	400	72	469
19—20	481	1493	5	21	198	650	278	822
20—21	949	1871	5	38	459	842	485	991
21—25	7216	8077	114	223	3368	3782	3734	4072
25—30	7081	5546	264	242	3192	2556	3625	2748
30—35	2724	1967	167	89	1214	877	1343	1001
35—40	1457	970	70	44	664	419	723	507
40—45	804	509	22	12	360	222	422	275
45—50	539	277	18	9	240	117	281	151
50—55	340	95	9	3	150	42	181	50
55—60	201	46	12	1	92	18	97	27
60—65	123	14	6	—	51	7	66	7
65—70	53	1	5	—	22	—	26	1
70—75	11	—	—	—	7	—	4	—
75—80	5	1	—	—	3	1	2	—
80—85	—	—	—	—	—	—	—	—
Not stated	14	19	—	—	9	12	5	7
ALL AGES	22144	22144	699	699	10088	10088	11357	11357

TABLE XIX.—MARRIAGES, 1869. Per-centage of Men and Women at different Ages who contracted Marriage in 1869.

[illegible]

women, signed by mark. Of the United Presbyterian marriages, 3·84 per cent. of the men, and 11·84 per cent. of the women, signed by mark. Of the Episcopalian marriages, 9·78 per cent. of the men, and 20·93 per cent. of the women, signed by mark. Of the parties married by the smaller Religious Denominations, 6·17 per cent. of the men, and 17·65 per cent. of the women, signed by mark; while of persons who were married according to the rites of the Roman Catholic Church, 46·06 per cent. of the men, and 61·72 per cent. of the women, not being able to sign their names in writing, were obliged to append their mark.

D E A T H S.

75,875 Deaths were registered in Scotland during the year 1869, being 6455 more deaths than during the year 1868. This gives the very high

TABLE XX.—MARRIAGES, 1855–1868. Number and Proportion of Men and Women, at each quinquennial period of life, who contracted marriage in Scotland during the Years 1855–1868.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Per-centage at each Age.	Number who married at each Age.	Per-centage at each Age.
15—20 years	8779	2·94	37898	12·58
20—25	115357	38·28	137918	45·77
25—30	89322	29·64	72773	24·15
30—35	37694	12·51	26251	8·71
35—40	20092	6·66	13374	4·44
40—45	12063	4·00	6830	2·27
45—50	7618	2·53	3308	1·10
50 and above	9878	3·28	2012	0·67
Age not stated	510	0·16	949	0·31
ALL AGES	301313	100·00	301313	100·00

TABLE XXI.—MARRIAGES in SCOTLAND, 1855–1869. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651

proportion of 2·29 deaths in every hundred persons of the estimated population, or 229 deaths in every ten thousand persons.

When Scotland is divided into three groups of Districts (Table XXVI.), it is seen that the smallest proportion of deaths occurred in the Insular, the highest proportion in the Town group. Thus, of every thousand persons in each group, it was found that 17·59 died in the Insular, 18·81 in the Mainland-Rural, and 29·21 in the Town Districts.

When the Districts of Scotland, however, are divided into four groups, according to the size of the Towns in each, it is seen (Tables XXVII. and XXVIII.) that for every thousand persons in each group, there occurred in the proportion of 30·43 deaths in the Principal Towns; 24·99 deaths in the Large Towns; 22·28 deaths in the Small Towns; but only 17·39 deaths in the purely Rural Districts. As much the same relative mortality has prevailed in these several groups of Districts since 1855, as may be seen by consulting Tables XXVII. and XXVIII., it may be assumed as an ascertained law regarding mortality, that the proportion of deaths increases with increased density of population.

It has been explained in previous Reports that facts like the above can only be shown correctly when we have large numbers to deal with; and accordingly, when the component parts of any of these groups of Districts are analyzed, local causes will be found interposing which modify the law just referred to. Thus a more insalubrious or damper site, a greater amount of overcrowding, a virulent Epidemic, or a strike among a considerable proportion of the inhabitants, will often cause one town to have a much higher death-rate than a much larger one,—as may be seen by comparing the mean death-rate of Greenock with that of Edinburgh, or even with that of Glasgow. (Table XXX.)

The death-rate during 1869 in each of the Principal Towns was very different the one from the other,—having been lowest in Aberdeen; highest in Glasgow. Thus, for every thousand persons in each Town, there occurred in the proportion of 20·91 deaths in Aberdeen, 26·24 deaths in Perth; 26·33 deaths in Leith; 27·69 deaths in Edinburgh; 30·12 deaths in Paisley; 30·92 deaths in Greenock; 30·93 deaths in Dundee; but 33·73 deaths in Glasgow.

TABLE XXII.—MARRIAGES in SCOTLAND, 1855-1869. Proportions.

YEARS.	Per-centage who Married under 21 years.		Per-centage who Married				Per-centage who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95

If we take the corrected mean mortality of the ten previous years for the Eight Principal Towns, it will be seen that, from 1859 to 1868 inclusive, for every thousand persons in each Town, there occurred 23·30 deaths

TABLE XXIII.—MARRIAGES, 1869. Per-centage of Men and Women who signed by Writing and by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties, in 1869. Also Edinburgh and Glasgow.

		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Per-centage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND		89·92	80·04	10·08	19·96	7·08	20·87	85·38	2·83	8·84	2·95
INSULAR		80·12	64·38	19·88	35·62	1·71	10·87	86·76	1·60	10·33	1·31
MAINLAND-RURAL		91·40	85·27	8·60	14·73	7·09	20·17	88·08	1·78	8·20	1·94
TOWN		88·31	76·35	11·69	23·65	7·46	22·11	82·89	3·84	9·32	3·95
DIVISIONS.											
I.	NORTHERN	94·98	83·37	5·02	16·63	2·60	13·86	86·67	1·40	10·35	1·58
II.	NORTH-WESTERN	76·71	58·02	23·29	41·98	0·83	12·41	89·74	1·28	7·99	0·99
III.	NORTH-EASTERN	96·74	90·70	3·26	9·30	6·35	19·08	87·36	2·16	8·56	1·97
IV.	EAST-MIDLAND	94·88	86·27	5·12	13·73	8·15	21·53	86·00	2·11	9·16	2·73
V.	WEST-MIDLAND	89·02	80·41	10·98	19·59	6·23	20·78	87·61	1·90	8·59	1·90
VI.	SOUTH-WESTERN	84·76	70·94	15·24	29·06	8·19	24·73	83·22	3·78	9·16	3·84
VII.	SOUTH-EASTERN	94·18	92·64	5·82	7·36	6·34	20·22	86·03	3·11	7·87	2·99
VIII.	SOUTHERN	96·16	96·33	3·84	5·67	6·46	16·33	88·50	1·07	8·91	1·52
COUNTIES.											
1	Shetland	92·36	68·06	7·64	31·94	2·08	6·25	85·11	2·13	12·05	0·71
2	Orkney	100·00	98·09	0·00	1·91	3·82	15·25	84·07	1·28	12·74	1·91
3	Caithness	96·06	87·19	3·94	12·81	2·46	17·24	88·18	1·48	7·88	2·46
4	Sutherland	86·31	71·24	13·69	28·76	1·37	16·43	91·30	0·00	8·70	0·00
5	Ross & Cromarty	74·68	56·09	25·32	43·91	0·64	10·90	90·23	1·30	7·82	0·65
6	Inverness	79·02	59·51	20·98	40·49	0·98	13·58	89·34	1·27	8·12	1·27
7	Nairn	88·05	69·05	11·95	30·95	2·38	14·28	88·10	2·38	9·52	0·00
8	Elgin	94·74	88·04	5·26	11·96	5·73	16·27	85·52	2·90	10·62	0·96
9	Banff	95·98	82·41	4·02	17·59	5·49	19·59	85·61	1·47	9·60	3·32
10	Aberdeen	97·46	93·34	2·54	6·66	6·46	19·79	87·50	2·23	8·38	1·89
11	Kincardine	96·16	89·02	3·84	10·98	8·24	16·49	90·67	1·09	6·04	2·20
12	Forfar	91·75	79·05	8·25	20·95	8·79	18·30	85·01	2·11	9·45	3·45
13	Perth	98·61	93·61	1·39	6·39	4·45	14·34	86·06	2·26	9·57	2·11
14	Fife	97·22	92·04	2·78	7·96	10·05	16·51	87·78	2·00	8·22	2·00
15	Kinross	97·56	100·00	2·44	0·00	4·87	12·19	85·36	4·88	7·32	2·44
16	Clackmannan	94·34	90·57	5·66	9·43	6·20	24·52	84·62	0·96	11·54	2·88
17	Stirling	91·07	83·42	8·93	16·58	8·77	25·19	86·88	2·88	8·48	1·76
18	Dumbarton	86·75	75·33	13·25	24·67	7·27	21·30	89·04	1·04	8·09	1·83
19	Argyll	88·17	81·45	11·83	18·55	1·61	13·43	87·31	1·34	9·29	2·17
20	Bute	93·34	86·67	6·66	13·33	0·00	7·77	87·64	1·12	8·99	2·25
21	Renfrew	84·21	72·71	15·79	27·29	7·79	22·93	82·62	4·12	8·69	4·57
22	Ayr	88·08	77·39	11·92	22·61	10·00	26·52	85·88	1·93	9·26	2·93
23	Lanark	84·21	69·16	15·79	30·84	7·93	24·91	82·82	4·07	9·26	3·85
24	Linlithgow	84·78	79·43	15·22	20·57	9·47	26·33	84·65	7·47	5·39	2·49
25	Edinburgh	94·99	90·47	5·01	9·53	6·13	19·99	85·44	3·11	8·12	3·33
26	Haddington	87·33	80·54	12·67	19·46	8·14	19·46	87·78	0·91	9·05	2·26
27	Berwick	98·96	98·96	1·04	1·04	4·71	17·28	91·49	2·12	6·39	0·00
28	Peebles	100·00	100·00	0·00	0·00	8·70	17·39	84·78	0·00	8·70	6·52
29	Selkirk	100·00	94·60	0·00	5·40	1·35	20·27	93·24	0·00	6·76	0·00
30	Roxburgh	97·77	97·13	2·23	2·87	4·14	13·69	88·46	1·28	8·98	1·28
31	Dumfries	96·65	95·22	3·35	4·78	6·94	16·50	88·81	0·97	8·76	1·46
32	Kirkcudbright	97·16	94·79	2·84	5·21	6·63	16·11	86·21	1·97	9·36	2·46
33	Wigtown	91·59	87·63	8·41	12·37	8·91	19·80	90·31	0·00	8·67	1·02
EDINBURGH		95·99	92·18	4·11	7·82	5·82	19·98	85·55	3·26	7·93	3·26
GLASGOW		83·34	67·26	16·66	32·74	7·80	23·44	81·46	4·60	9·77	4·17

in Leith, which was thus the healthiest of the Towns, and being one of the smallest, ought to be one of the healthiest; there occurred 24·85 deaths in Perth; 25·13 in Aberdeen; 25·27 in Edinburgh; 27·39 in Paisley; 28·22 in Dundee; 30·13 in Glasgow; and 31·64 deaths in

TABLE XXIV.—MARRIAGES, 1869. Number and Proportion of Men and Women who married in Scotland in 1869, according to the Rites of the several Religious Denominations, who signed their names by a MARK.

RELIGIOUS DENOMINATIONS.	TOTAL MARRIAGES.	SIGNED BY A MARK.		PROPORTION IN EVERY 100 MARRIAGES WHO SIGNED BY A MARK.	
		Men.	Women.	Men.	Women.
Established Church	9761	687	1614	7·04	16·53
Free Church	5095	341	800	6·69	15·70
United Presbyterian Church	3277	126	388	3·84	11·84
Roman Catholic Church	2043	941	1261	46·06	61·72
Episcopal Church	450	44	94	9·78	20·93
Other Denominations	1393	86	246	6·17	17·65
Denomination not stated	56	7	11	12·50	20·10
Irregular Marriages	69	1	7	1·45	10·14

TABLE XXV.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1869, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372
1867	34363	34705	69068	1233	1350	2583	16589	16601	33190	16541	16754	33295
1868	34662	34754	69416	1156	1355	2511	15993	16191	32184	17513	17208	34721
1869	37868	38007	75875	1364	1420	2784	17113	17025	34138	19391	19562	38953

TABLE XXVI.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1869, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·125	1·946	2·031	1·683	1·520	1·594	1·432	1·693	1·746	2·702	2·382	2·531
1862	2·260	2·087	2·174	1·972	1·756	1·855	1·895	1·802	1·847	2·873	2·555	2·702
1863	2·402	2·181	2·286	1·951	1·733	1·833	2·009	1·900	1·952	3·071	2·647	2·845
1864	2·470	2·256	2·358	1·757	1·656	1·702	2·054	1·952	2·001	3·197	2·769	2·968
1865	2·325	2·135	2·231	1·696	1·446	1·560	1·891	1·796	1·842	3·055	2·701	2·866
1866	2·313	2·134	2·219	1·793	1·569	1·671	1·952	1·869	1·914	2·908	2·573	2·730
1867	2·226	2·040	2·129	1·697	1·565	1·626	1·906	1·779	1·841	2·752	2·455	2·516
1868	2·222	2·025	2·120	1·594	1·574	1·583	1·831	1·730	1·779	2·853	2·478	2·654
1869	2·404	2·196	2·295	1·884	1·653	1·759	1·953	1·814	1·881	3·094	2·768	2·921

Greenock. These may be considered the relative death-rates of the Towns, and as showing their comparative healthiness,—Edinburgh, notwithstanding her large population, holding a comparatively high place as to healthiness, while Greenock, on the other hand, with its small population, holds a very low place in a sanitary point of view.

TABLE XXVII.—DEATHS in SCOTLAND, in its Four Registration Groups, Principal Towns, Large Towns, Small Towns, and Rural Districts, 1855–1869, distinguishing the Sexes.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	11189	11517	22706	2972	2982	5954	4963	5052	10015	11502	11827	23329
1856	11155	11099	22254	2703	2671	5374	4785	4757	9542	10775	10584	21359
1857	11692	11671	23363	2917	2943	5860	4911	5098	10009	11417	11257	22674
1858	11770	11675	23445	3034	3129	6163	5046	5030	10076	11802	12053	23855
1859	11075	11277	22352	2946	2829	5775	4975	5070	10045	11592	11950	23542
1860	12814	13252	26066	2972	3070	6042	5480	5590	11070	12344	12648	24992
1861	11464	11685	23149	2869	2962	5831	5150	5216	10366	11407	11588	22995
1862	12270	12690	24960	3286	3280	6566	5368	5565	10933	12255	12481	24736
1863	13624	13421	27045	3358	3422	6780	5862	5680	11542	12787	13327	26114
1864	14504	14341	28845	3544	3588	7132	6132	6162	12294	12830	13315	26145
1865	14263	14252	28515	3352	3544	6896	5598	5658	11256	11977	12247	24224
1866	13742	13724	27466	3378	3528	6906	5777	6032	11809	12458	12709	25167
1867	13219	13300	26519	3322	3454	6776	5786	5771	11557	12036	12180	24216
1868	14154	13883	28037	3359	3325	6684	5640	5752	11392	11509	11794	23303
1869	15744	15723	31467	3647	3839	7486	6022	5879	11901	12455	12566	25021

TABLE XXVIII.—Per-centage of Deaths to the Population in the Four Registration Groups of Scotland, viz. Principal Towns, Large Towns, Small Towns, and Rural Districts, 1855–1869.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			RURAL DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·9295	2·5845	2·7436	2·6441	2·3825	2·5063	2·1631	1·9954	2·0751	1·6832	1·6169	1·6490
1856	2·8866	2·4604	2·6571	2·3783	2·1069	2·2352	2·0704	1·8635	1·9618	1·5768	1·4455	1·5089
1857	2·9907	2·5562	2·7566	2·5387	2·2923	2·4086	2·1096	1·9808	2·0420	1·6708	1·5359	1·6010
1858	2·9763	2·5267	2·7341	2·6119	2·4070	2·5037	2·1521	1·9386	2·0400	1·7272	1·6425	1·6835
1859	2·7691	2·4120	2·5766	2·5091	2·1795	2·3191	2·1067	1·9385	2·0183	1·6966	1·6271	1·6605
1860	3·1682	2·8014	2·9706	2·3360	2·3045	2·3987	2·3042	2·1251	2·2075	1·8067	1·7205	1·7619
1861	2·7964	2·4385	2·6034	2·3860	2·1931	2·2840	2·1568	1·9236	2·0577	1·6664	1·5730	1·6180
1862	2·9314	2·6032	2·7612	2·6750	2·3836	2·5210	2·2312	2·0854	2·1546	1·7860	1·6937	1·7382
1863	3·1880	2·7063	2·9291	2·6758	2·4407	2·5518	2·3631	2·1137	2·2405	1·8593	1·8033	1·8303
1864	3·3241	2·8425	3·0730	2·7642	2·5118	2·6314	2·5104	2·2770	2·3785	1·8613	1·7992	1·8291
1865	3·2017	2·7768	2·9065	2·5592	2·4350	2·4931	2·2745	2·0762	2·1703	1·7344	1·6528	1·6922
1866	3·0212	2·6284	2·8113	2·5245	2·3791	2·4481	2·3295	2·1980	2·2604	1·8009	1·7131	1·7554
1867	2·8531	2·5038	2·6908	2·4301	2·2861	2·3544	2·3155	2·0881	2·1961	1·7371	1·6402	1·6869
1868	2·9852	2·5690	2·7635	2·4052	2·1595	2·2766	2·2401	2·0667	2·1491	1·6587	1·5867	1·6215
1869	3·2522	2·8600	3·0436	2·5561	2·4477	2·4994	2·3737	2·0976	2·2288	1·7927	1·6894	1·7393

TABLE XXIX.—TOWN DEATHS, 1859–1869. Number of Deaths Annually in each of the Eight Principal Towns of Scotland.

TOWNS.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.
Glasgow . . .	10832	12436	10936	11565	13329	13674	13914	12829	12578	13832	15648
Edinburgh . . .	3703	4240	4168	4760	4593	4678	4858	4813	4765	4781	5406
Dundee . . .	2269	2903	2499	2599	2714	3105	3000	3130	2952	2917	3564
Aberdeen . . .	1676	2193	1780	1923	1750	2139	1981	2324	1824	2029	1787
Greenock . . .	1423	1255	1113	1370	1876	1929	1675	1488	1433	1658	1750
Paisley . . .	1185	1378	1207	1253	1218	1521	1410	1345	1335	1221	1449
Leith . . .	699	987	766	872	913	928	948	924	1064	973	1169
Perth . . .	560	664	665	618	652	871	729	613	569	626	694

Of the 75,875 persons who died during the year, 37,868 were males, and 38,007 females, which, to the corrected population, gives the proportion of 24·04 male deaths to every thousand males, and 21·96 female deaths to every thousand females ; so that the female death-rate was lower than that of the male ; and it will be seen by Table XXVI. that this has been the case since 1855, when the Registration Act came into operation.

The same was the case with those dying in the three groups of Districts into which Scotland is divided. Thus, for every thousand persons of each sex in each of the groups, there died 18·84 men, but only 16·53 women, in the Insular Districts ; 19·53 men, but only 18·14 women, in the Mainland-Rural Districts ; 30·94 men, but only 27·68 women, in the Town Districts, during 1869. (Table XXVI.)

As a general rule, it has been found in Scotland that, at almost every period of life, the death-rate of the female was lower than that of the male, and most strikingly so during the first year of existence. Thus, in Scotland, for every thousand of each sex living at the different periods of life, there died under one year 161·60 males, but only 136·68 females. From 0-5 years there died 67·04 males, but only 61·70 females ; from 20 to 30

TABLE XXX.—TOWN DEATHS, 1859-1869. Annual Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1859-1869. The Populations and Proportions corrected by the Census of 1871.

TOWNS.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	Mean Annual Mortality.	1869.
Glasgow .	2·83	3·19	2·75	2·85	3·22	3·25	3·25	2·93	2·82	3·04	3·013	3·373
Edinburgh	2·19	2·50	2·43	2·73	2·59	2·60	2·65	2·58	2·52	2·48	2·527	2·769
Dundee .	2·53	3·20	2·71	2·74	2·78	3·09	2·91	2·95	2·71	2·60	2·822	3·093
Aberdeen	2·28	2·97	2·39	2·54	2·27	2·73	2·48	2·86	2·20	2·41	2·513	2·091
Greenock	3·34	2·90	2·52	3·00	3·99	3·97	3·34	2·88	2·69	3·02	3·164	3·092
Paisley .	2·49	2·90	2·54	2·63	2·55	3·19	2·95	2·81	2·78	2·54	2·739	3·012
Leith .	1·98	2·76	2·11	2·34	2·39	2·37	2·36	2·24	2·51	2·24	2·330	2·633
Perth .	2·24	2·64	2·54	2·36	2·49	2·94	2·77	2·33	2·16	2·38	2·485	2·624

TABLE XXXI.—AGES of MALES and FEMALES who died in SCOTLAND, and its INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS, during the year 1869.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	8120	6534	208	131	3422	2705	4490	3698
— 2	3477	3236	60	65	1260	1129	2157	2042
— 3	1774	1699	38	37	633	632	1103	1030
— 4	1214	1216	20	24	476	429	718	763
— 5	864	909	18	14	340	354	504	541
0- 5 Years	15447	13594	344	271	6131	5249	8972	8074
5-10	2111	1994	41	37	870	866	1200	1091
10-15	925	930	36	32	462	456	427	442
15-20	1120	1254	46	44	538	588	536	622
20-30	2653	2511	105	78	1211	1026	1337	1407
30-40	2157	2421	71	84	868	973	1218	1364
40-50	2424	2371	87	69	982	934	1355	1368
50-60	2641	2680	88	103	1167	1107	1386	1470
60-70	3324	3408	161	155	1693	1659	1470	1594
70-80	3169	3879	211	254	1879	2238	1079	1387
80-90	1591	2472	134	223	1100	1599	357	650
90-100	259	447	32	53	188	308	39	86
100 and above	8	16	3	3	3	11	2	2
Not stated	39	30	5	14	21	11	13	5
ALL AGES	37868	38007	1364	1420	17113	17025	19391	19562

years there died 10·57 males, but only 8·17 females; from 30 to 40 years there died 11·63 males, but only 10·84 females; from 40 to 50 years there died 16·29 males, but only 13·64 females; from 60 to 70 years there died 47·47 males, but only 37·08 females, etc. During this year, however, the female mortality somewhat exceeded the male from 10 to 20 years of age. Thus, from 10 to 15 years, in every thousand of each sex, there died 5·52 females, but only 5·23 males; while from 15 to 20 years there died 7·43 females, but only 6·86 males. (Table XXXIII.)

Year after year it appears, by the Tables published in these Reports, that at every separate period of life the proportion of deaths to the persons living at the different ages is much higher in the Town than in the Rural

TABLE XXXII.—PER-CENTAGE of DEATHS at each AGE to the TOTAL DEATHS, 1869.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	21·44	17·19	15·25	9·23	19·99	15·89	23·15	18·91
— 2	9·18	8·52	4·40	4·58	7·36	6·63	11·12	10·43
— 3	4·68	4·47	2·78	2·60	3·68	3·71	5·69	5·27
— 4	3·22	3·19	1·47	1·69	2·78	2·52	3·70	3·90
— 5	2·27	2·39	1·32	0·98	1·98	2·08	2·60	2·76
0- 5	40·79	35·75	25·22	19·08	35·83	30·83	46·26	41·27
5-10	5·58	5·25	3·00	2·60	5·08	5·09	6·19	5·57
10-15	2·45	2·44	2·64	2·25	2·70	2·65	2·20	2·26
15-20	2·95	3·30	3·38	3·10	3·14	3·45	2·76	3·19
20-30	7·01	6·61	7·71	5·49	7·08	6·03	6·89	7·19
30-40	5·69	6·37	5·20	5·92	5·07	5·72	6·28	6·98
40-50	6·41	6·24	6·38	4·86	5·74	5·48	6·99	6·99
50-60	6·98	7·06	6·45	7·25	6·82	6·51	7·16	7·52
60-70	8·77	8·97	11·80	10·90	9·89	9·75	7·59	8·14
70-80	8·37	10·21	15·47	17·95	10·99	13·15	5·56	7·09
80-90	4·20	6·50	9·82	15·70	6·43	9·39	1·84	3·32
90-100	0·68	1·17	2·34	3·72	1·09	1·81	0·20	0·44
100 and above	0·02	0·04	0·22	0·20	0·02	0·07	0·01	0·01
Not stated	0·10	0·08	0·87	0·98	0·12	0·07	0·07	0·03
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XXXIII.—PER-CENTAGE of DEATHS at each AGE to the POPULATION at that AGE.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	16·160	13·668	11·920	7·835	12·645	10·391	20·943	18·395
— 2	7·627	7·392	3·567	3·920	4·921	4·584	11·666	11·673
— 3	3·847	3·853	2·139	2·079	2·445	2·532	5·979	5·934
— 4	2·727	2·828	1·152	1·426	1·874	1·797	4·129	4·517
— 5	1·970	2·183	0·995	0·812	1·355	1·475	2·988	3·400
0- 5 Years	6·704	6·170	3·932	3·183	4·751	4·232	9·686	9·200
5-10	1·055	1·041	0·495	0·453	0·752	0·782	1·587	1·504
10-15	0·523	0·552	0·473	0·429	0·442	0·464	0·642	0·702
15-20	0·686	0·743	0·699	0·598	0·582	0·826	0·834	0·878
20-30	1·057	0·817	1·174	0·609	0·931	0·668	1·192	0·998
30-40	1·163	1·084	1·062	0·864	0·890	0·846	1·499	1·384
40-50	1·629	1·364	1·553	0·889	1·206	1·007	2·192	1·865
50-60	2·450	2·098	1·804	1·554	1·864	1·560	3·438	2·907
60-70	4·747	3·708	3·968	2·882	3·906	3·093	6·486	4·845
70-80	10·439	8·937	10·440	9·120	9·250	8·183	13·448	10·453
80-90	19·447	18·707	19·007	19·274	18·992	18·000	21·200	20·479
90-100	41·176	36·253	42·666	38·406	42·342	37·607	35·455	31·159
100 and above	27·586	28·070	100·00	17·647	13·043	33·333	66·666	28·571
Not stated	—	—	—	—	—	—	—	—
TOTAL	2·404	2·196	1·884	1·653	1·953	1·814	3·094	2·768

Districts—in other words, that at every age life burns out much more rapidly in the Town than in the Rural Districts. Compare, for instance, the mortality of the males in the Mainland-Rural and Town Districts, as

TABLE XXXIV.—DEATHS, 1869. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1869, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND- RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2295	2404	2196	1759	1884	1653	1881	1953	1814	2921	3094	2768
1. Zymotic Class . . .	544	564	525	308	346	277	394	400	393	769	811	731
2. Uncertain Seat . . .	78	63	92	86	72	97	72	45	88	86	72	99
3. Tubercular Class . . .	378	393	365	266	294	243	299	311	290	498	516	483
4. Nervous System . . .	186	204	169	139	161	121	156	168	145	238	326	208
5. Organs of Circulation . . .	107	118	97	70	94	51	98	107	91	123	137	111
6. Respiratory Organs . . .	372	402	345	190	218	166	195	271	225	561	602	525
7. Organs of Digestion . . .	153	166	141	118	146	96	140	151	131	175	191	162
8. Urinary Organs . . .	34	49	21	33	53	16	33	48	19	36	50	24
9. Generative Organs . . .	18	—	34	19	—	34	15	—	29	21	—	40
10. Locomotive Organs . . .	13	14	12	24	27	21	10	9	11	16	20	12
11. Skin, etc.	3	4	2	1	2	—	3	3	3	3	6	2
12. Malformation	7	7	6	1	2	—	7	7	7	7	8	5
13. Premature Debility . . .	108	125	93	38	44	33	90	106	76	140	159	123
14. Atrophy	16	15	17	12	11	13	12	11	13	22	20	24
15. Age	196	157	232	570	497	628	222	179	264	131	99	159
16. Sudden Deaths . . .	6	6	6	3	2	4	4	4	5	8	10	7
17. Violent Deaths . . .	72	114	35	82	151	27	62	101	21	85	129	46
Small-pox	2	2	1	1	2	—	1	2	1	3	4	3
Measles	52	56	48	52	57	48	29	32	26	83	91	77
Scarlatina	146	159	135	16	18	13	109	116	104	209	231	189
Diphtheria	20	20	21	17	24	12	21	20	22	20	19	21
Hooping-cough	77	72	81	46	34	49	48	42	53	119	115	123
Croup	30	34	27	48	61	37	25	30	21	36	38	34
DIARRHŒA	50	52	48	19	22	16	38	39	38	70	75	65
Dysentery	7	7	7	5	37	6	8	8	9	6	6	5
Cholera	4	5	4	1	—	1	3	3	2	7	7	6
Influenza	6	5	7	18	16	19	6	5	8	4	4	3
ALL FEVERS, viz.	116	120	111	62	79	48	78	77	8	172	183	162
Typhus	64	70	59	46	59	35	26	27	25	117	131	105
Enteric	42	40	43	11	13	10	43	40	46	44	43	44
Relapsing	1	1	1	1	2	—	1	1	1	1	1	1
Continued	4	4	3	3	3	3	4	5	3	3	2	3
Infantile	5	5	5	1	2	—	4	4	3	7	6	8
Metria	5	—	9	5	—	9	4	—	7	6	—	11
Erysipelas	9	10	8	6	7	4	8	7	8	10	13	8
Dropsy	21	19	23	37	20	51	17	15	19	24	24	25
Cancer	44	29	58	38	37	39	44	30	56	46	28	62
Scrofula	21	25	17	15	18	12	17	21	14	26	32	21
Tabes Mesenterica . . .	30	34	26	14	9	18	22	26	19	42	49	37
PHTHISIS	267	262	271	223	249	201	216	215	219	341	330	351
Hydrocephalus	60	70	50	14	16	12	42	49	36	87	105	72
Apoplexy	42	44	40	28	37	21	38	38	38	50	54	46
Paralysis	57	58	56	64	63	66	54	54	54	61	63	59
Epilepsy	6	8	5	9	11	9	6	7	5	7	9	5
Convulsions	30	35	25	8	7	9	18	21	15	48	57	39
BRONCHITIS	251	261	243	84	90	79	155	161	150	397	414	383
Pneumonia	82	98	68	40	50	33	60	72	49	117	138	97
Teething	28	32	25	7	11	4	16	22	19	41	49	34
Enteritis	28	33	23	12	20	6	28	34	23	29	32	26
All Liver Diseases . . .	32	34	31	31	33	30	31	33	28	35	35	35
CHILDBIRTH	12	—	24	15	—	28	10	—	20	16	—	30
Burns and Scalds . . .	6	7	6	7	7	7	5	6	4	8	9	8
Drowning	17	31	4	53	107	9	17	30	5	13	25	3
Fracture & Contusion . .	29	51	10	9	15	4	26	46	8	36	62	13

shown in Table XXXIII. For every thousand males at each age in each District, from 0-5 years of age there died 47·51 in the Mainland-Rural, but 96·86 in the Town Districts. From 5 to 10 years of age there died 7·52

TABLE XXXV.—DEATHS, 1869. Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in 1869.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND- RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2369	2344	2393	1570	1629	1515	2114	2065	2162	2634	2624	2643
2. Uncertain Seat . . .	342	264	419	429	339	532	389	295	482	296	232	359
3. Tubercular Class . . .	1650	1634	1664	1355	1385	1326	1603	1608	1596	1706	1669	1741
4. Nervous System . . .	810	849	772	709	758	663	834	868	800	796	839	754
5. Organs of Circulation . . .	467	492	442	359	444	278	527	552	503	422	444	401
6. Respiratory Organs . . .	1622	1673	1573	966	1028	909	1314	1397	1232	1922	1946	1899
7. Organs of Digestion . . .	667	693	642	603	688	524	750	782	719	601	618	585
8. Urinary Organs . . .	149	203	95	168	252	90	176	248	104	125	161	89
9. Generative Organs . . .	78	—	155	97	—	188	81	—	162	74	—	147
10. Locomotive Organs . . .	57	61	54	122	130	114	56	50	61	55	65	44
11. Skin, etc.	14	16	11	4	8	—	15	15	16	12	18	7
12. Malformation	30	31	29	4	8	—	39	37	41	24	27	20
13. Premature Debility . . .	473	520	425	194	166	180	484	552	437	480	514	447
14. Atrophy	70	61	79	63	52	73	63	56	70	77	67	88
15. Age	857	653	1059	2904	2343	3431	1189	925	1454	450	322	577
16. Sudden Deaths . . .	27	27	26	17	8	24	24	21	27	29	33	26
17. Violent Deaths . . .	315	474	159	422	714	147	336	523	149	292	418	174
Small-pox	8	11	6	4	8	—	5	8	2	12	13	10
Measles	228	236	220	266	270	262	152	165	147	286	293	281
Scarlatina	643	662	615	80	87	73	588	602	573	716	748	685
Diphtheria	95	83	98	88	113	65	115	105	125	69	62	77
Hooping-cough	336	300	371	236	200	270	256	219	293	409	374	444
Croup	133	147	122	245	287	204	136	158	115	123	123	123
DIARRHŒA	230	221	219	97	104	90	206	201	211	239	244	234
Dysentery	32	29	34	25	17	33	45	40	49	20	21	20
Cholera	19	21	18	4	—	8	15	19	11	24	23	24
Influenza	26	21	31	92	78	86	35	27	43	14	12	16
ALL FEVERS, viz.	505	501	508	316	374	262	418	401	434	590	593	587
Typhus	281	294	268	232	278	188	141	140	140	403	425	381
Enteric	182	167	197	59	61	57	229	207	252	150	139	161
Relapsing	4	4	4	4	8	—	4	5	3	4	2	4
Continued	17	17	16	17	17	16	24	27	19	10	8	12
Infantile	21	19	23	4	8	—	20	21	19	23	19	28
Metria	21	—	41	25	—	49	21	—	42	20	—	40
Erysipelas	39	41	36	29	35	24	41	40	43	37	42	31
Dropsy	92	79	102	189	96	291	94	78	109	84	78	89
Cancer	194	124	265	194	174	218	237	157	316	159	92	224
Scrofula	91	105	77	76	87	65	94	109	80	89	103	75
Tabes Mesenterica	133	144	122	71	43	98	121	133	109	146	159	133
PHTHISIS	1164	1091	1235	1135	1176	1097	1158	1113	1204	1170	1068	1271
Hydrocephalus	273	293	229	71	78	65	228	254	203	300	339	262
Apoplexy	185	186	179	143	174	114	203	198	207	172	176	167
Paralysis	249	242	256	329	296	369	291	282	299	209	204	213
Epilepsy	29	33	26	50	52	49	23	36	39	25	30	19
Convulsions	131	148	113	42	35	49	98	140	85	164	186	142
BRONCHITIS	1096	1085	1107	430	427	434	830	832	828	1362	1338	1385
Pneumonia	359	407	311	207	235	180	314	371	271	400	448	352
Teething	125	135	114	38	52	24	108	114	107	142	159	125
Enteritis	121	136	106	63	96	33	152	177	127	99	105	93
All Liver Diseases	142	142	113	160	157	164	165	173	157	121	115	101
CHILDBIRTH	56	—	111	80	—	155	55	—	110	55	—	87
Burns and Scalds	29	31	28	38	35	41	29	33	26	29	29	29
Drowning	74	129	20	270	505	49	93	158	29	46	81	11
Fracture & Contusion . . .	129	213	47	46	69	24	141	236	47	125	201	49

males in the Mainland-Rural, but 15·87 in the Town Districts. From 10 to 15 years there died 4·42 males in the Mainland-Rural, but 6·42 in the Town Districts. From 15 to 20 years there died 5·82 males in the Mainland-Rural, but 8·34 in the Town Districts. The same was the case at the adult ages. Thus, in every thousand males, from 20 to 30 years of age there died 9·31 in the Mainland-Rural, but 11·92 in the Town Districts. From 30 to 40 years of age there died 8·90 males in the Mainland-Rural, but 14·99 in the Town Districts. From 40 to 50 years of age there died 12·06 males in the Mainland-Rural, but 21·96 in the Town Districts. From 50 to 60 years of age there died 18·64 males in the Mainland-Rural, but 34·38 in the Town Districts. From 60 to 70 years of age there died 39·06 males in the Mainland-Rural, but 64·86 in the Town Districts. Even at the age of 80 to 90 years, while 189·92 males died in the Rural Districts, 212·00 died in the Town Districts.

CAUSES OF DEATH.

Of the 75,875 Deaths registered in Scotland in 1869, the causes of death were recorded in 73,247 cases. In the remaining 2628 cases, being

TABLE XXXVI.—TOWN DEATHS, 1869. Proportion of Deaths from different Diseases to the Population in the Principal Towns, Large Towns, and in each of the Eight Principal Towns of Scotland during the year 1869, allowing for causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.									
	Principal Towns.	Large Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS . . .	3043	2499	3373	2769	3093	2091	3092	3012	2633	2624
Zymotic Class . . .	807	635	934	598	963	338	937	820	743	824
Tubercular Class . . .	513	444	585	446	497	404	543	516	365	371
Brain, etc.,	238	214	230	272	214	221	221	291	229	222
Heart, etc.,	122	128	99	172	123	122	156	73	104	176
Respiratory Organs . . .	608	400	777	532	547	334	427	392	485	299
Organs of Digestion . . .	181	158	198	147	143	157	234	238	186	149
Premature Debility . . .	145	122	160	127	189	91	128	122	133	107
Old Age	118	175	94	129	145	133	108	221	97	176
Violent Deaths	93	58	102	88	87	69	104	61	106	88
Small-pox	4	—	—	—	2	—	68	8	—	—
Measles	84	82	135	56	1	8	66	54	129	—
Scarlatina	218	178	197	102	580	10	286	177	213	602
Diphtheria	18	27	21	17	13	14	21	12	27	3
Hooping-cough	128	89	151	155	49	21	101	257	129	23
Croup	37	31	38	34	33	34	40	44	36	46
Diarrhœa	72	62	67	76	83	50	137	61	59	61
Dysentery	5	7	3	5	16	7	4	6	4	3
Cholera	6	8	4	11	16	—	6	6	2	3
Fevers, viz.	188	116	274	93	130	133	177	162	97	61
Typhus	134	59	212	51	91	75	148	68	41	30
Enteric	42	48	48	37	29	57	21	45	47	20
Relapsing	1	1	1	1	1	—	—	10	—	—
Continued	3	4	3	2	2	—	2	6	7	11
Infantile	8	4	10	2	6	1	6	33	2	—
Dropsy	26	18	27	13	32	13	40	71	13	23
Cancer	48	40	35	79	37	65	40	48	47	38
Phthisis	351	308	402	290	368	290	397	324	195	249
Apoplexy	51	46	46	56	48	43	53	88	56	65
Paralysis	60	63	51	74	53	64	57	99	79	49
Bronchitis	428	291	553	362	385	241	288	267	344	237
Pneumonia	128	75	166	139	99	61	106	101	117	34
Teething	46	25	51	23	56	42	72	65	36	34

3·46 per cent. of the whole, the causes of death were stated in such indefinite terms that no use could be made of the entry ; while in a few instances the disease of which the person died was not named at all.

The Zymotic, that is the epidemic and contagious, class of diseases cut off 17,354 persons in Scotland during the year, of whom 8550 were males, and 8804 females. This class of diseases thus constituted 23·69 per cent. of the deaths, or cut off at the rate of 544 persons in every hundred thousand of the population. As only 13,256 deaths from the zymotic class of diseases occurred in 1867, and 15,170 deaths in 1868, the zymotic deaths in 1869 were 2184 higher than in 1868, and 4098 higher than in 1867. The proportion of zymotic deaths to the population was thus nearly as high as in 1865, though far below the proportions in 1863 and 1864.

In studying the deaths from any particular class of diseases, one of the most important points of inquiry is the age at which the chief mortality occurs. With the view of throwing some light on this subject, a Table was given in our Detailed Report for 1868, and is here given for 1869, which shows the mortality from the leading epidemic diseases at five periods of life (Tables XXXVIII. and XXXIX.), and, for comparison with them, the deaths from the ordinary diseases at the same ages, and from all diseases, including the Zymotic, at the same ages.

Table XXXVIII. shows that in 1869, of the persons who died from

TABLE XXXVII.—TOWN DEATHS, 1869. Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in 1869.

DISEASES. AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.									
	Principal Towns.	Large Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2655	2544	2760	2162	3111	1622	3034	2726	2831	3129
Tubercular Class . . .	1689	1776	1729	1615	1607	1937	1761	1717	1390	1412
Brain, etc.	781	858	680	983	692	1061	717	967	871	844
Heart, etc.	401	513	295	623	398	584	507	245	396	669
Respiratory Organs . .	1998	1601	2233	1933	1769	1600	1384	1303	1846	1135
Organs of Digestion . .	594	632	586	530	463	752	760	792	707	567
Premature Debility . .	478	489	473	460	610	438	414	406	509	407
Old Age	390	702	278	467	469	640	352	735	371	669
Violent Deaths	306	232	301	319	282	331	340	200	405	334
Small-pox	14	3	1	—	5	—	222	28	—	—
Measles	275	330	401	204	3	39	216	182	491	—
Scarlatina	717	713	564	369	1876	50	927	588	811	2285
Diphtheria	60	107	63	63	42	67	67	42	103	14
Whooping-cough . . .	421	359	448	562	161	101	327	855	491	87
Croup	123	126	115	124	107	163	129	147	138	174
Diarrhoea	237	249	199	276	268	241	445	203	224	232
Dysentery	19	28	10	18	53	33	12	21	17	14
Cholera	21	34	12	39	53	—	18	21	8	14
Fevers, viz.	620	465	809	339	421	640	574	539	370	232
Typhus	442	238	627	181	296	359	482	224	155	117
Enteric	140	192	143	135	96	275	68	147	181	72
Relapsing	3	5	1	4	3	—	—	35	—	—
Continued	9	15	8	9	5	—	6	21	26	43
Infantile	26	15	30	9	19	6	18	112	8	—
Dropsy	86	73	82	50	104	62	129	238	51	87
Cancer	158	161	105	287	121	314	129	161	181	145
Phthisis	1155	1232	1190	1050	1190	1392	1285	1079	742	946
Apoplexy	169	183	138	202	155	207	173	294	215	247
Paralysis	199	257	149	269	172	308	185	329	302	189
Bronchitis	1408	1167	1635	1307	1246	1156	933	890	1311	902
Pneumonia	423	302	492	411	322	292	346	336	448	131
Teething	151	102	149	83	180	202	234	217	138	131

all diseases, including the zymotic, 38·3 per cent. were from 0 to 5 years of age, 5·4 per cent. were from 5 to 10 years of age, 2·4 per cent. from 10 to 15 years of age, 29·3 per cent. from 15 to 60 years of age, and 24·6 per cent. above 60 years of age.

For strict comparison with the zymotic mortality at these ages, it is more desirable to look at the proportion of deaths from the ordinary sporadic diseases, or all the diseases excepting the zymotics. The second last line of the Table shows the proportion in which such proved fatal at each age in 1869. Thus, of the persons who died from the ordinary diseases, 32·2 per cent. were from 0 to 5 years of age; 3·0 per cent. were from 5 to 10 years of age; 2·1 per cent. were from 10 to 15 years; 32·7 per cent. were from 15 to 60 years; and 30·0 per cent. were above 60 years of age.

Very different were the proportions in which the zymotic diseases proved fatal at these ages. Thus, of the persons who died from zymotic or epidemic and contagious diseases, 58·8 per cent., or much more than a half, were under 5 years of age; 13·4 per cent. were from 5 to 10 years of age; 3·6 per cent. were from 10 to 15 years of age; 17·9 per cent. were from 15 to 60 years of age; and only 6·3 per cent. were above 60 years of age.

It will put the different ages at which the zymotic and the ordinary sporadic diseases respectively prove fatal if we divide life into two periods only—above and under 15 years. It then appears that, of the persons who died from the zymotic diseases, 75·8 per cent. were under 15 years of age, and only 24·2 per cent. above that age; while, of the persons who died from the ordinary diseases, only 37·3 per cent. were under 15 years of age, and 62·7 per cent. above that age.

It is upon the young, the children, that the chief mortality of the zymotic class of diseases falls; and by the Table now given, looking only at the proportion of deaths under 5 years of age, 51·6 per cent. of the deaths from

TABLE XXXVIII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1869.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PER-CENTAGE AT EACH AGE.				
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60
Small-pox . . .	33	6	3	21	1	64	51·6	9·4	4·7	32·8	1·5
Measles . . .	1510	113	21	23	3	1670	90·4	6·8	1·2	1·4	0·2
Scarlatina . . .	2833	1433	272	138	4	4680	60·5	30·6	5·8	2·9	0·1
Diphtheria . . .	464	122	24	44	9	663	70·0	18·4	3·6	6·6	1·4
Whooping-cough .	2326	129	5	1	—	2461	94·5	5·2	0·2	0·1	—
Croup . . .	882	93	1	—	—	976	90·4	9·5	0·1	—	—
Diarrhœa . . .	1021	34	12	185	362	1614	63·3	2·1	0·7	11·5	22·4
Dysentery . . .	58	7	—	68	100	233	24·9	3·0	—	29·2	42·9
Cholera . . .	95	6	—	26	15	142	66·9	4·2	—	18·3	10·6
All Fevers, viz. .	563	345	248	2160	385	3701	15·2	9·3	6·7	58·4	10·4
Typhus . . .	151	111	97	1479	221	2059	7·4	5·4	4·7	71·7	10·8
Enteric . . .	259	180	134	630	132	1335	19·4	13·5	10·0	47·2	9·9
Relapsing . . .	1	3	8	9	8	29	3·4	10·4	27·6	31·0	27·6
Simple Contd. .	29	18	8	42	24	121	24·0	14·9	6·6	34·7	19·8
Infantile . . .	123	33	1	—	—	157	78·4	21·0	0·6	—	—
Syphilis . . .	180	1	1	28	5	215	83·7	0·5	0·5	13·0	2·3
Erysipelas . . .	121	2	9	77	75	284	42·6	0·7	3·2	27·1	26·4
All Zymotics . .	10196	2327	616	3114	1101	17354	58·8	13·4	3·6	17·9	6·3
All Diseases, ex- cluding Zymotics)	18845	1778	1239	19118	17541	58521	32·2	3·0	2·1	32·7	30·0
Total Deaths . .	29041	4105	1855	22232	18642	75875	38·3	5·4	2·4	29·3	24·6

Small-pox, 90·4 per cent. of the deaths from Measles, 60·5 per cent. of the deaths from Scarlatina, 70 per cent. of the deaths from Diphtheria, 94·5 per cent. of the deaths from Hooping-cough, 90·4 per cent. of the deaths from Croup, and 63·3 per cent. of the deaths from Diarrhœa fell on children under 5 years of age. By looking at the proportions who die from these diseases at the higher ages of life, it is at once made evident that the chances of death resulting from an attack of these diseases diminishes at a most rapid ratio as life advances above 5 years; and the practical conclusion to draw from this Table is, that every parent and guardian of children should use every effort to prevent the children under his care contracting these diseases till they have passed their fifth year.

There are, however, a few zymotic diseases which are comparatively more fatal to the adult than to the child. Thus, of the persons who in 1869 died from Typhus Fever, only 12·8 per cent. were under 10 years of age, while 82·5 per cent. were above 15 years. Of the Relapsing Fever deaths, only 13·8 per cent. were under 10 years, but 58·6 per cent. above 15 years. Of the Dysentery deaths, only 27·9 per cent. were under 10 years of age, while 72·1 per cent. were above that age. But there were other of these zymotic diseases where the mortality was nearly equally divided among the children and adults. Of the deaths from Enteric and Infantile Fever,—for they are the same complaint,—49·2 per cent. were under, and 50·8 per cent. above, 15 years of age. Of the Erysipelas deaths, 46·5 per cent. were under, and 53·5 per cent. above, 15 years of age.

There is, however, another peculiarity of the zymotic diseases which merits notice, and that is, that it is not the same epidemic disease which takes the lead in each locality. Thus, while Small-pox caused 2·22 per cent. of the deaths in Greenock, it was quite unknown in Edinburgh, Aberdeen, Leith, and Perth; and merely showed an appearance in Glasgow and Dundee. While Measles constituted 4·91 per cent. of the deaths in Leith, and 4·01 per cent. of those in Glasgow, it was quite unknown in Perth, and merely entered an appearance in Dundee. While Scarlatina was such a scourge in Perth that it caused 22·85 per cent. of the deaths in that town, caused 18·76 per cent. of the deaths in Dundee, 9·27 per cent. in Greenock, 8·11 per cent. in Leith, 5·88 per cent. in Paisley, and 5·64 per cent. in Glasgow, it only caused 3·69 per cent. of the deaths in Edinburgh, and was so rare in Aberdeen that only 0·50, or half a per-centage, of the deaths there was caused by it. Much the same was the case with Hooping-cough.

TABLE XXXIX.—Per-centage of Deaths from ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PER-CENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0—5	29,041	10,196	18,845	35·1	64·9
5—10	4,105	2,327	1,778	56·7	43·3
10—15	1,855	616	1,239	33·2	66·8
15—60	22,232	3,114	19,118	14·0	86·0
Above 60	18,642	1,101	17,541	5·9	94·1
0—15	35,001	13,139	21,862	37·5	62·5
15—105	40,874	4,215	36,659	10·3	89·7

While in Paisley 8·55 per cent. of the deaths were caused by Hooping-cough, it was so light in Dundee, Aberdeen, and Perth, as only to cause respectively 1·61, 1·01, and 0·87 per cent. of the deaths in these towns. Even Fever showed nearly as great a diversity of mortality in the several towns, seeing that while it caused 8·09 per cent. of the deaths in Glasgow, it only caused 3·39 per cent. of the deaths in Edinburgh, and 2·32 per cent. in Perth.

Of the various diseases belonging to the epidemic class, Small-pox stands first; yet during the year 1869 only 64 deaths from that disease occurred in Scotland, 36 of which occurred in the town of Greenock. During the previous year only 15 deaths from Small-pox occurred in Scotland, and 100 the year before that, as seen in Table XL.; and that this freedom from Small-pox has been produced to a great extent by the successful working of the Vaccination Act, none can doubt.

Tables XLI. and XLII. give the results of the Vaccination of children in Scotland since the Act came into operation. It is to be remembered, however, that the Act alone provides for the vaccination of children born on or after the 1st of January 1864, but makes no provision for the vaccination of adults or of children born before that date. It also allows six months to elapse from the birth of the child before its requirements can be enforced by a penalty. Many years must, therefore, necessarily pass before the whole of the population can be said to be protected from attacks of Small-pox.

From the subjoined Table it will be seen that upwards of 96 per cent. of the surviving children who were born during the year 1869 were successfully vaccinated; that in nearly one per cent. (0·935) the vaccination had been postponed; that in one-third of a per-centage (0·355) the children were found to be insusceptible of vaccination, from constitutional causes, or from having previously taken Small-pox, or from having been previously vaccinated, while in 2·683 per cent. only the cases were lost sight of, from the parents or guardians of the children having removed to other districts of the country and not been able to be traced.

Of the individual zymotic diseases, the most fatal was Scarlatina, which caused 4680 deaths, of which 2416 were males, and 2264 females. That disease, therefore, caused 6·43 per cent. of the deaths, or proved fatal to 146 persons in every hundred thousand of the population. Males died in higher proportion than females; for whereas 159 males died in every 100,000 males living, only 135 females died in every 100,000 females. It will be seen by Table XXXIV. that during the year 1869, as compared with the population, Scarlatina proved twice as fatal to the Town populations as it did to those in the Mainland-Rural Districts.

TABLE XL.—SMALL-POX DEATHS in SCOTLAND.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1863	1,646
1856	1,306	1864	1,741
1857	845	1865	383
1858	332	1866	200
1859	682	1867	100
1860	1,495	1868	15
1861	766	1869	64
1862	426		

Fever was the next most fatal of the epidemic diseases, having caused 3701 deaths, of which 1828 were males, and 1873 females. It thus appears that Fever constituted 5·05 per cent. of the deaths, or cut off 116 in every hundred thousand persons, or 120 males and 111 females in every hundred thousand of each sex. Of the Fever deaths, 2059 were caused by Typhus, 1335 from Enteric Fever, 29 from Relapsing Fever, 121 from Simple Continued Fever, and 157 from Infantile Fever, which is nothing else than Enteric Fever in the child.

Ever since we began to separate in our classification these various forms of Fever, attention has been directed to the fact that, while Typhus Fever is generally the leading type in the Town Districts, Enteric Fever is the leading type in the Rural Districts of Scotland. Table XLIII. shows these facts for 1869. Thus, while Typhus Fever constituted only 33·62 per cent. of the total deaths from Fever in the Mainland-Rural Districts, it constituted 68·20 per cent. of the Fever deaths in the Town Districts; and while Enteric Fever constituted 54·86 per cent. of the Fever deaths in the Mainland-Rural, it only constituted 25·42 per cent. of the Fever deaths in the Towns.

TABLE XLI.—VACCINATIONS in SCOTLAND, 1864–1869, and proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccina-tion Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1864	Per-centage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Per-centage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Per-centage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Per-centage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Per-centage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Per-centage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000

TABLE XLII.—VACCINATIONS in SCOTLAND, 1864–1869, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccina-tion Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1864	Per-centage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Per-centage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Per-centage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Per-centage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Per-centage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Per-centage	96·027	0·935	0·171	0·016	0·168	2·683	100·000

Hooping-cough was the next most fatal of the epidemic diseases, and caused 2461 deaths, or 3·36 per cent. of the mortality. Females fall victims to this disease in much higher proportions than males, contrary to what happens in most other diseases. Thus, for every hundred thousand persons of each sex, 72 males but 81 females fell victims to Hooping-cough.

Measles only caused 1670 deaths in Scotland during 1869, being in the low proportion of 2·28 per cent. of the deaths, or only 52 deaths in every hundred thousand persons.

Diarrhœa caused 1614 deaths, and thus constituted 2·20 per cent. of the mortality; and, as already explained, fell most heavily on the infantile portion of the population. Dysentery caused 233, and Cholera 142 deaths.

Of the other diseases in the zymotic class, Diphtheria caused 663 deaths, or in the low proportion of 20 deaths in every hundred thousand persons; Croup caused 976 deaths, Influenza 191, Metria 153, Erysipelas 284, Purpura 41, Ague 1, Rheumatic Fever 159, Pyæmia 38, Syphilis 215, and Noma 16 deaths.

The diseases of Uncertain Seat caused 2506 deaths, being 3·42 per cent. of the deaths. Cancer, as usual, was the most fatal of the diseases under this class, causing 1426 deaths, or nearly 2 per cent. (1·94) of the mortality; but females are so much more liable to this disease than males, that while only 452 deaths occurred among the males, 974 occurred among the females. The deaths from Cancer in 1869 were therefore 7·5 per cent. higher than in 1868; and as the total deaths in 1869 were 9·3 per cent. higher than in 1868, this fact seems to indicate that it must have been some general, probably atmospheric, influence which caused the mortality

TABLE XLIII.—DEATHS from FEVER in 1869.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever	Per-centage of Total Fever Deaths.	Deaths from each Fever.	Per-centage of Total Fever Deaths.
Typhus . . .	456	33·62	1548	68·20
Enteric . . .	744	54·86	577	25·42
Relapsing . . .	14	1·03	14	0·61
Simple Continued. .	77	5·69	40	1·76
Infantile . . .	65	4·80	91	4·01
ALL FEVERS . .	1356	100·00	2270	100·00

TABLE XLIV.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Five Years 1865–1869; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	867	639	201	July .	671	502	135
February .	822	599	179	August .	570	399	142
March .	888	666	178	September .	561	387	147
April .	789	599	150	October .	640	416	192
May .	803	583	181	November .	783	538	200
June .	731	552	149	December .	772	537	197

to be so high in 1869, seeing it influenced in the same way the deaths from all causes, the zymotic deaths and the deaths from such a disease as Cancer, which takes long to incubate, and only kills after years of suffering.

Of the other diseases put under this class, Dropsy, otherwise undefined, caused 673 deaths, Abscess 140, Ulcer 41, Fistula 18, Mortification 100, and Gout 17.

The Tubercular class of diseases caused 12,079 deaths, being 16·50 per cent. of the mortality, or in the proportion of 378 deaths in every hundred thousand persons of the population,—males dying in the proportion of 393, and females in that of 365, in every hundred thousand of each sex. This class of diseases proved much more fatal to the inhabitants of Towns than to those of the Rural Districts. Thus, in every hundred thousand persons in each group of Districts, there occurred from tubercular diseases 266 deaths in the Insular Districts, 299 deaths in the Mainland-Rural Districts, but 498 deaths in the Town Districts.

Phthisis, or Consumption, is the most fatal of this class of diseases, and individually it causes more deaths annually in Scotland than any other single disease to which the inhabitants are liable. 8525 persons, of whom 3980 were males and 4545 females, died from Consumption in Scotland during 1869. This single disease thus constituted 11·64 per cent. of the deaths; and in every hundred thousand of each sex caused 262 male and 271 female deaths. Females, therefore, appear to be slightly more liable to the disease than males. The mortality from this disease is much less in the Rural than in the Town Districts, seeing that, in every hundred thousand persons in each group of Districts, only 216 deaths occurred from Consumption in the Mainland-Rural Districts, but 341 deaths in the Town Districts.

The proportion of deaths from Consumption in the Eight Principal Towns of Scotland differed remarkably from each other; and if the returns of the causes of death from Leith can be trusted, they show a remarkable comparative immunity from Consumption in that town, for scarcely one place can be named in Great Britain where the mortality from that fatal disease is so low as at Leith. This striking fact has frequently been pointed out in these Reports, and the year 1869 proved no exception to former years in this respect. Thus, in 1869 only the proportion of 195 deaths from Consumption occurred in Leith in every hundred thousand persons of the population,—a proportion much below that which occurred in the Mainland-Rural Districts. In the other of the Principal Towns the proportion of deaths from Consumption to a like population was 249 deaths in Perth, 290 in Edinburgh and Aberdeen, 324 in Paisley, 368 in Dundee, 397 in Greenock, and 402 in Glasgow. (Table XXXVI.)

Of the other diseases belonging to the tubercular class, Scrofula caused 668, Tabes Mesenterica 973, and Hydrocephalus 1913 deaths. Males are so much more liable to this last disease than females, that in every hundred thousand of each sex 70 males, but only 50 females, died during the year from Hydrocephalus.

Diseases of the Brain and Nervous System caused 5937 deaths, and thus constituted 8·10 per cent. of the deaths; in every hundred thousand of each sex cutting off 204 males, but only 169 females, so that males are much more liable to fall victims to such diseases than females.

Of the diseases belonging to this class, Apoplexy caused 1354 deaths, Paralysis 1825, Convulsions 959, Cephalitis 510, Epilepsy 217, Delirium Tremens 63, Chorea 11, Tetanus 44, Insanity (not otherwise defined) 42, and Brain Disease (not otherwise specified) 912.

Diseases of the Heart and Blood-vessels caused 3420 deaths, and thus constituted 4·67 per cent. of the general mortality. Like diseases of the Brain, this class of diseases was most fatal to males, seeing that, in every hundred thousand of each sex 118 males, but only 97 females, died from Heart diseases in 1869.

Diseases of the Respiratory Organs caused 11,883 deaths, or 16·22 per cent. of the mortality. 6102 of these deaths were males, and 5781 females; showing that, in every hundred thousand of each sex, 402 males, but only 345 females, died from the inflammatory affections of the respiratory organs in 1869. This class of diseases is especially fatal to the inhabitants of the Town Districts, as is rendered apparent by the striking fact that, whereas in every hundred thousand persons only 195 died from these diseases in the Mainland-Rural Districts, 561 died in the Town Districts.

Of the Eight Principal Towns, Glasgow had by far the highest proportion of deaths from diseases of the respiratory organs, Perth the lowest. This is just what ought to be if density of population influences mortality. Thus, of every hundred thousand persons in each Town, 299 died from diseases of the respiratory organs in Perth, 334 in Aberdeen, 392 in Paisley, 427 in Greenock, 485 in Leith, 532 in Edinburgh, 547 in Dundee, but the enormous proportion of 777 in Glasgow. As this class of diseases is beyond all dispute mainly, if not entirely, regulated in its prevalence and mortality by atmospheric causes, and as these same atmospheric influences to a large extent regulate the mortality of all the diseases to which our race is liable, may not the very high mortality of Glasgow be to a great extent kept up by causes over which man has no control, and not either solely or principally by the assumed want or neglect of sanitary measures?

Of the individual diseases belonging to this class of diseases, Bronchitis was the most fatal, causing 8030 deaths, and thus alone constituting 10·96 per cent. of the deaths in Scotland. Pneumonia caused 2630 deaths, Asthma 462, Laryngitis 125, Pleurisy 248, and Lung Disease (not otherwise specified) 388 deaths.

Diseases of the Stomach and Organs of Digestion caused 4891 deaths, of which 2528 were males and 2363 females, thus constituting 6·67 per cent. of the deaths, or 153 deaths in every hundred thousand of the population. Males died in the proportion of 166, but females in that of 141, in every hundred thousand of each sex.

Of the diseases belonging to this class, Teething caused 914 deaths, Quinsey 76, Gastritis 157, Enteritis 891, Peritonitis 338, Ascites 66, Ulceration of Intestines 212, Hernia 112, Ileus 249, Intussusception 59, Stricture of Intestines 27, Stomach Disease (not otherwise defined) 703, Pancreas Disease 5, Hepatitis 131, Jaundice 193, Liver Disease 717, and Spleen Disease 41 deaths.

Kidney and Urinary Diseases caused 1093 deaths, and thus constituted only 1·49 per cent. of the mortality, or cut off 34 persons in every hundred thousand of the population. Men are very much more liable than women to fall victims to these diseases, seeing that 741 men, but only 352 women, died in 1869 from them, or in the proportion of 49 men, but only 21 women, in every hundred thousand persons of each sex. Of the individual diseases, Nephritis caused 97 deaths, Nephria 308, Addison's Disease (supra-renal capsules) 4, Ischuria 61, Diabetes 84, Stone 57, Cystitis 204, Stricture of Urethra 15, and Kidney Disease (not otherwise specified) 263.

Diseases of the Organs of Generation caused 571 deaths, being in the

low proportion of 0·78 per cent. of the deaths, or 18 deaths in every hundred thousand persons. Of these, 410 were ascribed to one or other of the various accidents attending childbirth; and if to these be added the 153 deaths from Metria (or Childbed Fever), it gives us 563 deaths from Childbirth during the year. 111,917 mothers gave birth to 113,354 living children during the year; but we have no record of how many gave birth to dead children and abortions, and yet it is among these latter classes that the accidents attending childbirth are much more common and fatal than among women bearing living children. Even taking these numbers without correction, they would indicate that only one mother died in childbed for every 199 mothers who bare living children,—a much higher proportion than occurred during the three previous years, which only averaged one death in every 240 mothers who bare living children. Were the proper correction, however, made, both for the year 1869 and for the previous years, it would be found that the mortality of women in childbed is lower in Scotland than in any other country, and not even half that which is attributed to it by some late writers on obstetrics, who have founded all their facts on hospital statistics, instead of taking that of the people over the country.

Diseases of the Organs of Locomotion caused 422 deaths, of which 100 were attributed to Arthritis, 162 to Rheumatism, and 160 to Joint and Bone Diseases.

Skin Diseases caused 101 deaths, of which 24 were attributed to Carbuncle, 13 to Phlegmon, and 64 to purely Skin Diseases.

Malformation caused 221 deaths; Premature Debility, 3463 deaths; Atrophy, 518 deaths; Sudden Deaths, the exact cause of which was not ascertained, 197 deaths; and Old Age without marked disease, 6278 deaths.

2313 deaths were ascribed to Violent Causes, being 3·15 per cent. of the deaths, or 72 deaths in every hundred thousand persons. These deaths might truly be styled preventible; and yet year after year they occur with

TABLE.—XLV.—The Nineteen most fatal Diseases in Scotland and England in 1869, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	267	Phthisis	241
Bronchitis	251	Bronchitis	202
Old Age	196	Atrophy, Debility, Premature } Birth }	177
Scarlatina	146	Old Age	128
Atrophy, Debility, Premature } Birth }	124	Scarlatina	127
All Fevers	116	Convulsions	120
Heart, etc., Diseases	107	Pneumonia	116
Pneumonia	82	Heart, etc., Diseases	114
Hooping-cough	77	Diarrhœa	91
Hydrocephalus	60	All Fevers	84
Paralysis	57	Apoplexy	51
Measles	52	Paralysis	50
Diarrhœa	50	Hooping-cough	50
Apoplexy	42	Measles	47
All Liver Diseases	32	Cancer	43
Croup	30	All Liver Diseases	39
Convulsions	30	Hydrocephalus	34
Tabes Mesenterica	30	Tabes Mesenterica	30
Fractures and Contusions . .	29	Fractures and Contusions . .	29

a regularity truly astonishing, and nearly in the same proportion to the population.

Of these deaths, 217 were ascribed to Burns and Scalds, 950 to Fractures and Contusions, 546 to Drowning, 137 to Suffocation, 101 to Intemperance, 101 to Want of Breast Milk, 6 to Privation, 1 to Neglect, 27 to Cold, 35 to Poison, 3 to Poisoned Wounds, 56 to Hanging, 25 to Gunshot Wounds, 25 to Cuts and Stabs, and 83 to Violent Causes of which the particulars were not given.

Of the violent deaths, 119 were registered as suicides. Of these suicides, the form of death was ascribed in 56 to hanging, 20 to cut-throat, 19 to drowning, 8 to gunshot, 3 to precipitation from a height, 2 to poisoning by opium or laudanum, 1 to poisoning by strychnine, and 1 to poisoning by sulphuric acid, 1 to suicide on a railway, while in 8 cases the form of death was not stated.

Table XLV. shows the nineteen most fatal diseases in Scotland and England respectively, arranged according to the order of their fatality, and giving the proportion in which they proved fatal to the population. That Table, like those in previous Reports, shows that during the same year the same diseases have very different death-rates in the two countries, though inhabited by the same general races of men, and supposed to be under like meteorological conditions. But that Table, when narrowly examined, reflects through its deaths the greatly different meteorological conditions between Scotland and England. Thus, the sudden changes from mild weather to extreme cold, and *vice versa*, are much more common in Scotland than in England; and the northerly, north-east, and north-west winds blow with a keenness and force quite unfelt in England. It is these sudden changes and the prevalence of these keen winds which induce Bronchitis, Pneumonia, and other affections of the respiratory organs. Accordingly, this Table shows that, while in England, in every hundred thousand persons, only 318 died during the year from Bronchitis and Pneumonia, 333 died from the same diseases in Scotland. Diarrhœa, on the other hand, is a disease whose greatest mortality occurs during the warmer months of the year, and whose mortality is greatly regulated by the degree of temperature during these months. England had a much higher autumnal temperature than Scotland, and the consequence is shown in the Table; for, while in every hundred thousand persons Scotland only lost 50 persons by Diarrhœa, England lost 91.

The Table will speak for itself with regard to the other diseases named therein.

WEATHER, AND ITS INFLUENCE ON THE MORTALITY.

It may now be regarded as an established fact that in Scotland the weather is the agent which exerts the most powerful influence on the mortality. During few seasons does the temperature of the warmer months rise so high as to induce an increased mortality; hence it happens that the most genial months of the year are those in which the mortality is lowest. In all countries, however, where the mean temperature of the summer or autumnal months rises above 60°, the greatest mortality occurs during these warm months. And hence it happens that even in Scotland, when the temperature rises higher than usual, an increase in the deaths is observed; and that increase is caused by the same class of diseases (*viz.* bowel complaints) which induce the high mortality during the hot months of warmer countries.

In Scotland, on the other hand, it is the cold which is the chief agent in increasing and regulating the deaths. But the cold exerts its deleterious action under two forms—1st, through mere lowness of temperature; and 2d, through the agency of cold northerly and easterly winds. As a general rule, the coldest months are also the most fatal; but if, with a low temperature, the keen, arid northerly or easterly winds blow with anything like severity, the mortality becomes as high as if a pestilence were raging.

The influence of these combined deleterious atmospheric agencies in increasing the mortality was strikingly illustrated during 1869, which showed itself, in more ways than one, to be a year characterized by its exceptional meteorological phenomena.

Thus, if we take a ten years' average, January and February are found to be the coldest months, their mean temperatures averaging respectively 37°·2 and 37°·4 Fahr.; after which follows December, with a mean temperature of 38°·6, and then March, with a mean of 39°·8. But the year 1869 was of such an exceptional and severe character that the coldest month of the year was December, when the mean temperature was only 34°·9; while March was the next coldest month, having a mean temperature of 37°·8, or 4°·1 below that of February,—a strikingly unusual occurrence, which fully manifested itself in the increase of the deaths during that month.

It has long been observed that when the cold weather first sets in it does not prove so fatal to the general population as it does later in the winter, the greater amount of vitality in the constitution resisting more

TABLE XLVI.—Meteorology of Scotland for the Year 1869, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1869; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1869.

1869.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	57°·0	60°·5	63°·0	78°·3	72°·0	79°·5	85°·2	87°·5	74°·5	71°·5	64°·7	61°·0	87°·5
Lowest Temp. in do.	14°·0	24°·0	17°·0	18°·0	21°·0	29°·0	35°·0	25°·0	23°·0	22°·8	8°·0	3°·0	3°·0
Mean Day Temp. . .	44°·5	46°·8	43°·9	54°·8	52°·5	61°·0	67°·2	64°·2	59°·6	52°·7	45°·5	39°·8	52°·7
Mean Night Temp. . .	36°·4	36°·9	31°·9	38°·9	37°·8	45°·2	51°·4	48°·0	47°·6	41°·6	35°·3	29°·9	40°·1
Daily Range	8°·1	9°·8	12°·0	15°·8	14°·7	15°·8	15°·8	16°·3	12°·0	11°·1	10°·3	9°·9	12°·6
Mean Temperature . .	40°·4	41°·9	37°·8	46°·9	45°·1	53°·1	59°·3	56°·1	53°·7	47°·3	40°·4	34°·9	46°·4
Highest Temperature in sun	76°·8	91°·0	112°·9	131°·8	137°·0	140°·1	138°·0	136°·2	127°·9	115°·7	86°·2	81°·0	140°·1
Lowest on grass at night	8°·0	12°·4	12°·0	11°·0	12°·0	21°·0	25°·5	16°·9	5°·0	15°·0	7°·0	-5°·0	-5°·0
Wet-bulb Temperature	39°·2	39°·6	35°·2	43°·8	42°·1	50°·0	55°·8	52°·7	51°·2	44°·9	38°·1	33°·5	43°·8
Dew-point Temperature	37°·6	37°·7	32°·6	40°·9	38°·5	46°·9	53°·1	50°·0	49°·1	43°·0	36°·0	31°·5	41°·4
Humidity of Air . . .	90	88	84	82	78	80	82	82	86	88	87	88	85
Elastic force of Vapour (inches)	·226	·229	·186	·257	·234	·322	·405	·362	·349	·280	·212	·179	·270
Number of Rainy Days	18	19	12	11	11	9	12	10	20	15	18	15	170
Amount of Rain (inch.)	4·85	4·05	1·33	1·99	1·37	2·15	1·62	1·32	5·92	3·00	4·28	4·66	36·54
Amount of Cloud . . .	7·5	6·7	5·7	5·8	6·6	6·6	6·5	5·9	6·9	6·7	6·2	6·1	6·4
Hours of Sunshine . . .	49	84	157	202	176	214	217	206	118	102	79	72	1676
Mean Barometer (in.)	29·766	29·677	29·890	29·992	29·899	30·039	29·962	30·015	29·590	29·969	29·730	29·693	29·852
Easterly Winds (number of days) . . .	5	3	10	8	18	6	5	4	4	6	1	7	77
Westerly Winds (do.)	13	18	10	13	7	16	18	19	17	14	21	13	179
Births	9533	8705	10180	9983	9800	9677	9806	9089	8742	9342	9178	9319	113354
Deaths	6602	6184	7643	6654	6440	6398	5842	5413	5273	5429	6518	7479	75875
Marriages	2676	1350	1281	1256	1104	3251	2187	1434	1264	1478	2279	2584	22144
Daily Births	308	311	329	333	316	323	316	293	291	301	306	301	311
Daily Deaths	213	220	246	222	207	212	189	174	176	175	217	240	208

powerfully the depressing effect of the cold; whereas, when severe cold occurs towards the end of winter, the constitution having been already somewhat weakened by its continuance, the deaths increase to an alarming extent. This was strikingly illustrated in 1869. The coldest month was December, and it produced 7479 deaths. March, however, though nearly three degrees of temperature warmer, found the people weakened by the long continuance of the cold; and though all the more weakly members of the community may be supposed to have fallen victims during January and February, yet no fewer than 7643 persons died during March. Had these two months been each of their average temperatures, the December deaths would have only numbered 5928, and those of March 6326. The extraordinary severity of the weather, therefore, during these two months, alone caused an increase of 2868 deaths more than would have occurred had the weather maintained its usual character. Even if we compare the mortality of these months with that of the previous year (1868), which in several respects might be held as a year of mean mortality, it will be seen that for these two months the year 1869 yielded an excess of 2561 deaths.

January and February 1869 were unusually mild months, the prevalent winds being from the south-west and west, with less northerly and easterly winds than had occurred for years. The natural consequence was that there was no truly wintry weather during either of these months till the last week of February. The mean temperature of January was, therefore, $40^{\circ}4$, and that of February $41^{\circ}9$; and the deaths registered in Scotland numbered 6602 in January, and 6184 in February, averaging 213 deaths daily during January, and 220 daily during February. This slight increase of the deaths during February is observed year after year, even though its mean temperature may be above that of January, and evidently arises from the mere effect of the continuance of the cold weather.

Very different kind of weather prevailed during March. On the 27th of February the wind veered to the north and north-west, and the whole of Scotland was immediately covered with snow. The frost was often severe; and during the whole month of March the winds blew with biting severity

TABLE XLVII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1869.

1869.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	40°·9	42°·8	38°·5	47°·5	45°·8	54°·4	60°·0	56°·9	54°·6	48°·2	40°·8	35°·8
Highest Temperature . . .	53°·0	53°·0	63°·0	72°·2	68°·7	79°·0	81°·0	81°·5	71°·6	69°·6	59°·1	55°·7
Lowest Temperature . . .	15°·0	28°·0	23°·0	26°·0	28°·7	34°·0	41°·0	30°·5	38°·0	28°·5	20°·7	13°·0
Rainfall in inches . . .	5·20	4·68	1·17	1·86	1·05	2·41	1·67	0·92	6·54	3·07	2·95	5·47
Easterly Winds (days) . .	6	2	10	9	20	9	5	5	5	6	0	7
Westerly Winds (days) . .	15	19	11	15	8	14	18	20	17	18	25	16
Total Deaths	2749	2506	3218	2728	2662	2686	2424	2244	2095	2188	2788	3162
Daily Deaths	89	89	104	91	86	89	78	72	70	70	93	102
Zymotic Diseases	624	547	688	631	653	746	676	680	694	727	840	772
Small-pox	2	3	6	6	6	2	4	4	3	3	3	9
Measles	60	84	97	103	138	128	111	58	43	29	31	19
Scarlatina	199	113	100	107	108	137	114	157	277	334	333	271
Diphtheria	19	16	15	21	13	18	9	9	12	18	17	16
Whooping-Cough	115	95	141	107	122	159	118	99	61	75	122	145
Croup	43	41	32	36	29	19	20	20	26	32	43	43
All Fevers	115	120	189	180	164	185	153	159	118	128	178	193
Diarrhoea	25	32	42	32	36	53	105	137	105	59	52	35
Dysentery	7	5	7	4	3	7	4	3	13	4	7	0
Cholera	0	3	1	0	2	5	12	7	9	9	2	1
Consumption	300	245	408	303	391	329	311	268	257	220	251	289
Diseases Respiratory Organs	607	587	812	613	535	486	339	233	229	287	567	903
Heart, etc., Diseases . . .	102	129	124	105	80	99	101	77	83	72	126	111
Brain, etc., Diseases . . .	216	212	230	208	210	213	208	174	150	174	195	260
Debility and Premat. Birth	126	124	145	122	119	124	128	110	106	100	97	128
Age	135	99	145	117	96	115	87	75	81	69	105	139

from the north, occasionally varying to the north-west or north-east. The pernicious effects of these cold withering winds were instantly marked on the health of the people. Every disease increased in virulence and fatality, especially those of the respiratory organs, and most markedly the epidemics of Fever and Hooping-cough, so that the deaths in Scotland rose to 7643 during March, or to 246 deaths daily,—the highest proportion attained during any month of the year.

April, as to weather, was an average month, with a mean temperature of $46^{\circ}9$, which was rather above the average of former years; but so many had been seriously affected by the cold weather of the previous month, and died during this month, that the deaths in April numbered 6654, or were at the rate of 222 deaths daily.

During both May and June the mean temperature was considerably below the mean, apparently produced by the unusual prevalence and severity of the northerly winds, which blew with a constancy rarely witnessed in Scotland, but with such keenness that on the 15th, 16th, and 17th of June the whole of the high ranges of hills and mountains in Scotland were covered with snow. The consequence was, that instead of June being one of the months whose mortality was below the mean, it had, with May, a high mortality; nay, a higher mortality, for May had only 207 deaths daily, while June had 212 deaths daily. In fact, these two months, from what could fairly be traced to peculiarities of the weather alone, had an excess of 1633 deaths above that of the corresponding months of the previous year.

July was the warmest month of the year, its mean temperature reaching $59^{\circ}3$. It was also a month of great drought; and it has been invariably remarked that such kind of weather in Scotland is attended with much sickness. Accordingly, 5842 deaths were registered during the month, being at the rate of 189 deaths daily.

August was also characterized by its extreme drought, and its mean temperature was below the average, being only $56^{\circ}1$. Sudden great fluctuations of temperature were often experienced during the month. 5413 deaths were therefore registered, being at the rate of 174 deaths daily.

As a general rule, September is the month of least mortality in Scotland, after which comes August, and then October; but during 1869 all this was reversed, for August was the month of least mortality, after which

TABLE XLVIII.—Monthly Mortality in Scotland in 1869, compared with that of the Ten Years 1855–1864.

MONTHS.	1869.			1855–64.	
	Absolute Monthly Deaths.	Deaths when Months equalized to 31 Days.	Monthly Proportion to 12,000 per annum.	Monthly Proportion, Ten Years.	Mean Temperature.
January . . .	6602	6602	1024	1134	$37^{\circ}2$
February . . .	6184	6847	1062	1193	$37^{\circ}4$
March . . .	7643	7643	1185	1145	$39^{\circ}8$
April . . .	6654	6875	1067	1083	$44^{\circ}1$
May . . .	6440	6440	999	1010	$49^{\circ}5$
June . . .	6398	6611	1026	956	$55^{\circ}6$
July . . .	5842	5842	905	895	$57^{\circ}6$
August . . .	5413	5413	840	856	$57^{\circ}3$
September . . .	5273	5449	845	843	$52^{\circ}8$
October . . .	5429	5429	841	858	$47^{\circ}2$
November . . .	6518	6735	1045	954	$40^{\circ}2$
December . . .	7479	7479	1160	1073	$38^{\circ}6$
Year . . .	75,875	77,365	12,000	12,000	$46^{\circ}7$

came October, and then September. This is another fact which shows what an exceptional year 1869 was.

The mean temperature of September was $51^{\circ}2$, which was below the average of former years; but the drought which had lasted for two months came to a sudden termination, and September proved a very rainy month, scarcely a day passing without a shower, and the quantity of water which fell during the month was a half greater than the average of former years. Under this great and sudden change of weather; the health of the people did not improve, so that the daily deaths numbered 176, or 2 more daily than during the previous month.

During October the mean temperature was the average of former years, being $47^{\circ}3$; but there was an unusual amount of north and north-west winds, and snow covered the hills on the 14th of the month. The deaths, therefore, still remained high, though not quite so high as during the previous month, seeing that 175 persons died daily over Scotland in October.

During November the weather was much as usual, with a mean temperature of $40^{\circ}4$; and the deaths, as usual, increased with the fall of temperature, so that 6518 died during the month, being at the rate of 217 deaths daily.

The weather during December was much colder than usual, its mean temperature being $3^{\circ}7$ below the average of former years. Dry frost prevailed during most of the month, accompanied by cutting northerly, north-easterly, and north-westerly winds; and under this ungenial weather sickness prevailed to an extent seldom witnessed in Scotland, affections of the respiratory organs being nearly universal. The deaths consequently rose to 7479 during the month, or were at the very high rate of 240 deaths daily.

These striking facts prove how closely our health and lives are dependent on the kind of weather which prevails. In interpreting these meteorological conditions, and showing how they act deleteriously on the inhabitants of the country, it must be remembered that their influence for evil depends on the state of health of the community whose case we may be considering. The lower the state of health of the people, the more powerfully do these adverse meteorological agencies act on them. This is the reason why these agencies exert so much more deadly an influence over the populations of our overcrowded Towns than over the inhabitants of the small Towns and the purely Rural Districts. Just in proportion to the overcrowding, and to the breathing of vitiated air, is the general health of the people deteriorated, or lowered in vitality; so that, when any cause comes which induces or increases disease, the inhabitants of the overcrowded Towns fall a prey to disease to a much greater extent than in small Towns or Rural Districts, where the population is more scattered, and where the air breathed is necessarily purer.

At present, from the want of a sufficiently large staff, we have it not in our power to exhibit in a tabular form the influence of season on the different diseases which cut off the inhabitants of all Scotland. But our Monthly Reports enable us to do this for the Eight Principal Towns of Scotland; and as the inhabitants of these Towns constitute very nearly a third of the population of Scotland, the facts which they exhibit as to the influence of season on the different diseases may be accepted as showing how Scotland is affected thereby. (Table XLVII.)

On no class of diseases was the influence of season seen more strikingly during 1869 than on the inflammatory affections of the respiratory organs. Thus, during September, only 229 died in the Eight Principal

Towns of Scotland from these diseases; but as the temperature fell, and the northerly winds got more keen, the deaths from these diseases rose to 287 in October, to 567 in November, and under the piercing colds of December, as already explained, they rose to 903 deaths. January and February were milder months, and the deaths from this class of diseases sank to 606 and 587 respectively; but under the keen frosts and inclemency of March, as above explained, they suddenly mounted up again to 812 deaths.

Fever, which caused only 115 deaths in January, rose to 189 deaths during the cold weather of March; and though the mild September only yielded 118 deaths from Fever, the colds of December cut off 193 by the same disease.

Brain Diseases, which only caused 150 deaths in September, caused 260 in December. Heart Diseases, which only cut off 72 persons in October, caused 126 deaths in November, and 111 in December. Hooping-cough, which only caused 61 deaths in September, caused 145 in December, —the deaths monthly increasing with the falling of mean temperature. Scarlatina, which caused 114 deaths in July, caused 334 in October, 333 in November, and 271 in December.

It has often been pointed out in these Reports that Consumption is always most fatal in the spring months, when the northerly and easterly winds are the prevalent atmospheric currents. In the spring of 1869, from the extreme prevalence and keenness of these winds, the mortality from Consumption was higher than usual; for while only 225 died from Consumption in October, and 245 in February, no fewer than 408 were cut off in March, and 391 in May.

Table XLIX., however, is, if possible, even a more instructive Table, as it exhibits the almost immediate hurtful effects of lowering of temperature on the general mortality of the population. The Table exhibits the weekly deaths in the Eight Principal Towns of Scotland, alongside of the mean highest and lowest temperature and the amount of rain. In reading

TABLE XLIX.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1869.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
1	January 2	619	35.1	45.1	15.0	1.019	27	July 3	545	59.1	74.8	42.1	0.018
2	9	688	42.8	54.0	31.0	1.007	28	10	546	59.7	71.7	45.0	0.473
3	16	577	42.0	51.0	33.0	0.524	29	17	519	61.3	83.0	47.3	0.029
4	23	651	40.9	50.2	29.0	1.556	30	24	589	62.0	82.0	42.0	0.319
5	30	666	39.2	52.1	25.0	1.209	31	31	529	58.5	75.0	41.0	0.623
6	February 6	628	44.4	58.0	28.0	0.710	32	August 7	512	54.8	69.0	41.0	0.663
7	13	611	43.2	53.7	31.0	1.719	33	14	492	55.4	69.5	38.0	0.530
8	20	595	43.3	58.0	30.6	1.039	34	21	466	58.2	78.0	37.7	0.017
9	27	672	41.8	57.5	31.6	1.223	35	28	560	62.4	84.0	47.0	0.004
10	March 6	623	35.4	48.2	23.0	0.772	36	September 4	482	52.7	69.0	30.5	0.018
11	13	700	36.4	47.0	26.0	0.382	37	11	515	58.4	71.6	45.0	1.008
12	20	747	38.4	51.6	27.0	0.177	38	18	517	52.9	67.0	38.0	2.536
13	27	727	41.1	63.0	28.0	0.147	39	25	419	53.8	67.1	41.1	1.426
14	April 3	716	40.0	52.0	25.0	0.323	40	October 2	495	53.4	67.1	38.2	1.917
15	10	627	43.5	63.2	26.0	0.482	41	9	500	54.7	68.0	40.0	0.141
16	17	694	52.3	71.5	38.3	0.621	42	16	468	51.0	68.3	36.5	1.008
17	24	599	48.4	67.5	31.9	0.374	43	23	577	43.6	61.9	29.8	0.769
18	May 1	574	50.1	72.2	32.2	0.017	44	30	525	40.6	57.5	26.0	0.395
19	8	609	43.2	58.0	28.7	0.677	45	November 6	536	45.3	59.0	31.0	0.891
20	15	619	45.5	62.0	28.0	0.134	46	13	621	39.6	54.3	23.4	1.020
21	22	605	47.4	60.8	35.0	0.211	47	20	675	47.1	58.4	32.6	0.716
22	29	593	46.0	61.0	30.0	0.083	48	27	613	38.0	57.0	23.7	0.552
23	June 5	687	50.5	69.2	34.5	0.462	49	December 4	642	31.3	42.0	17.7	0.119
24	12	641	54.3	70.6	34.0	0.218	50	11	753	36.9	50.0	20.5	0.875
25	19	618	50.1	69.0	34.0	1.482	51	18	751	39.5	55.7	28.8	1.758
26	26	626	58.9	77.0	39.0	0.004	52	25	667	36.1	56.0	22.5	0.459
							53	January 1	659	34.3	48.0	13.0	1.403

the Table, it is necessary to remember that if the extreme cold occurred at the end of a week, the deaths caused thereby would be registered the week following; whereas when the extreme cold occurred at the beginning of the week, most of the deaths caused by that cold were registered during the week; so that the registrations during the week expressed very accurately the influence of that depression of temperature upon the deaths. One or two examples may be quoted. During the weeks ending 13th and 20th February the mean temperature was $43^{\circ}2$, and the weekly deaths respectively 611 and 595; but the mean temperature fell to $36^{\circ}4$ and to $38^{\circ}4$ on the weeks ending 13th and 20th March, and the deaths rose to 700 and to 747 respectively; and even when the temperature rose to 40° and 41° during the two following weeks, the deaths continued at the high rate of 727 and 716 weekly. During the week ending 6th November, with the mean temperature at $45^{\circ}3$, there were registered 586 deaths; but during the week ending 4th December the mean temperature was only $31^{\circ}3$, and the deaths registered 642. As the greatest cold, however, occurred on the Thursday night, or rather the Friday morning, it was not till the following week that the full effect of that reduction of temperature could be seen upon the deaths, when, though the mean temperature had been $36^{\circ}9$, there were registered 753 deaths, and 751 on the following week.

It is an interesting and important inquiry to trace the influence of season and atmospheric vicissitudes on the mortality at different ages. From the want of facts, the most vague theories prevail; and it is with the view of furnishing facts that Tables L., LI., LII., and LIII. have been drawn up. These Tables may be read horizontally or perpendicularly, according to the information wished to be obtained from them; and, for the reasons previously stated, are confined to the Eight Principal Towns of Scotland.

Let us first look at the influence of season on the deaths at each of the four periods of life noted in the Tables. For this purpose we must read the columns perpendicularly, and confine our attention to the corrected deaths given in Table LI.; but it must be remembered that the conclusions deducible therefrom are alone applicable to the year 1869, which, as might

TABLE L.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1869, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths, 1869.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . .	1183	291	771	504	2749	43·03	10·59	28·05	18·33	100·00
February . .	1148	193	733	432	2506	45·81	7·70	29·25	17·24	100·00
March . . .	1455	312	908	543	3218	45·21	9·70	28·22	16·87	100·00
April . . .	1222	280	777	449	2728	44·79	10·27	28·48	16·46	100·00
May	1224	283	784	371	2662	45·98	10·63	29·45	13·94	100·00
June	1177	325	754	430	2686	43·82	12·10	28·07	16·01	100·00
July	1132	278	686	328	2424	46·70	11·47	28·30	13·53	100·00
August . . .	1005	258	667	314	2244	44·79	11·49	29·72	14·00	100·00
September . .	916	296	584	299	2095	43·72	14·13	27·88	14·27	100·00
October . . .	1005	291	579	313	2188	45·93	13·30	26·46	14·31	100·00
November . .	1237	306	797	448	2788	44·37	10·98	28·58	16·07	100·00
December . .	1367	312	900	583	3162	43·23	9·87	28·46	18·44	100·00
YEAR . . .	14,071	3,425	8,940	5,014	31,450	44·74	10·89	28·43	15·94	100·00

be expected, differed considerably from those deduced from a ten years' summary of the same class of facts.

For children under five years of age, it will be seen that in 1869 the lowest mortality occurred in the month of September, 946 deaths having only occurred among children at that age during that month. The next most healthy months for children at that age were August and October, during each of which 1005 deaths occurred. July was the next most healthy month, the deaths numbering 1132. It was rather startling to observe that January was the fifth most healthy month for children under five years of age, only 1183 deaths having occurred that month. Let us look now at the most fatal months.

The most fatal month in 1869 for children under five years of age was March, when 1455 deaths occurred. Then followed December, with 1367 deaths; then November, with 1278 deaths; February, with 1271 deaths; April, with 1263 deaths; May, with 1224 deaths; and June, with 1216 deaths.

As was fully shown, however, in the previous remarks, the year 1869 was an exceptional year, so that we cannot deduce therefrom the average fatality of the several months among children under five years of age. Tables LII. and LIII., however, give like facts for the ten years 1856 to 1865.

TABLE LI.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1869.

MONTHS.	Relative Number of Deaths, 1869.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years	5-20.	20-60.	60 and above.	Total Deaths.	
January	1188	291	771	504	2749	1029
February	1271	213	811	477	2772	1038
March	1455	312	908	543	3218	1205
April	1263	289	803	464	2819	1055
May	1224	283	784	371	2662	997
June	1216	336	779	444	2775	1039
July	1132	278	686	328	2424	907
August	1005	258	667	314	2244	840
September	946	305	604	309	2164	810
October	1005	291	579	313	2188	819
November	1278	316	824	463	2881	1077
December	1367	312	900	583	3162	1184
YEAR	14,345	3,484	9,116	5,113	32,058	12,000

TABLE LII.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856-1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856-1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

By referring to Table LIII., it is seen that during the ten years 1856-1865 the month of least mortality to children under five years of age was September, when 8649 deaths occurred. Then followed June, with 8675 deaths; August, with 8889 deaths; July, with 9052 deaths; May, with 9058 deaths; October, with 9078 deaths; and April, with 9929 deaths.

During these ten years the month most fatal to children under five years of age was February, when 11,165 deaths occurred; then followed January, with 11,066 deaths; December, with 10,590 deaths; November, with 10,458 deaths; and March, with 10,359 deaths.

These facts show how very exceptional both the weather and the mortality were in 1869; but the very exceptions prove more convincingly that it was the weather which was the cause of the abnormal deviations, and of the increased mortality. Thus, while a ten-yearly period showed that February was the most fatal month to children under five years of age, and March only the fifth most fatal, during 1869 March was the most fatal month, and February only the fourth—in fact, these two months had nearly changed places.

It is a remarkable fact that in ordinary seasons there is less variation in the monthly deaths of persons between the ages of 5 and 20 years than at any other period of life. Thus, by the ten-yearly Table, LIII., it is seen that the month of least mortality was August, when 1929 persons from 5 to 20 years died; after which followed in order September with 1932 deaths, October with 2120 deaths, July with 2121 deaths, and June 2155 deaths. The most fatal month to persons at this age of life was February, which had 2348 deaths; then followed in order January with 2305 deaths, March with 2271 deaths, December with 2258 deaths, May with 2214 deaths, and April with 2202 deaths.

During 1869 this average was departed from, and two of the months generally least fatal to persons between 5 and 20 years become fatal months. Thus, during 1869, the most fatal months to persons from 5 to 20 years of age were, in order, June, 336 deaths, the most fatal month; November, 316 deaths; March and December, each with 312 deaths; and September with 305 deaths. The least fatal months to persons of this age in 1869 were—February with 213 deaths; then August with 258 deaths; July with 278 deaths; May with 283 deaths; April with 289 deaths; January and October, each with 291 deaths.

TABLE LIII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856-1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856-1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8899	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1038
TEN YEARS	116,968	26,075	70,744	40,868	254,645	12,000

On a ten years' average to persons between 20 and 60 years of age—the vigorous period of life,—September was the month of least fatality; after which came in order October, August, July, June, and November. The most fatal month, on the other hand, to persons of that age was January; after which there followed in order February, March, December, May, and April.

All this was reversed in 1869, in consequence of its meteorological peculiarities. Thus, in 1869, October was the month of least fatality to persons from 20 to 60 years of age; after which followed in order September, August, July, January, and June: while the most fatal month to persons of that age in 1869 was March; after which followed in order December, November, February, April, and May.

The baneful effects of cold on persons above 60 years of age was strikingly exemplified in the fourth column of Table LIII. Thus, in the ten-yearly period 1856–65, the most fatal month to persons above 60 years of age was January, when 4837 deaths occurred; then followed February with 4165 deaths; then December with 3893 deaths; March with 3865 deaths; April with 3746 deaths; and November with 3668 deaths. The least fatal months to persons above 60 years of age were—September with only 2536 deaths; October with 2679 deaths; August with 2698 deaths; July with 2886 deaths; May with 3180 deaths; and June with 3215 deaths.

During 1869, however, an exceptional mortality occurred among the aged persons, caused by the peculiarities of the weather and the extreme and sudden cold in December and March. Thus, in 1869, the most fatal month to persons above 60 years of age was December, when 583 deaths occurred; after which followed March with 543 deaths; then January with 504 deaths; February with 477 deaths; April, with 464 deaths; and November with 463 deaths. The least fatal month to persons above 60 years in 1869 was September, when only 309 died; then October with 313 deaths; August with 314 deaths; July with 328 deaths; May with 371 deaths; and June with 444 deaths.

Tables L. and LII. are prepared for the purpose of being read in horizontal lines, when they show the relative effect which season has on the mortality at the several ages. It will be observed that the effect of season

TABLE LIV.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Fifteen Years 1855–1869.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	d.		s.	d.
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	5
1866	49	11	71,348	89	6
1867	64	5	69,068	138	0
1868	63	9	69,416	137	6
1869	48	2	75,875	99	6

on the mortality at each period of life, in so far as regards the proportions cut off at each age, is not so great as might have been expected,—that, in fact, the increase of heat or of cold, however potent in increasing or diminishing the general mortality, acts so equally on all at the various periods of life, that it does not greatly alter the proportions which the deaths at the different ages bear to each other.

Since the Registration Act came into operation in 1855, we have failed to trace any connection between the price of provisions and the mortality in Scotland. It is a well-known fact, that in all countries which are dependent on their own crops for their supplies of food, as Persia, India, and even but a few years ago Ireland, the failure of the crops, and the consequent scarcity and high price of provisions, and these most probably of by no means first quality in consequence of the blight, causes pestilence to arise, when the population is cut off by thousands. With our large trade, extensive commercial relations with all the world, and such a small proportion of our population being dependent on agriculture, such a misfortune is not likely to occur among us; and it will be seen from the accompanying Table that even the years when our crops were worst, and potatoes failed, and provisions rose to exorbitant prices, were not in general those when disease and mortality pressed most heavily on the people.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *October 29, 1872.*

VACCINATIONS IN SCOTLAND—1869.

		Sucess-fully Vaccinated.	Vaccination Post-poned.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1869.
				On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	SCOTLAND, -	99265	966	177	17	174	10069	2773	113441
	DIVISIONS.								
1	NORTHERN, . . .	2680	149	2	0	5	186	124	3146
2	NORTH-WESTERN, . .	3404	286	31	0	2	384	146	4253
3	NORTH-EASTERN, . .	11784	62	26	0	1	879	60	12312
4	EAST-MIDLAND, . . .	16218	111	26	0	34	1500	295	18184
5	WEST-MIDLAND, . . .	7073	55	8	0	14	685	249	8084
6	SOUTH-WESTERN, . .	38480	143	43	17	109	4338	1409	44539
7	SOUTH-EASTERN, . .	13943	91	23	0	3	1559	399	16018
8	SOUTHERN, . . .	5683	69	18	0	6	538	91	6405
	I. NORTHERN.								
1	Shetland, . . .	599	55	0	0	0	34	67	755
2	Orkney, . . .	719	13	2	0	0	31	11	776
3	Caithness, . . .	939	72	0	0	5	94	25	1135
4	Sutherland, . . .	423	9	0	0	0	27	21	480
	II. NORTH-WESTERN.								
5	Ross and Cromarty, .	1687	179	25	0	2	170	65	2128
6	Inverness, . . .	1717	107	6	0	0	214	81	2125
	III. NORTH-EASTERN.								
7	Nairn, . . .	199	1	0	0	0	41	5	246
8	Elgin or Moray, . .	1135	20	0	0	0	114	14	1283
9	Banff, . . .	1705	12	9	0	0	109	5	1840
10	Aberdeen, . . .	7705	25	16	0	1	556	34	8337
11	Kincardine, . . .	1040	4	1	0	0	59	2	1106
	IV. EAST-MIDLAND.								
12	Forfar, . . .	7273	35	17	0	34	835	151	8345
13	Perth, . . .	3277	26	4	0	0	240	64	3611
14	Fife, . . .	4781	48	5	0	0	345	71	5250
15	Kinross, . . .	209	0	0	0	0	10	0	219
16	Clackmannan, . . .	678	2	0	0	0	70	9	759
	V. WEST-MIDLAND.								
17	Stirling, . . .	3011	8	3	0	5	298	66	3391
18	Dumbarton, . . .	1885	8	2	0	9	187	75	2166
19	Argyll, . . .	1851	28	3	0	0	162	93	2137
20	Bute, . . .	326	11	0	0	0	38	15	390
	VI. SOUTH-WESTERN.								
21	Renfrew, . . .	6119	35	11	14	21	756	220	7176
22	Ayr, . . .	6619	39	12	1	4	566	107	7348
23	Lanark, . . .	25742	69	20	2	84	3016	1082	30015
	VII. SOUTH-EASTERN.								
24	Linlithgow, . . .	1528	11	3	0	0	164	41	1747
25	Edinburgh, . . .	9560	58	17	0	3	1153	316	11107
26	Haddington, . . .	1072	12	1	0	0	94	25	1204
27	Berwick, . . .	1018	2	2	0	0	69	11	1102
28	Peebles, . . .	339	6	0	0	0	31	5	381
29	Selkirk, . . .	426	2	0	0	0	48	1	477
	VIII. SOUTHERN.								
30	Roxburgh, . . .	1524	14	5	0	0	154	7	1704
31	Dumfries, . . .	2005	26	7	0	4	180	34	2256
32	Kirkcudbright, . .	1130	17	3	0	2	107	35	1294
33	Wigtown, . . .	1024	12	3	0	0	97	15	1151

RELIGIOUS DENOMINATIONS of the PERSONS WHO SIGNED BY MARK in 1869.

	MALES.										FEMALES.									
	TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of							Irregular Marriages.		TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of							Irregular Marriages.	
		Established Church.	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.	Not stated.				Established Church	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.	Not stated.		
SCOTLAND	2233	687	341	126	44	941	86	7	1	4421	1614	800	388	94	1261	246	11	7		
Glasgow.....	703	140	76	44	14	378	45	6	-	1381	370	211	127	34	487	140	8	4		
Edinburgh.....	72	8	22	2	1	38	1	-	-	137	33	33	6	4	59	-	-	2		
WHOLE TOWNS.....	1328	304	157	87	33	675	65	6	1	2686	804	414	259	76	925	192	9	7		
Inverness	10	7	2	-	-	-	-	-	1	31	14	12	4	-	1	-	-	-		
Aberdeen	24	13	5	-	2	4	-	-	-	68	32	19	3	2	7	5	-	-		
Forfar.....	123	18	6	19	9	68	3	-	-	321	82	41	67	24	100	7	-	-		
Perth	5	2	-	-	-	3	-	-	-	20	10	2	2	-	5	1	-	-		
Fife.....	7	5	-	-	-	1	1	-	-	25	14	2	4	-	4	1	-	-		
Stirling	10	3	2	-	1	3	1	-	-	24	14	3	2	1	3	1	-	-		
Renfrew.....	137	42	26	6	3	54	6	-	-	233	88	47	6	7	70	14	-	1		
Ayr.....	41	14	1	2	-	19	5	-	-	87	40	8	4	-	26	9	-	-		
Lanark	865	170	90	58	16	477	48	6	-	1677	441	242	157	36	634	154	9	4		
Edinburgh.....	100	27	24	2	2	44	1	-	-	188	63	38	9	6	70	-	-	2		
Dumfries	6	3	1	-	-	2	-	-	-	9	3	-	1	-	5	-	-	-		
Kircudbright.....	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-		
WHOLE MAINLAND- RURAL	766	325	127	39	11	245	18	1	-	1486	696	282	128	17	311	50	2	-		
Caithness	8	4	4	-	-	-	-	-	-	26	11	14	-	-	-	1	-	-		
Sutherland.....	10	-	10	-	-	-	-	-	-	21	3	18	-	-	-	-	-	-		
Ross	40	10	30	-	-	-	-	-	-	80	19	61	-	-	-	-	-	-		
Inverness	11	3	4	-	-	4	-	-	-	23	7	10	-	-	6	-	-	-		
Nairn	5	3	1	-	-	1	-	-	-	13	6	4	1	-	2	-	-	-		
Elgin	11	4	5	1	-	1	-	-	-	25	14	6	3	-	-	1	1	-		
Banff	11	5	4	1	1	-	-	-	-	48	25	13	7	1	-	2	-	-		
Aberdeen	15	14	1	-	-	-	-	-	-	34	28	3	-	-	2	1	-	-		
Kincardine	7	7	-	-	-	-	-	-	-	20	17	-	1	2	-	-	-	-		
Forfar.....	14	10	3	-	-	-	1	-	-	27	15	9	2	1	-	-	-	-		
Perth	5	3	1	-	-	1	-	-	-	27	18	7	1	-	1	-	-	-		
Fife.....	21	18	2	1	-	-	-	-	-	55	42	5	8	-	-	-	-	-		
Kinross	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Clackmannan	6	3	1	1	-	1	-	-	-	10	5	4	1	-	-	-	-	-		
Stirling	46	14	7	2	1	20	2	-	-	80	21	17	10	1	22	9	-	-		
Dumbarton	51	11	2	1	2	34	1	-	-	95	31	8	6	3	45	2	-	-		
Argyll.....	28	12	3	2	2	8	1	-	-	48	25	10	1	1	10	1	-	-		
Renfrew.....	106	15	11	3	2	72	3	-	-	187	43	21	17	4	98	4	-	-		
Ayr.....	114	58	17	4	1	30	3	1	-	207	121	28	18	2	30	7	1	-		
Lanark	117	62	11	12	2	24	6	-	-	241	130	25	31	2	36	17	-	-		
Linlithgow	37	12	4	3	-	18	-	-	-	50	25	6	2	-	17	-	-	-		
Edinburgh.....	34	22	-	1	-	11	-	-	-	67	37	4	8	-	18	-	-	-		
Haddington	28	9	4	2	-	13	-	-	-	43	15	4	2	-	20	2	-	-		
Berwick.....	2	2	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-		
Peebles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Selkirk	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-		
Roxburgh	7	2	-	1	-	3	1	-	-	9	3	-	2	-	1	3	-	-		
Dumfries	8	8	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-		
Kircudbright.....	6	2	-	1	-	3	-	-	-	8	5	1	-	-	2	-	-	-		
Wigtown	17	11	2	3	-	1	-	-	-	25	17	4	3	-	1	-	-	-		
WHOLE INSULAR	139	58	57	-	-	21	3	-	-	249	114	104	1	1	25	4	-	-		
Shetland	11	10	1	-	-	-	-	-	-	46	38	4	1	1	-	2	-	-		
Orkney	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-		
Ross	39	2	37	-	-	-	-	-	-	57	5	52	-	-	-	-	-	-		
Inverness	67	29	18	-	-	20	-	-	-	110	44	45	-	-	21	-	-	-		
Argyll.....	16	12	1	-	-	-	3	-	-	21	18	1	-	-	-	2	-	-		
Bute	6	5	-	-	-	1	-	-	-	12	8	-	-	-	4	-	-	-		

RELIGIOUS DENOMINATIONS of the PERSONS WHO SIGNED BY MARK in 1869.

COUNTIES AND SUBDIVISIONS.	MALES.								FEMALES.							
	TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of						Irregular Marriages.	TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of						Irregular Marriages.
		Established Church.	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.			Established Church.	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.	
SHETLAND— Insular	11	10	1	—	—	—	—	—	46	38	4	1	1	—	2	—
ORKNEY— Insular	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—
CAITHNESS	8	4	4	—	—	—	—	—	26	11	14	—	—	—	1	—
SUTHERLAND	10	—	10	—	—	—	—	—	21	3	18	—	—	—	—	—
Ross, etc.	79	12	67	—	—	—	—	—	137	24	113	—	—	—	—	—
Mainland	40	10	30	—	—	—	—	—	80	19	61	—	—	—	—	—
Insular	39	2	37	—	—	—	—	—	57	5	52	—	—	—	—	—
INVERNESS	88	39	24	—	—	24	—	1	164	65	67	4	—	28	—	—
Town	10	7	2	—	—	—	—	1	31	14	12	4	—	1	—	—
Mainland	11	3	4	—	—	4	—	—	23	7	10	—	—	6	—	—
Insular	67	29	18	—	—	20	—	—	110	44	45	—	—	21	—	—
NAIRN	5	3	1	—	—	1	—	—	13	6	4	1	—	2	—	—
ELGIN	11	4	5	1	—	1	—	—	25	14	6	3	—	—	1	1
BANFF	11	5	4	1	1	—	—	—	48	25	13	7	1	—	2	—
ABERDEEN	39	27	6	—	2	4	—	—	102	60	22	3	2	9	6	—
Town	24	13	5	—	2	4	—	—	68	32	19	3	2	7	5	—
Mainland	15	14	1	—	—	—	—	—	34	28	3	—	—	2	1	—
KINCARDINE	7	7	—	—	—	—	—	—	20	17	—	1	2	—	—	—
FORFAR	137	28	9	19	9	68	4	—	348	97	50	69	25	100	7	—
Towns	123	18	6	19	9	68	3	—	321	82	41	67	24	100	7	—
Mainland	14	10	3	—	—	—	1	—	27	15	9	2	1	—	—	—
PERTH	10	5	1	—	—	4	—	—	47	28	9	3	—	6	1	—
Town	5	2	—	—	—	3	—	—	20	10	2	2	—	5	1	—
Mainland	5	3	1	—	—	1	—	—	27	18	7	1	—	1	—	—
FIFE	28	23	2	1	—	1	1	—	80	56	7	12	—	4	1	—
Towns	7	5	—	—	—	1	1	—	25	14	2	4	—	4	1	—
Mainland	21	18	2	1	—	—	—	—	55	42	5	8	—	—	—	—
KINROSS	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CLACKMANNAN	6	3	1	1	—	1	—	—	10	5	4	1	—	—	—	—
STIRLING	56	17	9	2	2	23	3	—	104	35	20	12	2	25	10	—
Town	10	3	2	—	1	3	1	—	24	14	3	2	1	3	1	—
Mainland	46	14	7	2	1	20	2	—	80	21	17	10	1	22	9	—
DUMBARTON	51	11	2	1	2	34	1	—	95	31	8	6	3	45	2	—

RELIGIOUS DENOMINATIONS of the PERSONS WHO SIGNED BY MARK in 1869—

(Continued).

COUNTIES AND SUBDIVISIONS.	MALES.									FEMALES.								
	TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of							Irregular Marriages.		TOTAL MARK SIGNATURES.	REGULAR MARRIAGES, according to the rites of						Irregular Marriages.
		Established Church.	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.	Not stated.				Established Church.	Free Church.	United Presby- terian Church.	Episcopalian.	Roman Catholic Church.	Other Denominations.	
ARGYLL	44	24	4	2	2	8	4	—	—	69	43	11	1	1	10	3	—	—
Mainland	28	12	3	2	2	8	1	—	—	48	25	10	1	1	10	1	—	—
Insular	16	12	1	—	—	—	3	—	—	21	18	1	—	—	—	2	—	—
BUTE	6	5	—	—	—	1	—	—	—	12	8	—	—	—	4	—	—	—
RENFREW	243	57	37	9	5	126	9	—	—	420	131	68	23	11	168	18	—	1
Towns	137	42	26	6	3	54	6	—	—	233	88	47	6	7	70	14	—	1
Mainland	106	15	11	3	2	72	3	—	—	187	43	21	17	4	98	4	—	—
AYR.....	155	72	18	6	1	49	8	1	—	294	161	36	22	2	56	16	1	—
Towns	41	14	1	2	—	19	5	—	—	87	40	8	4	—	26	9	—	—
Landward	114	58	17	4	1	30	3	1	—	207	121	28	18	2	30	7	1	—
LANARK	982	232	101	70	18	501	54	6	—	1918	571	267	188	38	670	171	9	4
Glasgow	703	140	76	44	14	378	45	6	—	1381	370	211	127	34	487	140	8	4
Other towns ...	162	30	14	14	2	99	3	—	—	296	71	31	30	2	147	14	1	—
Landward	117	62	11	12	2	24	6	—	—	241	130	25	31	2	36	17	—	—
LINLITHGOW	37	12	4	3	—	18	—	—	—	50	25	6	2	—	17	—	—	—
EDINBURGH	134	49	24	3	2	55	1	—	—	255	100	42	17	6	88	—	—	2
Edinburgh	72	8	22	2	1	38	1	—	—	137	33	33	6	4	59	—	—	2
Leith	28	19	2	—	1	6	—	—	—	51	30	5	3	2	11	—	—	—
Landward	34	22	—	1	—	11	—	—	—	67	37	4	8	—	18	—	—	—
HADDINGTON.....	28	9	4	2	—	13	—	—	—	43	15	4	2	—	20	2	—	—
BERWICK	2	2	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
PERBLES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SELKIRK.....	—	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—
ROXBURGH.....	7	2	—	1	—	3	1	—	—	9	3	—	2	—	1	3	—	—
DUMFRIES	14	11	1	—	—	2	—	—	—	20	13	—	2	—	5	—	—	—
Town	6	3	1	—	—	2	—	—	—	9	3	—	1	—	5	—	—	—
Landward	8	8	—	—	—	—	—	—	—	11	10	—	1	—	—	—	—	—
KIRKCUDBRIGHT	6	2	—	1	—	3	—	—	—	11	8	1	—	—	2	—	—	—
Town	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—
Landward	6	2	—	1	—	3	—	—	—	8	5	1	—	—	2	—	—	—
WIGTOWN	17	11	2	3	—	1	—	—	—	25	17	4	3	—	1	—	—	—

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1869.

1869.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Males.	Fem.	Total.			
SCOTLAND, - -		3,062,294	3,360,018	58321	55033	113354	5610	5456	11066	37868	38007	75875	22144	37479	19,639,377
DIVISIONS.															
1	NORTHERN, . . .	130,422	127,191	1656	1488	3144	127	115	242	981	1063	2044	577	1100	2,261,662
2	NORTH-WESTERN, .	167,329	166,544	2215	2031	4246	152	134	286	1479	1453	2932	717	1314	4,739,876
3	NORTH-EASTERN, .	366,783	393,006	6650	6146	12796	968	925	1893	3197	3353	6550	2237	6246	2,429,594
4	EAST-MIDLAND, .	523,822	559,676	9415	8744	18159	924	924	1848	5921	6166	12087	3531	6072	2,790,492
5	WEST-MIDLAND, .	242,487	251,088	4103	3957	8065	308	336	644	2773	2650	5423	1429	2642	2,693,176
6	SOUTH-WESTERN, .	1,008,273	1,183,218	22794	21730	44524	1872	1842	3714	16148	16019	32167	9057	12357	1,462,397
7	SOUTH-EASTERN, .	408,962	470,206	8226	7805	16031	738	716	1454	5489	5328	10817	3451	5214	1,192,524
8	SOUTHERN, . . .	214,216	209,089	3257	3132	6389	521	464	985	1880	1975	3855	1145	2534	2,069,696
COUNTIES.															
I. NORTHERN.															
1	Shetland, . . .	31,670	31,608	381	374	755	13	23	36	232	284	516	144	239	598,726
2	Orkney, . . .	32,395	31,274	432	342	774	35	18	53	246	290	536	157	238	
3	Caithness, . . .	42,200	41,011	610	526	1136	68	53	121	319	304	623	203	513	
4	Sutherland, . . .	24,157	23,298	233	246	479	11	21	32	184	185	369	73	110	
II. NORTH-WESTERN.															
5	Ross and Cromarty, .	82,427	82,093	1111	1009	2120	51	34	85	699	673	1372	312	748	2,016,375
6	Inverness, . . .	84,902	84,451	1104	1022	2126	101	100	201	780	780	1560	405	566	2,723,501
III. NORTH-EASTERN.															
7	Nairn, . . .	8,347	8,372	129	114	243	15	14	29	104	111	215	42	28	137,500
8	Elgin (or Moray), .	44,218	44,356	659	627	1286	108	100	208	411	421	832	209	454	340,000
9	Banff, . . .	56,020	58,883	940	896	1836	156	150	306	454	466	920	273	916	439,219
10	Aberdeen, . . .	223,417	246,298	4357	3971	8328	609	586	1195	1970	2066	4036	1531	4292	1,260,625
11	Kincardine, . . .	34,781	35,097	565	538	1103	80	75	155	258	289	547	182	556	252,250
IV. EAST-MIDLAND.															
12	Forfar, . . .	206,750	240,049	4285	4047	8332	488	494	977	2903	3067	5970	1661	2362	568,750
13	Perth, . . .	133,198	128,550	1908	1696	3604	187	179	366	1336	1357	2693	718	911	1,814,063
14	Fife,* . . .	155,021	160,924	2719	2526	5245	205	208	413	1407	1476	2883	1005	2362	328,427
15	Kinross,* . . .	8,731	7,918	115	104	219	12	9	21	55	57	112	41	107	49,812
16	Clackmannan, . . .	20,122	22,235	388	371	759	37	34	71	220	209	429	106	330	29,440
V. WEST-MIDLAND.															
17	Stirling, . . .	88,138	93,345	1702	1692	3394	134	156	290	1172	1100	2272	627	1122	295,875
18	Dumbarton, . . .	54,179	61,116	1127	1038	2165	77	82	159	669	659	1328	385	837	204,800
19	Argyll, . . .	83,859	79,661	1085	1038	2123	78	87	165	739	708	1447	327	676	2,083,126
20	Bute, . . .	16,311	16,966	194	189	383	19	11	30	193	183	376	90	7	109,375
VI. SOUTH-WESTERN.															
21	Renfrew,* . . .	168,746	195,305	3708	3454	7162	269	256	525	2530	2562	5092	1539	2070	158,268
22	Ayr,* . . .	199,083	200,908	3769	3576	7345	345	340	685	2194	2191	4385	1300	2960	735,262
23	Lanark,* . . .	640,444	787,005	15317	14700	30017	1258	1246	2504	11424	11266	22690	6218	7327	568,867
VII. SOUTH-EASTERN.															
24	Linlithgow,* . . .	39,045	41,379	959	787	1746	89	59	148	465	410	875	243	871	81,113
25	Edinburgh,* . . .	273,792	328,138	5584	5523	11107	484	494	978	4122	4028	8150	2676	2957	234,925
26	Haddington,* . . .	37,626	37,755	632	579	1211	56	60	116	406	379	785	221	426	179,142
27	Berwick,* . . .	36,488	36,382	589	516	1105	61	60	121	280	306	586	191	519	302,951
28	Peebles,* . . .	11,264	12,218	211	173	384	24	20	44	99	90	189	46	195	227,869
29	Selkirk,* . . .	10,747	14,334	251	227	478	24	23	47	117	115	232	74	246	166,524
VIII. SOUTHERN.															
30	Roxburgh,* . . .	53,722	53,558	880	815	1695	117	91	208	493	504	997	314	698	428,494
31	Dumfries,* . . .	75,904	74,842	1150	1100	2250	194	179	373	651	708	1359	418	891	702,953
32	Kirkcudbright,* . .	42,680	42,087	646	647	1293	99	96	195	378	419	797	211	496	610,343
33	Wigtown,* . . .	41,910	38,602	581	570	1151	111	98	209	358	344	702	202	449	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay	915	902	11	13	24	1	—	1	8	1	9	10
	(2) Burra and Quarff,	890	952	8	10	18	—	—	—	4	6	10	5
2	Delting,	1975	1862	27	16	43	—	4	4	14	21	35	4
3	Dunrossness, etc.—												
	(1) Dunrossness,	2113	1970	25	23	48	—	1	1	10	15	25	8
	(2) Sandwick and Cunningsburgh,	2337	2326	33	34	67	—	2	2	17	21	38	13
	(3) Fair Isle,	380	226	3	5	8	—	—	—	3	—	3	—
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	2	3	5	—	1	1	4	4	8	2
	(2) North Yell,	932	893	8	16	24	2	1	3	6	14	20	4
5	LERWICK (incl. Town), . .	3631	4180	54	62	116	4	4	8	28	52	80	41
6	Mid and South Yell, . . .	1784	1843	15	19	34	—	2	2	12	15	27	4
7	Nesting, etc.—												
	(1) Nesting,	855	868	13	13	26	1	1	2	5	7	12	5
	(2) Lunnasting,	880	822	8	6	14	1	1	2	7	6	13	1
	(3) Whalsay and Skerries	848	989	17	11	28	—	1	1	2	8	10	6
8	Northmavine,	2585	2602	26	23	49	—	—	—	33	12	45	12
9	Sandsting and Aithsting,	2670	2806	36	34	70	—	2	2	21	21	42	9
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	18	11	29	1	—	1	4	16	20	8
	(2) Whiteness & Weisdale	1143	1049	10	17	27	—	—	—	9	9	18	3
11	Unst,	3060	2780	42	28	70	2	1	3	25	34	59	5
12	Walls, etc.—(1) Walls, . .	1365	1325	8	15	23	—	1	1	8	10	18	4
	(2) Sandness,	606	646	8	8	16	1	—	1	7	4	11	—
	(3) Papa-Stour,	366	351	3	4	7	—	—	—	3	7	10	—
	(4) Foula,	233	257	6	3	9	—	1	1	2	1	3	—
	Total,	31670	31608	381	374	755	13	23	36	232	284	516	144
	2. ORKNEY.												
13	Birsay,	1774	1597	16	19	35	4	—	4	13	21	34	10
14	Deerness,	813	863	10	8	18	—	1	1	7	6	13	1
15	Eday and Pharay,	979	905	9	4	13	—	—	—	8	5	13	2
16	Evie and Rendall,	1408	1340	10	12	22	—	1	1	8	11	19	3
17	Firth and Stennes,	1493	1434	21	16	37	—	2	2	7	16	23	4
18	Harray,	819	727	5	10	15	1	—	1	5	8	13	4
19	Holm and Paplay,	834	935	16	4	20	1	—	1	9	14	23	7
20	Hoy and Græmsay,	556	581	6	9	15	—	—	—	6	7	13	7
	KIRKWALL & ST OLA												
21	(incl. Burgh),	4422	4261	57	51	108	4	4	8	47	37	84	22
22	North Ronaldshay,	532	539	7	5	12	—	—	—	3	5	8	3
23	Orphir,	1133	1040	14	9	23	—	1	1	6	5	11	3
24	Rousay and Egilsay,	1152	1101	20	18	38	2	1	3	7	5	12	8
25	St Andrews,	868	870	11	12	23	—	—	—	4	6	10	6
26	Sanday,	2145	2053	37	28	65	3	2	5	10	18	28	11
27	Sandwick,	1225	1153	21	6	27	1	—	1	6	5	11	10
28	Shapinsay,	973	949	13	7	20	1	—	1	5	6	11	4
29	South Ronaldshay and Burray,	3282	3228	58	37	95	11	—	11	28	32	60	19
30	Stromness,	2540	2403	27	33	60	1	2	3	19	33	52	8
31	Stronsay,	1228	1305	24	10	34	2	—	2	11	10	21	4
32	Walls, etc.—(1) Walls, . .	1254	1107	14	14	28	2	2	4	13	13	26	4
	(2) Flotta,	420	423	4	5	9	1	1	2	3	6	9	1
33	Westray, etc.—(1) Westray	2153	2090	28	23	51	1	1	2	19	19	38	11
	(2) Papa-Westray,	392	370	4	2	6	—	—	—	2	2	4	—
	Total,	32395	31274	432	342	774	35	18	53	246	290	536	157

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: THURSO.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
3. CAITHNESS.													
34	Bower,	1746	1700	22	14	36	2	2	4	11	15	26	16
35	Canisbay,	2730	2729	45	36	81	2	2	4	14	16	30	10
36	Dunnet,	1861	1661	17	18	35	1	4	5	15	7	22	10
37	Halkirk,	2864	2664	31	29	60	5	1	6	19	22	41	17
38	Latheron,	8571	7400	94	105	199	15	11	26	52	54	106	38
39	Olrig,	2059	2028	30	21	51	—	—	—	14	9	23	9
40	Reay,	2476	2331	29	31	60	3	1	4	9	12	21	7
41	THURSO (incl. Town), . .	5561	5754	99	62	161	11	3	14	54	39	93	27
42	Watten,	1491	1453	19	16	35	3	2	5	12	7	19	9
43	WICK (incl. Burgh), . .	12841	13291	224	194	418	26	27	53	119	123	242	60
Total,		42200	41011	610	526	1136	68	53	121	319	304	623	203
4. SUTHERLAND.													
44	Assynt—(1) Kirkton, . .	553	487	12	3	15	—	—	—	5	2	7	3
	(2) Stoer,	2625	2519	22	20	42	—	1	1	18	22	40	5
45	Clyne,	1886	1733	19	15	34	—	—	—	14	16	30	3
46	Creich—(1) Bonar, . . .	1982	1854	20	15	35	3	2	5	15	11	26	7
	(2) Rosehall,	539	670	5	5	10	—	—	—	4	1	5	4
47	DORNOCH (incl. Burgh),	2885	2764	30	40	70	1	3	4	18	18	36	15
48	Durness,	1109	1049	8	11	19	2	—	2	13	9	22	2
49	Eddrachillis—(1) Scourie,	727	648	7	4	11	—	—	—	3	5	8	1
	(2) Kinlochbervie,	914	882	13	13	26	—	2	2	13	10	23	3
50	Farr—(1) Kirkton, . . .	1251	1190	7	16	23	1	1	2	12	7	19	1
	(2) Strathy,	852	829	4	7	11	—	—	—	6	11	17	3
51	Golspie,	1615	1804	16	28	44	—	3	3	13	9	22	7
52	Kildonan,	2132	1916	22	23	45	1	3	4	13	22	35	5
53	Lairg,	961	978	9	11	20	1	3	4	1	9	10	7
54	Loth,	610	583	10	8	18	—	1	1	5	6	11	—
55	Rogart,	1439	1341	9	17	26	1	2	3	15	11	26	3
56	Tongue,	2077	2051	20	10	30	1	—	1	16	16	32	4
Total,		24157	23298	233	246	479	11	21	32	184	185	369	73
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1178	1053	6	14	20	—	—	—	11	9	20	2
58	Applecross—												
	(1) Applecross,	1064	1129	13	16	29	1	—	1	3	14	17	1
	(2) Shieldaig,	1480	1341	14	9	23	2	—	2	11	15	26	1
59	Avoch,	1788	1828	31	24	55	1	1	2	21	16	37	4
60	Contin,	1509	1550	17	9	26	—	—	—	20	12	32	10
61	CROMARTY (incl. Burgh)	2300	2180	37	23	60	3	2	5	14	20	34	5
62	DINGWALL (incl. Burgh)	2412	2443	37	37	74	4	1	5	28	27	55	16
63	Edderton,	836	860	16	8	24	—	—	—	4	12	16	4
64	Fearn,	2083	2135	31	34	65	2	3	5	21	21	42	7
65	Fodderty,	2247	2121	31	18	49	3	1	4	16	20	36	12
66	Gairloch—												
	(1) Northern District,	1927	1669	19	24	43	—	—	—	15	11	26	4
	(2) Southern District,	3522	3379	38	24	62	—	—	—	26	26	52	9
67	Glenshiel,	485	463	—	1	1	—	—	—	3	2	5	3
68	Killearnan,	1494	1272	10	10	20	—	1	1	12	20	32	9
69	Kilmuir-Easter,	1295	1281	11	14	25	—	—	—	4	6	10	1
70	Kiltearn,	1634	1496	16	17	33	2	1	3	11	12	23	8
71	Kincardine—												
	(1) Kincardine, . . . }	1346	1299	13	10	23	2	—	2	9	12	21	1
	(2) Strathyokel, . . }	400	386	1	1	2	—	1	1	2	1	3	1
72	Kintail,	890	753	11	14	25	1	4	5	5	9	14	4
73	Knockbain,	2485	2155	23	24	47	2	2	4	29	22	51	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
74	Lochalsh,	2413	2319	25	24	49	2	—	2	24	9	33	12
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	37	35	72	2	1	3	33	30	63	13
	(2) Coigach,	1285	1239	16	16	32	—	—	—	14	10	24	—
76	Lochcarron,	1592	1629	18	12	30	—	—	—	14	9	23	8
77	Logie-Easter,	932	912	11	11	22	2	—	2	7	7	14	5
78	Nigg,	1253	1201	17	10	27	1	—	1	6	12	18	1
79	Resolis,	1568	1527	15	18	33	3	1	4	7	7	14	11
80	Rosemarkie (incl. Burgh of FORTROSE),	1545	1441	12	15	27	—	2	2	10	20	30	6
81	Rosskeen,	3766	3808	44	56	100	1	3	4	33	34	67	19
82	TAIN (incl. Burgh),	3294	3221	49	46	95	5	2	7	34	32	66	15
83	Tarbat,	2269	2182	20	27	47	2	1	3	18	12	30	11
84	Urquhart & Logie Wester,	3147	2863	31	25	56	4	1	5	17	15	32	10
85	Urray,	2355	2308	31	19	50	—	—	—	15	16	31	8
	<i>Insular.</i>												
a86	Barvas,	4609	4950	77	81	158	1	—	1	43	37	80	19
b86	Carloway,	2204	2702	48	47	95	—	1	1	25	15	40	8
87	Lochs,	3568	4162	83	63	146	2	1	3	26	21	47	18
88	STORNOWAY (incl. Town),	8668	9510	172	153	325	3	4	7	88	85	173	35
89	Uig,	2007	2159	30	20	50	—	—	—	20	15	35	6
	Total,	82427	82093	1111	1009	2120	51	34	85	699	673	1372	312
	6. INVERNESS.												
	<i>Mainland.</i>												
90	Alvie,	833	882	12	8	20	5	1	6	3	9	12	2
91	Ardersier,	1239	1284	13	12	25	—	—	—	12	12	24	5
92	Boleskine & Abertarff—												
	(1) Boleskine,	813	681	9	6	15	—	1	1	6	5	11	3
	(2) Fort-Augustus or Abertarff,	930	897	10	11	21	—	4	4	4	7	11	3
93	Cromdale—(1) Cromdale,	1308	1295	21	17	38	7	4	11	10	10	20	6
	(2) Inverallan,	2635	2522	29	32	61	4	8	12	17	20	37	7
94	Croy and Dalcross,	1873	1841	19	19	38	3	2	5	11	12	23	7
95	Daviot and Dunlichty,	1741	1598	15	18	33	—	2	2	14	9	23	6
96	Dores,	1506	1401	16	15	31	2	1	3	11	11	22	4
97	Glenelg—(1) Glenelg,	800	714	5	9	14	—	1	1	8	8	16	3
	(2) Knoydart,	574	499	6	9	15	—	2	2	6	5	11	2
	(3) North Morar,	469	440	6	3	9	—	—	—	9	4	13	1
98	INVERNESS (incl. Burgh),	16162	18552	281	250	531	15	24	39	226	224	450	132
99	Kilmonivaig—												
	(1) Glengarry,	625	550	12	4	16	—	—	—	7	4	11	1
	(2) Lochaber,	1651	1417	14	17	31	2	—	2	5	9	14	4
100	Kilmorack,	2852	2728	28	30	58	5	6	11	27	21	48	11
101	Kiltarlity,	2839	2537	23	19	42	2	3	5	18	17	35	6
102	Kingussie and Insh,	2033	2101	22	29	51	5	8	13	14	16	30	10
103	Kirkhill,	1757	1582	10	5	15	1	2	3	8	13	21	10
104	Laggan,	986	950	11	8	19	2	1	3	6	6	12	5
105	Moy and Dalarossie,	1026	1005	3	13	16	—	—	—	8	7	15	1
106	Petty,	1671	1549	22	13	35	1	1	2	12	11	23	10
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	26	27	53	2	2	4	18	19	37	7
	(2) Glenmoriston,	617	565	7	3	10	—	—	—	4	4	8	—
	<i>Insular.</i>												
108	Barra,	1853	1997	36	25	61	1	2	3	28	18	46	8
109	Bracadale,	1335	1113	8	11	19	—	—	—	10	15	25	1
110	Duirinish,	4775	4422	57	48	105	4	4	8	36	30	66	17
111	Harris—(1) Harris,	3769	3668	65	61	126	7	3	10	37	42	79	19
	(2) Bernera,	336	381	6	5	11	—	—	—	2	3	5	7
	(3) St Kilda,	78	71	2	1	3	—	—	—	2	3	5	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
112	Kilmuir—(1) Kilmuir, .	1561	1362	18	17	35	2	1	3	15	18	33	9
	(2) Stenscholl, .	1311	1228	20	13	33	1	—	1	8	7	15	6
113	North Uist,	3959	4107	55	60	115	6	5	11	43	35	78	18
114	Portree—(1) Portree, .	2579	2328	28	27	55	3	2	5	18	24	42	10
	(2) Raasay,	580	600	13	8	21	1	—	1	4	5	9	2
115	Sleat,	2230	2233	27	37	64	3	2	5	22	18	40	12
116	Small Isles,	567	522	9	1	10	1	—	1	6	4	10	—
117	Snizort—(1) North, .	961	803	14	6	20	1	—	1	6	9	15	—
	(2) South,	1652	1500	12	20	32	1	2	3	21	22	43	13
118	South Uist—												
	(1) Benbecula,	1544	1651	20	19	39	2	2	4	13	16	29	5
	(2) Howmore,	1763	1818	24	27	51	4	2	6	14	18	32	17
	(3) Boisdale,	2051	2280	39	24	63	6	—	6	16	13	29	3
119	Strath,	2664	2562	31	35	66	2	2	4	15	17	32	11
	— Total,	84902	84451	1104	1022	2126	101	100	201	780	780	1560	405
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardclach,	1330	1197	21	7	28	—	3	3	7	4	11	6
121	Auldearn,	1328	1279	15	13	28	2	—	2	10	20	30	6
122	Cawdor,	1203	1027	10	13	23	—	—	—	12	11	23	3
123	NAIRN (incl. Burgh), .	4486	4869	83	81	164	13	11	24	75	76	151	27
	Total,	8347	8372	129	114	243	15	14	29	104	111	215	42
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine,	1928	1752	18	26	44	4	9	13	6	14	20	7
125	Alves,	1010	1018	17	10	27	1	—	1	2	7	9	2
126	Bellie,	1967	2013	28	25	53	5	7	12	17	26	43	5
127	Birnie,	411	375	5	7	12	—	1	1	2	1	3	—
128	Boharm,	1412	1337	13	22	35	5	4	9	7	7	14	6
129	Dallas,	1102	1060	9	10	19	1	4	5	7	11	18	5
130	Drainy,	3028	3293	52	55	107	6	4	10	32	30	62	17
131	Duffus,	3308	3716	66	47	113	3	6	9	38	41	79	16
132	Duthil, etc.—(1) Duthil,	1609	1530	20	17	37	4	4	8	10	4	14	5
	(2) Rothiemurchus, . .	319	342	8	7	15	3	2	5	5	3	8	3
133	Dyke,	1247	1238	17	16	33	3	—	3	7	11	18	5
134	Edinkillie,	1303	1286	16	15	31	3	—	3	9	12	21	5
135	ELGIN (incl. Burgh), .	9866	9703	147	136	283	22	23	45	101	104	205	52
136	New Spynie,	518	573	11	3	14	1	—	1	8	11	19	1
137	FORRES (incl. Burgh), .	4112	4562	78	66	144	22	13	35	48	53	101	25
138	Kinloss,	1315	1112	14	17	31	—	2	2	15	6	21	3
139	Knockando,	1736	1909	31	23	54	7	2	9	17	5	22	8
140	Rafford,	1055	1101	16	23	39	2	3	5	8	12	20	9
141	Rothies,	2407	2148	23	36	59	6	9	15	14	17	31	15
142	St Andrews-Lhanbryde, .	1344	1286	20	14	34	3	1	4	19	10	29	7
143	Speymouth,	689	634	8	9	17	3	1	4	3	2	5	1
144	Urquhart,	2532	2368	42	43	85	4	5	9	36	34	70	12
	Total,	44218	44356	659	627	1286	108	100	208	411	421	832	209
9. BANFF.													
145	Aberlour,	1520	1632	19	26	45	3	1	4	5	10	15	8
146	Alvah,	1467	1436	14	16	30	2	4	6	4	7	11	7
147	BANFF (incl. Burgh), .	7740	8425	131	132	263	17	15	32	82	91	173	34
148	Botriphnie,	867	785	14	10	24	3	1	4	5	2	7	8
149	Boyndie,	1711	1854	34	24	58	3	6	9	18	21	39	9
150	CULLEN (pt. of Burgh), .	1821	2056	31	35	66	8	4	12	20	13	33	9
151	Deskford,	1031	972	19	14	33	6	1	7	7	8	15	8
152	Enzie,	2072	2251	36	32	68	8	4	12	22	10	32	24

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
153	Fordyce,	4145	4150	69	66	135	14	8	22	34	45	79	16
154	Forglen,	783	845	11	13	24	2	—	2	9	6	15	1
155	Gamrie,	3019	3151	54	56	110	9	6	15	23	22	45	20
155	Glenrinn,	439	466	3	9	12	—	1	1	4	4	8	—
156	Grange,	1909	1876	28	27	55	6	10	16	7	11	18	6
157	Inveravon—(1) Inveravon, (2) Glenlivat,	868 1771	890 1718	11 17	17 24	28 41	— 2	4 6	4 8	6 15	6 12	12 27	1 4
158	Inverkeithny,	880	1000	12	13	25	1	2	3	5	11	16	2
159	KEITH,	5943	5891	98	98	196	22	22	44	43	43	86	21
160	Kirkmichael, etc.— (1) Kirkmichael, (2) Tomintoul,	551 960	477 799	3 6	4 10	7 16	— 3	1 1	1 4	2 6	1 3	3 9	1 1
161	Marnoch,	3289	3294	60	47	107	16	10	26	20	29	49	17
162	Mortlach,	2801	2737	52	33	85	10	9	19	17	22	39	10
163	Ordiquhill,	764	761	9	20	29	4	7	11	3	6	9	5
164	Rathven (incl. BUCKIE, Town),	4922	6659	120	103	223	8	12	20	59	54	113	39
165	Rothiemay,	1414	1370	25	17	42	4	7	11	15	7	22	4
166	St Fergus,	1608	1633	34	21	55	3	3	6	12	15	27	4
167	Seafeld (pt. of CULLEN, Burgh),	1725	1755	30	29	59	2	5	7	11	7	18	14
	Total,	56020	58883	940	896	1836	156	150	306	454	466	920	273
	10. ABERDEEN.												
168	ABERDEEN— (1) St Nicholas (Burgh), (2) Old Machar (Burgh), (3) Do. (Landward),	41962 31938 1298	47077 41104 1373	972 666 24	839 624 16	1811 1290 40	107 70 1	127 59 2	234 129 3	537 325 7	550 375 9	1087 700 16	343 339 6
169	Aberdour,	1837	1945	40	27	67	5	8	13	13	18	31	7
170	Aboyne,	1160	1351	15	19	34	5	2	7	10	8	18	6
171	Alford,	1264	1396	21	17	38	3	4	7	12	8	20	7
172	Auchindoir,	1593	1545	23	25	48	7	7	14	8	9	17	6
173	Auchterless,	2010	2174	37	40	77	4	5	9	16	18	34	6
174	Belhelvie,	1807	1833	35	23	58	8	3	11	7	6	13	10
175	Birse,	1284	1198	19	17	36	—	2	2	8	12	20	5
176	Bourtie,	547	499	9	7	16	2	1	3	2	4	6	1
177	Cabrach,	794	775	12	14	26	3	4	7	5	3	8	6
178	Cairney,	1490	1525	24	24	48	5	6	11	9	8	17	9
179	Chapel of Garioch,	2023	1928	34	27	61	3	5	8	9	8	17	14
180	Clatt,	511	483	4	3	7	1	—	1	3	1	4	4
181	Cluny,	1254	1366	15	15	30	1	1	2	5	9	14	6
182	Coull,	792	824	15	14	29	2	2	4	11	6	17	3
183	Crathie and Braemar,	1574	1566	21	20	41	1	3	4	7	11	18	6
184	Crimond,	892	887	10	19	29	2	6	8	4	2	6	5
185	Cruden,	2743	3124	40	40	80	10	8	18	19	20	39	23
186	Culsamond,	1165	896	19	15	34	4	3	7	9	5	14	13
187	Daviot,	614	597	10	9	19	1	1	2	3	2	5	10
188	Drumblade,	926	931	11	14	25	4	2	6	7	3	10	6
189	Drumoak,	996	1032	15	15	30	—	2	2	4	9	13	3
190	Dyce,	585	945	13	15	28	1	—	1	2	8	10	4
191	Echt,	1287	1259	13	17	30	4	1	5	7	5	12	6
192	Ellon,	3239	3036	58	47	105	9	6	15	18	23	41	13
193	Fintray,	1003	1108	25	12	37	—	1	1	11	8	19	7
194	Forgue,	2686	2623	46	36	82	8	8	16	11	22	33	17
195	Foveran,	1891	1859	34	29	63	7	4	11	11	10	21	8
196	FRASERBURGH (incl. Twn.),	4511	5301	111	117	228	14	17	31	47	29	76	35
197	Fyvie,	3264	3306	49	66	115	4	15	19	12	19	31	14
198	Gartly,	1029	972	14	9	23	1	2	3	6	5	11	4
199	Glass,	1049	1061	11	17	28	3	3	6	6	6	12	8
200	Glenbucket,	552	570	9	11	20	1	2	3	7	2	9	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	26	27	53	1	1	2	13	17	30	10
202	HUNTLY (incl. Town), . .	4329	4374	57	79	136	11	16	27	36	35	71	15
203	Insch,	1565	1596	38	26	64	5	8	13	14	19	33	7
204	INVERURIE (including part of Burgh),	2668	2970	70	56	126	15	13	28	33	31	64	17
205	Keig,	811	886	14	17	31	—	1	1	3	7	10	4
206	Keithhall,	933	874	10	8	18	1	2	3	4	8	12	5
207	Kemnay,	832	1300	27	28	55	5	3	8	3	8	11	10
208	Kildrummy,	590	660	13	13	26	1	—	1	6	4	10	7
209	Kincardine O'Neil, . . .	2186	2000	44	24	68	10	6	16	16	19	35	12
210	King-Edward,	2843	3111	51	51	102	19	10	29	34	20	54	19
211	Kinnellar,	691	601	7	11	18	—	1	1	7	5	12	2
212	Kinnethmont,	1187	1062	12	17	29	4	4	8	5	11	16	6
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1895	2158	26	39	65	3	10	13	13	21	34	11
214	Leochel-Cushnie,	1173	1232	20	23	43	4	5	9	11	10	21	6
215	Leslie,	577	532	4	11	15	1	1	2	8	4	12	1
216	Logie-Buchan,	762	808	14	12	26	3	—	3	4	2	6	2
217	Logie-Coldstone,	932	900	8	9	17	1	1	2	10	7	17	3
218	Longside,	3008	3321	64	59	123	8	9	17	25	25	50	18
219	Lonmay,	2142	2245	37	35	72	6	2	8	18	16	34	17
220	Lumphanan,	1251	1239	26	21	47	6	3	9	13	9	22	7
221	Methlic,	2157	2084	49	34	83	12	9	21	20	21	41	9
a222	Midmar,	1091	1127	17	18	35	4	2	6	6	14	20	4
b222	Millbren,	1357	1484	21	27	48	4	5	9	7	14	21	8
223	Monquhitter,	2303	2670	57	44	101	17	14	31	23	17	40	9
224	Monymusk,	988	996	16	16	32	2	3	5	7	8	15	5
225	New Deer,	3736	4147	82	75	157	13	12	25	28	29	57	17
226	Newhills,	3463	4210	78	55	133	5	6	11	26	27	53	28
a227	New Machar,	1556	1520	24	20	44	3	—	3	17	16	33	6
b227	New Pitsligo,	2609	3090	58	68	126	16	20	36	25	20	45	21
228	Old Deer,	4392	4434	68	69	137	7	7	14	27	33	60	28
229	Old Meldrum,	2343	2330	51	34	85	13	5	18	14	18	32	20
230	Oyne,	1127	1050	19	17	36	2	3	5	4	10	14	4
231	Peterculter,	1483	1668	37	20	57	2	3	5	13	11	24	6
232	PETERHEAD (incl. Burgh),	9796	11506	215	180	395	21	15	36	95	103	198	64
233	Pitsligo,	1890	2218	49	36	85	6	2	8	13	16	29	11
234	Premnay,	916	997	15	31	46	3	4	7	10	14	24	6
235	Rathen,	2554	2850	55	51	106	5	6	11	15	18	33	20
236	Rayne,	1514	1409	20	19	39	1	3	4	6	6	12	5
a237	Rhynie,	1061	1195	20	17	37	4	1	5	7	10	17	5
b237	Savoeh,	2061	1961	38	29	67	4	3	7	12	11	23	12
238	Skene,	1831	1842	35	27	62	8	2	10	25	14	39	11
239	Slains,	1266	1355	20	20	40	1	4	5	2	7	9	9
240	Strathdon,	1735	1761	31	20	51	7	3	10	10	8	18	7
241	Strichen,	2409	2254	33	39	72	8	13	21	16	20	36	11
242	Tarland,	970	983	9	7	16	1	—	1	10	6	16	4
243	Tarves,	2377	2288	47	42	89	11	8	19	12	13	25	15
244	Tough,	874	760	11	9	20	2	—	2	7	5	12	4
245	Towie,	839	798	10	10	20	1	3	4	11	6	17	2
246	Tullynessle and Forbes, .	957	970	15	12	27	3	—	3	1	4	5	4
247	Turriff,	3693	4348	69	62	131	9	4	13	32	34	66	16
248	Tyrie,	833	869	18	16	34	6	5	11	5	3	8	6
249	Udny,	1623	1626	28	22	50	3	3	6	10	11	21	12
Total,		223417	246298	4357	3971	8328	609	586	1195	1970	2066	4036	1531

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
11. KINCARDINE.													
250	Arbuthnot,	932	924	11	12	23	3	—	3	6	4	10	6
251	Banchory-Devenick— (1) Ban.-Devenick (incl. pt. of ABERDEEN),	1159	1263	24	21	45	4	4	8	5	7	12	4
	(2) Portlethen,	1687	1789	34	35	69	7	8	15	16	12	28	13
252	Banchory-Ternan, . . .	2947	2875	42	41	83	6	5	11	21	28	49	10
253	Benholm,	1574	1569	26	22	48	4	2	6	22	27	49	16
254	BERVIE (incl. Burgh),	1561	1843	33	32	65	3	1	4	13	14	27	10
255	Dunnottar (incl. part of STONEHAVEN, Town), .	1828	2102	31	31	62	4	5	9	16	15	31	9
256	Durris,	1109	1021	19	15	34	1	3	4	5	7	12	5
257	Fettercairn,	1700	1539	22	20	42	3	1	4	7	12	19	9
258	Fetteresso— (1) Fetteresso (incl. pt. of STONEHAVEN, Town),	3575	3585	50	54	104	13	6	19	35	41	76	23
	(2) Cookney,	1952	2080	38	36	74	3	2	5	11	14	25	8
259	Fordoun,	2297	2113	28	27	55	2	5	7	16	14	30	6
260	Garvock,	458	476	5	9	14	—	2	2	3	3	6	1
261	Glenbervie,	1219	1073	15	17	32	1	4	5	10	8	18	6
262	Kinneff and Catterline, .	1054	1062	14	17	31	3	4	7	8	9	17	4
263	Laurencekirk,	2110	2174	37	38	75	4	6	10	29	21	50	14
264	Maryculter,	1055	1110	16	9	25	1	2	3	4	10	14	1
265	Marykirk,	2068	1771	30	32	62	7	8	15	8	11	19	11
266	Nigg,	2074	2348	47	42	89	3	5	8	13	16	29	17
267	St Cyrus,	1552	1585	29	21	50	4	2	6	7	8	15	8
268	Strachan,	870	795	14	7	21	4	—	4	3	8	11	1
Total,		34781	35097	565	538	1103	80	75	155	258	289	547	182
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1054	1007	15	14	29	—	1	1	6	6	12	6
270	Airlie,	845	778	9	9	18	—	—	—	10	5	15	3
271	Arbirlot,	960	919	14	14	28	1	1	2	6	3	9	2
272	ARBROATH (incl. Bur.),	17831	20169	379	351	730	37	39	76	213	246	459	134
273	Auchterhouse,	706	721	7	13	20	1	2	3	6	6	12	2
274	Barry,	2465	3008	35	52	87	1	3	4	35	40	75	19
275	BRECHIN (incl. Burgh),	8810	9514	140	126	266	27	21	48	95	106	201	49
276	Carmylie,	1286	1309	22	24	46	5	3	8	7	12	19	6
277	Careston,	225	209	2	3	5	1	1	2	2	2	4	1
278	Cortachy and Clova, . .	653	554	9	5	14	1	2	3	3	5	8	2
279	Coupar-Angus,	2642	2797	53	52	105	8	8	16	27	32	59	14
280	Craig (incl. part of MON- TROSE, Burgh),	2177	2402	36	45	81	2	3	5	18	13	31	20
281	Dun,	552	565	8	9	17	4	1	5	2	6	8	4
282	DUNDEE— (1) St Peter,	91664	22894	413	388	801	43	36	79	296	285	581	215
	(2) St Mary,		23582	442	381	823	71	63	134	427	410	837	132
	(3) St Clement,		25090	500	472	972	55	75	130	359	362	721	202
	(4) St And. (in. Land.),		38082	712	710	1422	57	66	123	525	601	1126	285
	(5) Lochee,		11076	179	210	389	25	17	42	140	159	299	88
283	Dunnichen,	1932	1536	35	28	63	6	5	11	9	14	23	18
284	Eassie and Nevay, . . .	748	586	12	9	21	1	—	1	5	3	8	4
285	Edzell,	1025	976	13	16	29	4	5	9	8	8	16	8
286	Farnell,	703	580	6	3	9	1	—	1	4	2	6	3
287	Fearn,	439	348	8	4	12	1	—	1	4	1	5	1
288	FORFAR (incl. Burgh),	10838	12585	260	212	472	41	41	82	125	149	274	91
289	Glammis,	1980	1813	27	20	47	1	4	5	18	17	35	16
290	Glenisla,	1008	925	12	10	22	2	4	6	4	5	9	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie,	476	404	9	10	19	-	2	2	2	4	6	4
292	Inverarity,	961	888	19	14	33	3	2	5	5	8	13	-
293	Inverkeillor,	1792	1521	27	31	58	7	6	13	12	8	20	7
294	Kettins,	962	855	15	8	23	1	-	1	8	7	15	6
295	Kingoldrum,	473	409	4	4	8	-	1	1	-	2	2	-
296	Kinnell,	816	766	10	18	28	-	3	3	5	3	8	9
297	Kinnettles,	447	405	8	3	11	-	2	2	2	2	4	4
298	Kirkden,	1862	1623	33	22	55	2	1	3	13	16	29	14
299	KIRRIEMUIR (incl. Town),	7359	6420	100	119	219	22	22	44	85	83	168	40
300	Lethnott and Navar, .	446	318	5	5	10	-	2	2	3	3	6	1
301	Liff, Benvie, and Inver- gowrie,	1430	1357	24	27	51	3	4	7	17	16	33	7
302	Lintrathen,	898	756	8	9	17	-	2	2	6	2	8	6
303	Lochlee,	495	424	4	5	9	-	-	-	2	6	8	1
304	Logie-Pert,	1483	1251	16	13	29	2	3	5	7	8	15	5
305	Lunan,	259	248	5	1	6	-	-	-	3	1	4	1
306	Lundie,	442	400	10	7	17	1	-	1	-	3	3	-
307	Mains, etc.—(1) Mains, .	1392	1927	38	32	70	4	3	7	35	20	55	10
	(2) Strathmartine, .	789	822	16	14	30	2	-	2	12	8	20	3
308	Marytown,	417	396	4	8	12	2	-	2	2	4	6	3
309	Menmuir,	796	761	11	9	20	-	-	-	5	3	8	4
310	Monifieth (including part of BROUGHTY FERRY),	5052	7252	117	117	234	5	7	12	65	55	120	35
311	Monikie,	1460	1397	24	24	48	2	3	5	13	8	21	7
312	MONTROSE (incl. part of Burgh),	15668	15783	245	231	476	16	16	32	174	209	383	104
313	Murroes,	763	751	15	14	29	2	1	3	1	5	6	6
314	Newtyle,	1139	931	24	8	32	2	-	2	7	12	19	11
315	Oathlaw,	399	452	7	9	16	-	-	-	2	3	5	2
316	Panbride,	1299	1331	29	20	49	2	1	3	19	24	43	6
317	Rescobie,	747	748	11	10	21	-	2	2	2	5	7	4
318	Ruthven,	265	247	4	7	11	1	1	2	2	4	6	-
319	St Vigeans,	2553	2513	44	34	78	5	5	10	27	15	42	16
320	Stracathro,	546	503	10	3	13	2	-	2	1	3	4	-
321	Tannadice,	1438	1286	22	19	41	-	2	2	9	10	19	10
322	Tealing,	883	879	19	12	31	1	2	3	3	9	12	3
	Total,	206750	240049	4285	4047	8332	483	494	977	2903	3067	5970	1661
	13. PERTH.												
323	Aberdalgie,	295	342	3	4	7	-	1	1	1	1	2	-
324	Aberfeldy,	2402	2286	35	35	70	5	3	8	21	18	39	9
325	Aberfoyle,	565	432	3	4	7	1	-	1	4	4	8	-
326	Abernethy,	1960	1744	31	32	63	2	5	7	22	9	31	11
327	Abernyte,	310	253	3	2	5	-	-	-	2	1	3	2
328	ALYTH (incl. Town), .	3198	3151	40	37	77	4	5	9	32	24	56	21
329	AUCHTERARDER (includ- ing Town),	4208	3795	49	59	108	11	13	24	47	31	78	15
330	Auchtergaven,	2562	2141	29	21	50	8	1	9	27	37	64	11
331	Balquhidder,	746	743	15	11	26	-	5	5	7	9	16	7
332	Bendochy,	549	474	5	6	11	-	1	1	2	3	5	2
333	Blackford,	2084	1876	31	30	61	2	1	3	19	22	41	7
334	Blair-Athol,	1553	1718	26	25	51	2	2	4	13	8	21	4
335	BLAIRGOWRIE (incl. Town),	4423	4832	79	71	150	10	7	17	59	64	123	24
336	Callander,	1676	1870	24	32	56	1	4	5	32	16	48	7
337	Caputh,	1728	1571	19	13	32	-	2	2	12	14	26	5
338	Cargill,	1647	1411	26	15	41	1	2	3	11	14	25	3
339	Clunie,	699	603	7	8	15	2	-	2	2	7	9	2
340	Collace,	534	456	6	3	9	2	-	2	5	2	7	1
341	Comrie,	2226	1911	22	17	39	1	-	1	17	11	28	12
342	CRIEFF (incl. Town), .	4490	4598	75	61	136	8	10	18	51	42	93	24

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
343	CULROSS (incl. Burgh),	1423	1354	24	26	50	3	3	6	8	14	22	9
344	Dowally,	486	461	6	6	12	1	—	1	3	2	5	1
345	Dron,	376	343	7	5	12	—	—	—	3	1	4	3
346	Dull,	753	677	8	12	20	2	2	4	5	12	17	3
347	Dunbarney,	1035	913	7	13	20	—	1	1	6	14	20	6
348	Dunblane,	3096	3292	56	36	92	4	6	10	40	33	73	14
349	Dunkeld,	1086	881	17	16	33	2	1	3	12	11	23	5
350	Dunning,	2084	1832	33	22	55	6	2	8	20	13	33	10
351	Errol,	2759	2504	36	38	74	1	4	5	14	34	48	12
352	Findo-Gask,	399	369	9	2	11	2	—	2	6	4	10	5
353	Forgandenny,	739	632	13	5	18	3	1	4	6	7	13	2
354	Forteviot,	595	567	9	5	14	1	1	2	5	4	9	3
a355	Fortingall,	1244	1014	10	11	21	1	1	2	9	15	24	2
b355	Foss,	381	270	4	2	6	2	—	2	2	4	6	—
356	Fowlis-Easter,	317	291	6	4	10	—	—	—	5	4	9	4
357	Fowlis-Wester,	1276	1028	19	11	30	2	1	3	5	4	9	6
358	Glendevon,	138	105	—	1	1	—	—	—	—	2	2	—
359	Inchture,	659	659	9	15	24	—	1	1	5	12	17	3
360	Kenmore,	1515	1215	17	8	25	1	3	4	13	12	25	8
361	Killin,	1681	1977	18	12	30	3	1	4	12	8	20	6
362	Kilmadock,	3312	3170	38	41	79	1	3	4	30	28	58	20
363	Kilspindie,	665	679	11	6	17	—	—	—	6	5	11	1
364	Kincardine,	1778	1484	14	19	33	2	2	4	16	13	29	12
365	Kinclaven,	758	607	13	8	21	—	—	—	10	7	17	4
366	Kinfauns,	657	578	10	9	19	—	—	—	7	4	11	4
367	Kinloch-Rannoch,	1147	921	14	8	22	—	1	1	6	9	15	5
368	Kinnaird,	318	299	6	6	12	1	—	1	2	4	6	2
369	Kinnoull,	796	723	12	9	21	3	1	4	7	10	17	6
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	10	6	16	1	—	1	6	2	8	2
	(2) Glenshee,	334	241	6	—	6	—	—	—	1	4	5	—
371	Lecropt,	538	535	5	8	13	—	1	1	3	2	5	3
372	Lethendy and Kinloch—												
	(1) Lethendy,	235	179	2	—	2	—	1	1	3	2	5	—
	(2) Kinloch,	295	251	5	1	6	—	—	—	10	3	13	2
373	Little Dunkeld,	2089	2352	31	31	62	4	2	6	28	35	63	5
374	Logie (including part of STIRLING),	3483	4553	37	37	74	4	2	6	31	41	72	22
375	Logiealmond,	815	646	3	10	13	1	1	2	10	9	19	2
376	Logierait,	1902	1739	23	22	45	4	—	4	18	19	37	4
377	Longforgan,	1823	1753	30	31	61	1	2	3	16	23	39	8
378	Madderty,	536	523	8	4	12	1	—	1	1	4	5	2
379	Meikle,	1122	1003	18	14	32	3	—	3	8	6	14	10
380	Methven,	2290	2073	29	29	58	3	2	5	23	19	42	6
381	Moneydie,	252	244	4	2	6	—	—	—	1	2	3	3
382	Monzie,	461	413	2	5	7	—	—	—	1	1	2	3
383	Monzievaird,	782	744	16	9	25	1	2	3	4	4	8	7
384	Moulin,	1605	1561	17	18	35	—	—	—	15	14	29	10
385	Muckhart,	615	612	13	4	17	—	1	1	6	4	10	2
a386	Muthill,	2808	2665	36	32	68	3	5	8	27	24	51	14
b386	Persie,	839	820	10	15	25	—	—	—	6	8	14	1
387	PERTH (incl. Burgh),	26094	26382	433	400	833	39	43	82	351	343	694	219
388	Port of Menteith,	1375	1243	15	13	28	3	2	5	5	15	20	5
389	Ratray,	2234	2586	42	32	74	6	4	10	25	33	58	15
390	Redgorton,	1596	1401	27	18	45	3	3	6	5	22	27	7
391	Rhynd,	297	327	6	7	13	—	—	—	1	2	3	2
392	St Madoes,	280	290	3	3	6	—	—	—	2	2	4	2
393	St Martins,	904	735	11	7	18	2	1	3	13	9	22	2
a394	Scone,	2153	2185	39	31	70	3	3	6	22	27	49	19
b394	Strathfillan,	411	342	4	1	5	—	—	—	—	3	3	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
394	Tenandry,	595	530	3	4	7	—	—	—	4	3	7	—
395	Tibbermore,	1182	1128	18	21	39	1	2	3	16	8	24	1
396	Trinity-Gask,	488	415	4	6	10	—	—	—	2	3	5	—
397	Tulliallan (including KINCARDINE),	2410	2184	43	32	75	3	5	8	21	33	54	13
398	Weem,	215	186	1	1	2	—	—	—	2	1	3	1
	Total,	133198	128550	1908	1696	3604	187	179	366	1336	1357	2693	718
	14. FIFE.												
399	Abbotshall,	808	674	9	9	18	1	2	3	—	2	2	1
400	Abdie,	1257	1057	24	15	39	3	3	6	4	7	11	4
401	Aberdour,	1874	1697	37	31	68	3	3	6	8	9	17	7
402	ANSTRUTHER- EASTER (pt. of Burgh),	1155	1239	19	19	38	3	1	4	11	7	18	8
403	ANSTRUTHER- WESTER (incl. Burgh),	438	545	6	6	12	—	1	1	5	2	7	5
404	Arngask,	705	565	4	10	14	—	1	1	8	8	16	4
405	Auchterderran,	3457	4017	78	62	140	4	—	4	34	25	59	20
406	AUCHTERMUCHTY (incl. Burgh),	3285	2958	57	46	103	6	10	16	25	30	55	15
407	Auchtertool,	609	529	4	5	9	—	1	1	6	2	8	8
408	Ballingry,	736	982	25	22	47	3	1	4	8	3	11	7
409	Balmerino,	815	717	11	14	25	—	—	—	1	2	3	5
410	Beath,	2390	3534	90	82	172	2	5	7	28	19	47	13
411	BURNTISLAND (incl. Burgh),	3670	3872	64	60	124	7	6	13	27	27	54	22
412	Cameron,	1362	1158	21	6	27	3	—	3	2	7	9	11
413	Carnbee,	1157	1088	19	21	40	2	3	5	11	3	14	4
414	Carnock,	2925	1764	36	25	61	2	1	3	20	19	39	11
415	Ceres,	2723	2381	35	20	55	4	1	5	19	18	37	14
416	Collessie,	1530	1703	38	26	64	2	3	5	11	10	21	8
417	CRAIL (incl. Burgh),	1931	1864	28	33	61	3	—	3	20	17	37	6
418	Creich,	377	387	5	3	8	—	—	—	1	4	5	3
419	Cults,	800	767	11	9	20	—	—	—	9	12	21	3
420	CUPAR (incl. Burgh),	6750	7102	113	98	211	7	13	20	77	86	163	44
421	Dairsie,	638	687	10	12	22	2	—	2	10	3	13	8
422	Dalgetty,	1569	1310	40	28	68	1	1	2	24	13	37	5
423	Dunbog,	414	395	7	13	20	—	2	2	2	1	3	4
424	DUNFERMLINE— (1) Burgh,	13506	14963	245	228	473	18	16	34	138	137	275	132
	(2) Landward,	7609	8293	158	172	330	16	8	24	97	96	193	35
425	Dunino,	370	325	6	4	10	—	—	—	—	2	2	6
426	DYSART (incl. Burgh),	8842	9682	153	162	315	11	10	21	79	87	166	75
427	Elie,	826	775	12	12	24	—	—	—	5	14	19	5
428	FALKLAND (incl. Burgh),	2937	3069	53	37	90	6	2	8	22	30	52	20
429	Ferry-Port-on-Craig,	2013	2674	50	41	91	2	5	7	33	23	56	13
430	Flisk,	230	212	8	1	9	—	—	—	1	1	2	2
431	Forgan,	1326	2243	26	25	51	1	2	3	18	14	32	5
432	INVERKEITHING (incl. Burgh),	3196	3131	55	52	107	4	3	7	24	21	45	18
433	Kemback,	896	1056	14	12	26	2	3	5	9	7	16	5
434	Kennoway,	2012	1703	17	36	53	2	3	5	10	22	32	9
435	Kettle,	2474	2323	33	36	69	2	4	6	15	22	37	16
436	Kilconquhar (including EARLSFERRY),	2431	2018	26	32	58	3	3	6	10	22	32	8
437	Kilmany,	656	651	10	10	20	1	2	3	9	7	16	1
438	KILRENNY (incl. Burgh and part of AN- STRUTHER-EASTER),	2534	2945	52	51	103	3	1	4	23	27	50	12
439	KINGHORN (incl. Burgh),	2349	2602	34	50	84	3	6	9	37	50	87	19

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
440	Kinglassie,	1266	1082	19	11	30	2	—	2	4	8	12	9
441	Kingsbarns,	937	922	13	16	29	1	2	3	9	7	16	5
442	KIRKCALDY (including Burgh),	11117	12835	212	185	397	16	6	22	109	123	232	79
443	Largo,	2626	2318	28	36	64	—	4	4	23	22	45	11
444	LESLIE (incl. Town), .	4332	4294	69	57	126	7	11	18	31	30	61	29
445	Leuchars,	1903	1727	28	21	49	3	3	6	23	23	46	10
446	Logie,	410	402	3	8	11	—	—	—	—	4	4	4
447	Markinch,	5375	5413	96	82	178	6	7	13	53	65	118	34
448	Monimail,	1054	918	15	11	26	—	3	3	6	3	9	11
449	Moonzie,	179	154	2	4	6	—	—	—	—	1	1	1
450	NEWBURGH (including Burgh),	2693	2529	48	56	104	3	11	14	25	39	64	15
451	Newburn,	374	362	5	8	13	—	1	1	2	1	3	2
452	PITTENWEEM (incl. Burgh),	1710	1803	34	22	56	3	4	7	16	20	36	9
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . .	7605	8592	115	90	205	10	9	19	64	86	150	49
454	St Monance (or Aber- crombie),	1498	1761	30	34	64	3	4	7	13	17	30	12
455	Saline,	1610	1259	20	17	37	3	1	4	9	18	27	7
456	Scoonie (incl. LEVEN), .	3257	3178	40	53	93	2	4	6	27	17	44	28
457	Strathmiglo,	2261	2267	43	33	76	7	7	14	23	20	43	17
458	Torryburn,	1229	1051	24	18	42	2	2	4	11	8	19	6
459	Wemyss,	6003	6400	132	128	260	5	3	8	58	46	104	46
	Total,	155021	160924	2719	2526	5245	205	208	413	1407	1476	2883	1005
	15. KINROSS.												
460	Cleish,	649	539	7	5	12	—	1	1	6	3	9	—
461	Fossoway and Tulliebole,	1584	1461	24	25	49	2	2	4	11	8	19	9
462	KINROSS (incl. Town), .	2649	2477	38	34	72	7	3	10	15	18	33	12
463	Orwell,	2399	2248	29	23	52	1	2	3	15	18	33	13
464	Portmoak,	1450	1193	17	17	34	2	1	3	8	10	18	7
	Total,	8731	7918	115	104	219	12	9	21	55	57	112	41
	16. CLACKMANNAN.												
465	ALLOA (incl. Town), .	8867	9940	196	187	383	16	17	33	99	117	216	51
466	Clackmannan,	4425	4653	87	82	169	6	5	11	52	40	92	30
467	Dollar,	1776	2524	24	30	54	3	2	5	17	9	26	8
468	TILlicOUNTRY (including Town),	5054	5118	81	72	153	12	10	22	52	43	95	17
	Total,	20122	22235	388	371	759	37	34	71	220	209	429	106
	V. WEST-MIDLAND.												
	17. STIRLING.												
469	Airth,	1194	1396	22	19	41	1	1	2	16	20	36	9
470	ALVA (incl. Town), .	3283	4296	88	74	162	8	6	14	36	37	73	23
471	Baldernock,	718	616	10	11	21	2	1	3	6	4	10	4
472	Balfron,	1517	1502	29	36	65	3	6	9	14	19	33	5
473	Bothkennar,	1722	2455	37	53	90	2	4	6	38	23	61	13
474	Buchanan,	705	591	5	11	16	—	1	1	5	3	8	2
475	Campsie (including LEN- NOXTOWN),	6483	6739	107	96	203	10	5	15	70	61	131	53
476	DENNY (incl. Town), .	4988	4993	107	82	189	8	10	18	56	50	106	42
477	Drymen,	1619	1405	19	18	37	—	2	2	9	8	17	2
478	Dunipace,	1731	1733	33	32	65	1	—	1	5	13	18	7
479	FALKIRK—(1) Burgh, .	9030	9547	182	175	357	14	19	33	186	128	314	57
	(2) Landward,	7996	8504	144	168	312	13	13	26	101	82	183	65

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry,	685	499	5	14	19	—	—	—	6	5	11	2
481	Gargunnoch,	728	675	8	10	18	—	1	1	3	6	9	2
482	Killearn,	1171	1111	18	14	32	—	2	2	7	3	10	2
483	KILSYTH (incl. Town), . .	6112	6313	126	141	267	10	19	29	133	129	262	36
484	Kippen,	1722	1568	28	19	47	5	1	6	19	16	35	5
485	Larbert,	4999	5280	102	95	197	8	11	19	96	107	203	29
486	Muiravonside,	2660	2653	51	49	100	1	4	5	15	20	35	17
487	Polmont,	4111	3910	76	72	148	11	7	18	40	41	81	31
488	St Ninians (includ. BAN- NOCKBURN, Town), . .	6648	7570	135	125	260	8	8	16	79	78	157	35
489	Slamannan,	2916	4164	105	96	201	5	6	11	50	47	97	33
490	STIRLING (incl. Burgh),	14012	14590	244	265	509	23	29	52	173	191	364	152
491	Strathblane,	1388	1235	21	17	38	1	—	1	9	9	18	1
	Total,	88138	93345	1702	1692	3394	134	156	290	1172	1100	2272	627
	18. DUMBARTON.												
492	Arrochar,	629	525	5	8	13	—	—	—	4	8	12	—
493	BONHILL (includ. Town, & ALEXANDRIA, Town),	9059	9593	204	162	366	12	17	29	98	110	208	83
494	Cardross (incl. RENTON),	4168	4405	78	83	161	6	7	13	47	56	103	26
495	Cumbernauld,	3513	3602	69	72	141	3	6	9	55	49	104	15
496	DUMBARTON (incl. Burgh)	8268	11423	284	257	541	11	16	27	145	116	261	90
497	Kilmaronock,	1085	978	7	11	18	1	—	1	7	4	11	4
498	KIRKINTILLOCH (incl. Town)	8179	8257	143	155	298	19	18	37	87	96	183	43
499	Luss,	831	730	5	3	8	—	—	—	11	4	15	1
500	New, or East, Kilpatrick,	4910	6038	129	86	215	10	7	17	73	55	128	42
501	Old, or West, Kilpatrick (incl. DUNTOCHER, Town)	5577	5346	75	92	167	4	2	6	77	74	151	35
502	Roseneath,	1626	1780	18	8	26	1	1	2	12	6	18	7
503	Row (incl. HELENSBURGH),	6334	8439	110	101	211	10	8	18	53	81	134	39
	Total,	54179	61116	1127	1038	2165	77	82	159	669	659	1328	385
	19. ARGYLL. Mainland.												
504	Ardochattan,	1381	1172	9	13	22	1	—	1	5	10	15	1
505	Ardnamurchan— (1) Aharacle,	1544	1414	26	17	43	1	—	1	12	10	22	7
	(2) Arisaig,	1343	1131	20	10	30	1	1	2	8	8	16	5
	(3) Sunart (or Strontian)	759	760	10	9	19	1	—	1	5	8	13	—
	(4) Western District, . .	1054	954	11	11	22	2	2	4	10	8	18	3
506	Ballachulish and Corran of Ardgour,	919	849	12	10	22	—	1	1	8	6	14	4
507	CAMPBELTOWN (incl. Burgh),	8149	8580	124	124	248	12	11	23	104	99	203	42
508	Craignish,	618	481	6	4	10	—	—	—	4	1	5	1
509	Cumlodden,	1033	826	20	12	32	2	—	2	10	9	19	3
510	DUNOON and KILMUN (incl. DUNOON & KIRN),	5461	6871	70	75	145	—	4	4	47	66	113	27
511	Glassary,	1769	1535	22	15	37	1	—	1	18	10	28	7
512	Glenorchy and Inishail, .	869	752	13	15	28	1	—	1	3	13	16	5
513	INVERARAY (including Burgh),	1650	1503	24	20	44	1	3	4	17	15	32	9
514	Inverchaolain,	424	443	5	8	13	—	—	—	4	4	8	—
515	Kilbrandon & Kilchattan,	2053	2107	28	34	62	1	2	3	14	12	26	9
516	Kilcalmonell, etc.— (1) Kilcalmonell,	742	684	10	8	18	2	—	2	5	6	11	5
	(2) Kilberry,	583	485	6	8	14	—	1	1	2	2	4	2
517	Kilchrenan, etc.— (1) Kilchrenan,	587	396	4	1	5	—	—	—	5	2	7	2
	(2) Dalavich,	230	217	5	3	8	—	—	—	—	3	3	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
518	Kilfinan,	1891	2228	43	32	75	-	1	1	17	20	37	16
519	Killean and Kilchenzie, .	1890	1614	20	29	49	1	2	3	7	14	21	7
520	Kilmalie,	3353	3217	55	34	89	7	8	15	30	31	61	11
521	Kilmartin,	949	869	17	10	27	2	-	2	8	5	13	2
522	Kilmodan,	433	358	4	4	8	1	-	1	-	2	2	2
523	Kilmore and Kilbride (incl. Burgh of OBAN),	2962	3402	41	64	105	1	3	4	44	39	83	26
524	Kilninver, etc.— (1) Kilninver,	314	253	1	3	4	-	-	-	2	2	4	-
	(2) Kilmelford,	486	506	7	9	16	-	-	-	2	3	5	1
525	Lismore, etc.— (1) Lismore,	1023	908	12	7	19	2	-	2	10	4	14	2
	(2) Appin,	825	728	9	6	15	1	-	1	8	6	14	5
	(3) Glencoe & Ballachu- lish,	1324	1529	31	18	49	2	2	4	15	7	22	4
	(4) Duror,	423	370	3	4	7	-	-	-	1	3	4	1
526	Lochgilthead,	3312	3680	59	52	111	4	3	7	52	40	92	25
527	Lochgoilthead, etc.— (1) Lochgoilthead,	418	436	3	7	10	-	1	1	7	4	11	1
	(2) Kilmorich,	284	330	7	5	12	-	-	-	4	3	7	-
528	Morvern,	1226	973	9	10	19	-	1	1	7	5	12	1
529	Muckairn,	965	790	6	6	12	-	2	2	6	3	9	2
530	North Knapdale,	1327	1059	12	8	20	-	-	-	12	9	21	-
531	Saddell, etc.— (1) Saddell,	739	645	8	9	17	-	1	1	7	-	7	1
	(2) Skipness,	533	500	4	3	7	-	-	-	3	3	6	2
532	Southend,	1214	1044	18	13	31	2	1	3	10	9	19	7
533	South Knapdale,	654	548	2	5	7	-	-	-	5	4	9	1
534	Stralachlan, etc.— (1) Stralachlan,	309	340	5	4	9	-	-	-	1	4	5	-
	(2) Strachur,	563	527	6	18	24	-	1	1	4	3	7	2
535	Tarbert,	1661	1866	32	46	78	1	2	3	21	20	41	13
	<i>Insular.</i>												
536	Bowmore (or Kilarrow), .	2701	2088	27	21	48	6	3	9	25	20	45	6
537	Gigha,	467	390	9	2	11	1	-	1	4	4	8	1
538	Iona,	743	c. 798	10	15	25	-	4	4	4	7	11	7
539	Jura, etc.—(1) Jura,	858	775	7	9	16	-	-	-	6	5	11	3
	(2) Colonsay,	598	456	9	3	12	1	-	1	3	1	4	-
540	Kilchoman,	2377	1882	21	22	43	2	6	8	18	8	26	6
541	Kildalton,	2187	1916	21	20	41	3	3	6	15	20	35	9
542	Kilfinichen & Kilviekeon, .	1792	c. 1663	13	23	36	2	1	3	13	15	28	3
543	Kilmeny,	1268	924	9	10	19	2	1	3	10	8	18	3
544	Kilninian and Kilmore, .	1641	1189	11	11	22	1	1	2	15	6	21	4
545	Kinlochspelve,	428	388	6	6	12	-	1	1	2	6	8	3
546	Oa,	769	367	5	2	7	-	-	-	2	4	6	1
547	Portnahaven,	1059	979	14	16	30	2	5	7	6	15	21	2
548	Salen,	604	605	9	7	16	1	1	2	3	7	10	1
549	Tobermory,	1566	1344	16	19	35	4	1	5	14	18	32	1
550	Torosay,	557	454	6	7	13	-	1	1	-	3	3	1
551	Tyree, etc.—(1) Tyree,	3217	2837	43	35	78	3	4	7	27	19	46	11
	(2) Coll,	781	723	10	7	17	-	2	2	8	7	15	1
	Total,	83859	79661	1085	1038	2123	78	87	165	739	708	1447	327
	20. BUTE.												
552	Cumraes,	1236	1613	14	22	36	-	-	-	15	13	28	9
553	Kilbride, part of— (1) Brodick,	902	928	15	11	26	-	1	1	5	5	10	3
	(2) Kilbride,	1351	1276	13	14	27	2	-	2	14	8	22	7
554	Kilmory,	2515	2278	14	17	31	1	3	4	26	12	38	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
555	Kingarth,	905	901	12	11	23	—	1	1	10	14	24	9
556	Lochranza,	824	777	9	8	17	—	—	—	5	10	15	—
557	North Bute,	1351	1393	19	16	35	3	1	4	10	14	24	2
558	ROTHESAY,	7227	7800	98	90	188	13	5	18	108	107	215	53
	Total,	16311	16966	194	189	383	19	11	30	193	183	376	90
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	293	291	584	30	21	51	192	235	427	181
	(2) Landward (including part of BARRHEAD),	5670	5679	89	94	183	6	3	9	57	57	114	36
	(3) JOHNSTONE (including Town),	8142	8590	173	159	332	10	14	24	104	90	194	76
560	Cathcart,	3782	7231	124	115	239	2	2	4	35	57	92	53
561	Eaglesham,	2328	1714	21	32	53	3	2	5	15	29	44	25
562	EASTWOOD,	11314	13098	254	218	472	21	22	43	198	178	376	90
563	Erskine,	1457	1565	25	25	50	1	2	3	9	12	21	7
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	211	206	417	21	21	42	169	159	328	51
	(2) East,	12135	17061	380	352	732	15	15	30	208	222	430	143
	(3) Old, or West,	22313	33141	672	603	1275	35	29	64	554	438	992	338
565	Houstoun and Killellan,	2490	2167	39	34	73	2	7	9	19	22	41	18
566	Inchinnan,	619	584	9	7	16	—	1	1	4	2	6	3
567	Innerkip—												
	(1) Innerkip,	1188	1393	21	20	41	—	1	1	10	14	24	7
	(2) GOUROCK (including Town),	2307	3109	39	43	82	2	1	3	35	36	71	16
568	KILBARCHAN,	6348	6093	122	99	221	7	12	19	73	82	155	31
569	Kilmalcolm,	1455	1716	20	28	48	3	1	4	7	16	23	9
570	Lochwinnoch,	3821	3816	52	42	94	5	4	9	34	34	68	23
571	Mearns,	3547	3543	52	42	94	4	4	8	22	31	53	20
572	Neilston—(1) Neilston,	4577	4633	70	74	144	9	6	15	35	32	67	34
	(2) BARRHEAD,	6436	6503	113	88	201	12	8	20	50	72	122	31
573	PAISLEY—												
	(1) High,	14900	15483	291	290	581	22	26	48	193	231	424	107
	(2) Middle and Low,	16638	16426	286	286	572	32	34	66	308	290	598	120
574	PORT-GLASGOW (incl. Burgh),	7294	9912	238	197	435	20	15	35	133	157	290	93
575	RENFREW (incl. Burgh),	4650	5908	114	109	223	7	5	12	66	66	132	27
	Total,	168746	195305	3708	3454	7162	269	256	525	2530	2562	5092	1539
22. AYR.													
576	ARDROSSAN—												
	(1) Old (including part of SALTCOATS),	3530	3336	55	47	102	—	4	4	38	51	89	36
	(2) New (including ARDROSSAN),	3246	3929	74	58	132	5	2	7	31	24	55	20
577	Auchinleck,	4213	6174	137	150	287	10	9	19	75	63	138	54
578	AYR (incl. Burgh),	19659	19172	343	312	655	34	51	85	271	265	536	122
579	Ballantrae,	1483	1277	25	12	37	3	1	4	11	11	22	7
580	Barr,	910	672	14	6	20	—	1	1	8	5	13	5
581	BEITH (incl. Town),	5775	6233	114	119	233	10	10	20	88	96	184	37
582	Colmonell,	2588	2293	27	27	54	6	6	12	10	13	23	8
583	Coylton,	1604	1440	18	18	36	3	—	3	6	10	16	11
584	Craigie,	730	618	8	10	18	—	1	1	2	2	4	2
585	Dailly,	2050	1932	31	29	60	7	6	13	12	17	29	14

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
586	Dalmellington, . . .	4194	6165	130	127	257	6	8	14	76	82	158	20
587	DALRY (incl. Town), . .	11156	10885	261	243	504	7	18	25	141	136	277	58
588	Dalrymple, . . .	1325	1412	31	32	63	1	4	5	12	21	33	6
589	Dreghorn, . . .	3283	3241	64	68	132	6	7	13	22	19	41	21
590	Dundonald (incl. TROON),	4694	4377	71	58	129	7	2	9	38	47	85	27
591	Dunlop, . . .	1038	1160	15	17	32	—	5	5	8	3	11	10
592	Fenwick, . . .	1532	1318	21	21	42	1	1	2	11	5	16	7
593	GALSTON (incl. Town), . .	5254	6331	153	119	272	13	6	19	64	54	118	28
594	GIRVAN (incl. Town), . .	7053	5685	98	85	183	18	17	35	55	53	108	37
595	IRVINE (incl. Burgh), . .	8607	8462	158	165	323	14	21	35	106	131	237	64
596	KILBIRNIE (incl. Town),	5265	4953	112	100	212	9	9	18	51	54	105	37
597	KILMARNOCK (incl. part of Burgh), . . .	23556	24072	460	433	893	35	32	67	322	330	652	179
598	Kilmaurs, . . .	3526	3449	57	64	121	8	2	10	33	34	67	19
599	KILWINNING (incl. Town),	7717	7375	130	133	263	7	8	15	99	87	186	33
600	Kirkmichael, . . .	2823	2254	47	39	86	9	5	14	17	17	34	11
601	Kirkoswald, . . .	2060	1846	29	20	49	3	5	8	21	13	34	9
602	LARGS (incl. Town), . .	3620	4087	57	53	110	3	4	7	31	28	59	22
603	Loudoun (incl. NEW- MILNS), . . .	4840	5525	90	93	183	7	6	13	47	45	92	46
604	Mauchline, . . .	2303	2435	41	49	90	5	4	9	11	18	29	13
605	MAYBOLE (incl. Town), . .	6713	5900	96	105	201	15	13	28	54	60	114	33
606	Monkton and Prestwick,	1937	1744	28	21	49	5	1	6	24	18	42	11
607	MUIRKIRK (incl. Town),	3270	3253	52	70	122	4	9	13	28	27	55	16
608	New Cumnock, . . .	2891	3434	79	57	136	6	6	12	26	15	41	32
609	Ochiltree, . . .	1676	1656	20	24	44	2	1	3	17	14	31	10
610	Old Cumnock (including Town), . . .	3721	4041	71	88	159	8	9	17	42	38	80	38
611	Riccarton (incl. part of KILMARNOCK), . . .	5629	5845	132	121	253	12	9	21	39	40	79	45
612	St Quivox and Newton- upon-Ayr, . . .	1870	1363	25	25	50	1	4	5	11	11	22	10
613	Sorn (incl. CATRINE), . .	4042	4032	76	71	147	7	4	11	54	46	100	29
614	Stair, . . .	743	734	13	10	23	2	2	4	9	6	15	3
615	STEVENSTON (incl. Town and part of SALTCOATS),	5452	5019	103	103	206	12	6	18	63	68	131	24
616	STEWARTON (incl. Town),	4449	4478	82	68	150	14	10	24	46	46	92	37
617	Straiton, . . .	1544	1443	22	20	42	2	4	6	12	12	24	13
618	Symington, . . .	855	792	13	10	23	1	—	1	10	12	22	4
619	Tarbolton, . . .	2669	3219	53	50	103	12	6	18	26	30	56	23
620	West Kilbride, . . .	1988	1847	33	26	59	5	1	6	16	14	30	9
Total,		199083	200908	3769	3576	7345	345	340	685	2194	2191	4385	1300
23. LANARK.													
621	Avondale (incl. STRATH- AVEN), . . .	6125	5460	92	98	190	9	14	23	55	57	112	52
622	Barony—												
	(1) MARYHILL (incl. Town and part of GLASGOW), . . .	6734	10235	173	159	332	5	12	17	110	132	242	47
	(2) Springburn (incl. pt. of GLASGOW), . . .	8911	13994	260	212	472	13	15	28	363	336	699	53
	(3) Shettleston, . . .	6914	7517	127	111	238	7	7	14	79	83	162	55
623	Biggar, . . .	1999	2013	33	32	65	8	3	11	12	19	31	17
624	Blantyre, . . .	3092	3472	56	53	109	2	6	8	32	33	65	23
625	Bothwell—												
	(1) Bothwell (including BELLSHILL), . . .	7059	9193	193	148	341	10	7	17	101	83	184	46
	(2) Holytown, . . .	10844	10099	203	223	426	14	6	20	162	151	313	53

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
Cadder—												
(1) Western District, .	3023	3261	55	50	105	4	—	4	51	45	96	16
(2) Eastern District, .	2925	3203	79	46	125	3	2	5	30	15	45	11
Calderhead,	4034	4271	114	90	204	11	2	13	44	33	77	23
Cambuslang,	3647	3740	76	54	130	7	2	9	37	32	69	25
Cambusnethan (including WISHAW) (part of), .	13118	18709	419	366	785	21	19	40	200	146	346	110
CARLUKE (incl. Town), .	6176	7066	140	123	263	16	14	30	89	72	161	54
Carmichael,	836	708	7	9	16	1	—	1	8	7	15	5
Carmunnock,	734	702	9	14	23	—	—	—	5	6	11	7
Carnwath,	3584	5709	128	107	235	9	8	17	41	45	86	27
Carstairs,	1345	1718	31	30	61	2	3	5	8	23	31	5
Covington & Thankerton,	532	454	5	9	14	1	1	2	1	2	3	3
Crawford—												
(1) Crawford,	694	727	17	14	31	2	3	5	4	12	16	5
(2) Leadhills,	896	1102	18	11	29	—	2	2	8	10	18	4
Crawfordjohn,	980	853	11	17	28	3	2	5	3	2	5	12
Culter,	665	593	7	7	14	—	—	—	2	3	5	5
Dalserf—												
(1) LARKHALL (including Town),	3629	5332	120	105	225	3	6	9	36	47	83	39
(2) Dalserf,	1247	2009	43	29	72	1	5	6	11	12	23	11
Dalziel (incl. MOTHERWELL),	5438	9175	219	227	446	8	11	19	124	125	249	36
Dolphington,	260	231	3	3	6	—	—	—	2	2	4	—
Douglas,	2490	2624	46	41	87	4	7	11	28	21	49	12
Dunsyre,	312	302	3	10	13	1	2	3	4	—	4	1
East Kilbride,	4064	3861	68	59	127	9	7	16	39	38	77	26
GLASGOW—												
(1) Central District, .	49678	57279	1309	1268	2577	272	242	514	1248	1272	2520	448
(2) High,	48119	58466	1171	1130	2301	116	107	223	1371	1142	2513	538
(3) Bridgeton,	45485	60628	1154	1105	2259	81	91	172	869	931	1800	422
(4) Calton,	36625	38177	779	751	1530	58	44	102	639	655	1294	378
(5) Clyde,	29975	26044	530	502	1032	94	81	175	498	500	998	175
(6) Blythswood,	28697	33443	475	466	941	22	32	54	359	376	735	465
(7) Milton,	33360	46393	936	887	1823	72	62	134	583	635	1218	367
(8) Anderston,	40945	52504	989	952	1941	59	60	119	713	710	1423	412
(9) Tradeston,	38600	49176	950	866	1816	61	66	127	726	714	1440	638
(10) Hutchesontown, .	44019	55622	1138	1137	2275	74	85	159	829	878	1707	375
Glassford,	1938	1430	15	29	44	—	3	3	14	18	32	19
GOVAN—												
(1) GOVAN (incl. Town),	13725	32836	570	561	1131	19	15	34	305	341	646	222
(2) PARTICK (incl. Town)	14859	23918	392	388	780	7	11	18	245	281	526	202
HAMILTON (incl. Burgh),	14047	16803	296	323	619	22	21	43	162	155	317	117
LANARK (incl. Burgh),	7891	7841	113	123	236	9	19	28	113	111	224	46
Lesmahagow,	9266	8709	144	168	312	13	14	27	87	73	160	72
Libberton,	836	691	11	8	19	—	2	2	6	8	14	1
New Monkland—												
(1) AIRDRIE,	12922	13488	251	297	548	20	29	49	168	159	327	125
(2) Landward,	7632	9264	176	176	352	14	22	36	96	80	176	43
Old Monkland—												
(1) Western District, .	6932	7873	167	150	317	12	11	23	78	73	151	30
(2) Middle District (incl. COATBRIDGE), . .	15303	18410	384	381	765	17	19	36	255	250	505	147
(3) Eastern District (incl. CALDERBANK),	7308	7790	193	159	352	10	16	26	109	99	208	25
Pettinain,	407	366	9	7	16	1	2	3	2	3	5	—
RUTHERGLEN (incl. Burgh),	9335	10766	203	207	410	14	8	22	138	134	272	86
Shotts (part of), . . .	4792	5699	104	109	213	7	6	13	60	43	103	37

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.		
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.
656	STONEHOUSE (incl. Town),	3267	3177	73	57	130	5	3	8	44	23	67
657	Symington,	528	442	9	7	16	3	1	4	5	3	8
658	Walston,	480	425	4	10	14	2	2	4	6	3	9
659	Wandell and Lamington,	380	332	4	7	11	—	—	—	3	2	5
660	Wiston and Robertson, .	786	680	13	12	25	—	6	6	4	2	6
	Total,	640444	787005	15317	14700	30017	1258	1246	2504	11424	11266	22690
	VII. SOUTH-EASTERN.											
	24. LINLITHGOW.											
661	Abercorn,	965	933	17	5	22	4	—	4	7	9	16
662	BATHGATE—(1) BATHGATE	6572	6942	185	125	310	16	7	23	81	55	136
	(2) ARMADALE	3562	3187	122	105	227	9	8	17	50	43	93
663	BORROWSTOUNNESS (incl. Town),	5698	4986	102	106	208	6	3	9	61	59	120
664	Carriden,	1821	1799	46	39	85	5	1	6	29	13	42
665	Dalmeny,	804	916	19	7	26	1	—	1	7	4	11
666	Ecclesmachan, . . .	309	329	4	2	6	1	—	1	2	1	3
667	Kirkliston,	1907	2172	39	30	69	4	5	9	15	22	37
668	LINLITHGOW (incl. Burgh),	5784	5554	92	81	173	13	15	28	65	64	129
669	Livingstone,	1366	1727	31	35	66	1	3	4	15	18	33
670	QUEENSFERRY (incl. Burgh),	1391	1521	37	27	64	6	2	8	21	25	46
671	Torphichen,	1848	1630	38	16	54	3	2	5	25	11	36
672	Uphall,	1507	2772	56	58	114	4	4	8	21	22	43
673	Whitburn,	5511	6911	171	151	322	16	9	25	66	64	130
	Total,	39045	41379	959	787	1746	89	59	148	465	410	875
	25. EDINBURGH.											
674	Borthwick,	1742	1720	24	39	63	4	2	6	14	17	31
675	Carrington,	681	712	15	9	24	2	—	2	5	4	9
676	Cockpen,	2902	3346	62	50	112	3	4	7	47	35	82
677	Colinton,	2656	3644	49	46	95	2	3	5	20	26	46
678	Corstorphine,	1579	1788	18	23	41	—	1	1	10	18	28
679	Cramond,	2695	3020	52	36	88	1	3	4	28	33	61
680	Cranston,	1035	1036	16	16	32	—	2	2	8	11	19
681	Crichton,	1304	1223	29	28	57	2	1	3	12	12	24
682	Currie,	2248	2360	41	27	68	—	1	1	24	17	41
683	DALKEITH (incl. Town),	7114	7667	120	128	248	7	13	20	94	78	172
684	Duddingston—											
	(1) PORTOBELLO, .	4366	5481	83	76	159	6	5	11	68	63	131
	(2) Landward, . .	857	970	16	10	26	—	—	—	11	7	18
685	EDINBURGH—											
	(1) St George (incl. Landward of St Cuth- bert),	42068	55049	909	852	1761	84	66	150	692	689	1381
	(2) St Andrew, . . .	38731	39781	520	494	1014	29	40	69	347	405	752
	(3) Canongate (incl. Landward), . . .	30169	33183	696	676	1372	81	68	149	794	653	1447
	(4) St Giles,	29679	31960	600	692	1292	106	107	213	439	446	885
	(5) Newington, . . .	29797	41079	677	638	1315	34	45	79	464	477	941
686	Fala and Soutra, . . .	382	364	7	13	20	2	3	5	3	4	7
687	Glencross,	1217	1153	15	21	36	1	2	3	12	9	21
688	Heriot,	407	414	4	9	13	—	2	2	3	2	5
689	Inveresk (incl. MUSSEL- BURGH),	9518	10068	164	189	353	13	13	26	103	150	253

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1549	2213	33	29	62	4	4	8	16	10	26	8
691	Lasswade,	5688	7098	105	123	228	8	6	14	59	60	119	51
692	LEITH—												
	(1) North Leith,	11562	16582	319	279	598	13	10	23	188	225	413	143
	(2) South Leith,	24467	29852	597	571	1168	40	53	93	401	355	756	281
693	Liberton,	3510	3791	54	59	113	7	7	14	43	48	91	25
694	Mid-Calder,	1389	1634	20	28	48	1	1	2	13	12	25	7
695	Newbattle,	2837	2902	60	69	129	6	5	11	36	29	65	21
696	Newton,	1553	1181	11	21	32	2	1	3	6	16	22	10
697	Penicuik,	3249	3765	54	47	101	7	7	14	47	29	76	15
698	Ratho,	1659	1744	29	23	52	3	1	4	16	17	33	14
699	Stow,	2171	2306	31	29	60	6	2	8	14	10	24	15
700	Temple,	1385	1536	23	32	55	3	1	4	12	15	27	5
701	West-Calder,	1927	7865	131	141	272	7	15	22	73	46	119	32
	Total,	273792	328138	5584	5523	11107	484	494	978	4122	4028	8150	2676
	26. HADDINGTON.												
702	Aberlady,	1019	1022	11	13	24	—	—	—	8	10	18	3
703	Athelstaneford,	902	844	15	10	25	3	1	4	12	10	22	3
704	Bolton,	332	364	5	8	13	—	1	1	2	2	4	1
705	Dirleton,	1540	1419	15	14	29	1	1	2	8	7	15	13
706	DUNBAR (incl. Burgh),	4944	4982	85	72	157	12	11	23	55	56	111	27
707	Garvald,	891	832	23	10	33	4	—	4	9	5	14	3
708	Gladsmuir,	1945	1863	34	33	67	2	5	7	13	19	32	5
709	HADDINGTON (incl. Burgh),	5548	5735	88	90	178	7	5	12	84	75	159	49
710	Humbie,	997	967	14	16	30	3	2	5	6	8	14	4
711	Innerwick,	937	892	14	12	26	2	—	2	2	4	6	2
712	Morham,	281	204	2	3	5	—	2	2	—	2	2	1
713	NORTH BERWICK (incl. Burgh),	2071	2373	30	32	62	2	4	6	29	19	48	14
714	Oldhamstocks,	615	592	5	7	12	1	—	1	3	1	4	2
715	Ormiston,	915	911	15	13	28	2	2	4	10	11	21	7
716	Pencaitland,	1187	1320	25	21	46	2	3	5	14	6	20	6
717	Prestonkirk,	1960	1931	36	33	69	2	4	6	26	22	48	14
718	Prestonpans,	2080	2069	38	45	83	2	3	5	31	17	48	9
719	Salton,	712	647	10	7	17	1	2	3	4	6	10	6
720	Spott,	555	560	8	5	13	—	—	—	4	2	6	3
721	Stenton,	692	612	9	5	14	—	—	—	7	1	8	4
722	TRANENT (incl. Town), . .	4647	4852	112	94	206	8	12	20	54	70	124	37
723	Whitekirk & Tynninghame	1113	1073	15	17	32	1	1	2	13	10	23	5
724	Whittinghame,	710	657	14	4	18	—	—	—	5	4	9	1
725	Yester (or Gifford), . .	1033	1034	9	15	24	1	1	2	7	12	19	2
	Total,	37626	37755	632	579	1211	56	60	116	406	379	785	221
	27. BERWICK.												
726	Abbey St Bathans,	179	195	2	2	4	—	—	—	—	1	1	—
727	Ayton,	2014	1983	26	33	59	1	1	2	13	11	24	9
728	Bunkle and Preston, . . .	756	764	11	5	16	—	1	1	—	9	9	6
729	Channelkirk,	671	705	13	7	20	3	1	4	4	1	5	8
730	Chirnside,	1502	1413	23	17	40	4	2	6	11	12	23	11
731	Cockburnspath,	1194	1133	20	14	34	3	2	5	3	7	10	6
732	Coldingham,	3241	3093	45	39	84	4	2	6	25	29	54	17
733	Coldstream,	2823	2619	43	38	81	6	3	9	20	35	55	12
734	Cranshaws,	134	142	1	4	5	—	1	1	1	1	2	1
735	DUNSE (incl. Town), . . .	3595	3602	50	55	105	6	4	10	35	33	68	11
736	Earlston,	1825	1977	27	29	56	1	5	6	19	18	37	12

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.		
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.
737	Eccles,	1861	1780	27	20	47	4	5	9	16	22	38
738	Edrom,	1592	1513	23	15	38	3	—	3	9	8	17
739	Eyemouth,	1804	2372	58	58	116	3	7	10	25	15	40
740	Fogo,	559	502	13	5	18	3	2	5	2	3	5
741	Foulden,	431	425	7	4	11	1	—	1	2	1	3
742	Gordon,	931	876	10	14	24	1	1	2	7	8	15
743	Greenlaw,	1370	1381	16	21	37	2	4	6	11	10	21
744	Hume,	420	460	8	3	11	—	—	—	5	6	11
745	Hutton,	1067	1077	17	18	35	1	2	3	12	6	18
746	Ladykirk,	564	518	8	7	15	1	1	2	4	7	11
747	Langton,	502	548	10	9	19	—	—	—	3	4	7
748	LAUDER (incl. Burgh),	2198	2120	39	32	71	5	5	10	20	24	44
749	Legerwood,	599	525	9	10	19	1	2	3	—	2	2
750	Longformacus,	448	452	12	7	19	—	—	—	6	3	9
751	Merton,	729	734	15	10	25	3	2	5	3	3	6
752	Mordington,	377	402	3	3	6	1	—	1	3	4	7
753	Nenthorn,	461	434	7	5	12	—	1	1	3	3	6
754	Polwarth,	251	249	3	—	3	—	—	—	5	3	8
755	Swinton,	964	996	22	14	36	1	5	6	6	7	13
756	Westruther,	786	784	15	10	25	2	1	3	6	6	12
757	Whitsome,	640	608	6	8	14	1	—	1	1	4	5
	Total,	36488	36382	589	516	1105	61	60	121	280	306	586
	28. PEEBLES.											
758	Broughton,	297	c. 303	4	2	6	—	—	—	1	—	1
759	Drumelzier,	209	221	10	2	12	—	—	—	—	2	2
760	Eddlestone,	753	700	10	10	20	—	—	—	2	6	8
761	Glenholm,	198	c. 198	7	2	9	1	—	1	1	—	1
762	Innerleithen,	1823	2812	48	36	84	3	3	6	16	10	26
763	Kilbucho,	228	c. 228	7	1	8	—	—	—	1	1	2
764	Kirkurd,	362	294	2	5	7	—	1	1	1	5	6
765	Lyne, etc.—(1) Lyne,	81	104	2	1	3	—	—	—	—	—	—
	(2) Megget,	53	70	2	—	2	—	—	—	—	—	—
766	Manor,	247	271	6	3	9	1	—	1	1	2	3
767	Newlands,	987	851	3	16	19	1	1	2	10	8	18
768	PEEBLES (incl. Burgh),	2850	3172	68	47	115	14	6	20	32	35	67
769	Skirling,	317	325	6	5	11	—	1	1	4	2	6
770	Stobo,	478	459	9	6	15	1	—	1	3	3	6
771	Traquair,	687	669	11	10	21	2	3	5	8	4	12
772	Tweedsmuir,	196	190	3	2	5	—	—	—	3	—	3
773	West Linton,	1534	1387	13	25	38	1	5	6	16	12	28
	Total,	11264	12218	211	173	384	24	20	44	99	90	189
	29. SELKIRK.											
774	Ettrick,	454	434	9	7	16	2	1	3	4	4	8
775	GALASHIELS (incl. part of Town),	3379	6062	115	122	237	8	14	22	60	58	118
776	Kirkhope,	555	565	12	7	19	2	—	2	2	2	4
777	Roberton,	640	593	5	12	17	—	—	—	3	3	6
778	SELKIRK (incl. Burgh),	4739	5633	93	68	161	9	7	16	41	43	84
779	Yarrow,	643	662	17	11	28	3	1	4	7	5	12
	Total,	10747	14334	251	227	478	24	23	47	117	115	232
	VIII. SOUTHERN.											
	30. ROXBURGH.											
780	Ancrum,	1511	1391	15	27	42	2	1	3	16	8	24
781	Ashkirk,	578	550	8	8	16	1	—	1	2	6	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
782	Bedrule,	222	292	6	6	12	—	1	1	—	4	4	4
783	Bowden,	864	842	13	14	27	2	1	3	3	10	13	6
784	Castleton,	3688	2202	46	31	77	8	3	11	17	15	32	11
785	Cavers,	1824	1443	25	27	52	3	4	7	14	12	26	11
786	Crailing,	673	657	16	6	22	4	—	4	3	5	8	2
787	Eckford,	957	931	14	24	38	2	5	7	6	3	9	8
787	Edgerston,	359	365	6	6	12	—	—	—	3	3	6	1
788	Ednam,	599	613	9	8	17	2	2	4	4	6	10	5
789	HAWICK (incl. part of Town),	8726	8733	159	152	311	19	13	32	121	89	210	61
790	Hobkirk,	771	718	10	9	19	1	1	2	1	4	5	5
791	Hownam,	289	238	3	4	7	—	—	—	3	1	4	—
792	JEDBURGH (incl. Burgh),	5011	4971	77	80	157	11	9	20	53	61	114	31
793	KELSO (incl. Town),	5192	5124	65	66	131	5	9	14	52	59	111	24
794	Kirktown,	421	320	5	4	9	1	—	1	2	—	2	—
795	Lilliesleaf,	772	788	14	7	21	2	—	2	5	6	11	2
796	Linton,	608	570	5	6	11	1	1	2	6	—	6	2
797	Makerston,	380	361	3	1	4	—	—	—	2	2	4	2
798	Maxton,	497	481	8	4	12	—	1	1	2	6	8	6
799	Melrose—												
	(1) Melrose,	3500	4115	66	67	133	5	6	11	29	39	68	24
	(2) Ladhope (incl. part of GALASHIELS),	4154	5317	85	74	159	10	9	19	59	43	102	32
800	Minto,	430	431	2	6	8	—	—	—	2	1	3	1
801	Morebattle,	1031	986	15	14	29	3	3	6	9	11	20	3
802	Oxnam,	592	652	16	7	23	3	1	4	3	4	7	4
803	Roxburgh,	1178	1053	14	21	35	2	4	6	7	10	17	4
804	St Boswells,	922	973	14	15	29	3	—	3	6	16	22	6
805	Smailholm,	554	534	7	8	15	2	3	5	2	5	7	2
806	Southdean,	687	674	12	7	19	3	—	3	3	7	10	2
807	Sprouston,	1305	1294	23	19	42	3	3	6	5	5	10	6
808	Stitchel,	425	388	9	1	10	2	—	2	1	3	4	2
809	Teviothead,	438	515	6	9	15	—	—	—	3	2	5	5
810	WILTON (incl. Town and part of HAWICK),	3357	3936	81	60	141	13	6	19	36	43	79	21
811	Yetholm,	1207	1100	23	17	40	4	5	9	13	15	28	7
	Total,	53722	53558	880	815	1695	117	91	208	493	504	997	314
	31. DUMFRIES.												
812	ANNAN (incl. part of Burgh),	5113	4631	84	87	171	20	15	35	51	51	102	31
813	Applegarth,	935	902	21	14	35	5	2	7	9	6	15	3
813	Brydekirk (incl. part of ANNAN),	779	731	11	14	25	2	—	2	5	11	16	4
814	Canonbie,	3219	3055	53	47	100	8	7	15	19	31	50	14
815	Carlaverock,	1248	1151	16	19	35	5	7	12	9	19	28	8
816	Closeburn,	1651	1612	35	27	62	9	6	15	10	14	24	5
817	Cummertrees,	1184	1072	14	14	28	5	2	7	4	9	13	9
818	Dalton,	679	577	10	6	16	2	—	2	4	5	9	2
819	Dornock,	856	826	17	20	37	3	7	10	13	7	20	2
820	Dryfesdale,	2509	2325	57	42	99	12	5	17	18	24	42	18
821	DUMFRIES (incl. part of Burgh),	13523	14841	178	231	409	23	36	59	158	158	316	90
822	Dunscore,	1554	1504	18	19	37	2	1	3	10	16	26	8
823	Durrisdeer,	1320	1189	12	19	31	1	5	6	8	8	16	6
824	Eskdalemuir,	590	551	8	2	10	—	—	—	3	3	6	3
825	Ewes,	356	338	3	6	9	—	1	1	3	5	8	1
826	Glencairn,	1867	1749	21	21	42	5	3	8	8	19	27	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
827	Graitney (or Gretna), . . .	1620	1395	16	20	36	3	3	6	12	14	26	6
828	Halfmorton, . . .	713	611	8	8	16	2	2	4	2	8	10	5
829	Hoddam, . . .	1568	1520	21	19	40	5	3	8	12	8	20	7
830	Holywood, . . .	1115	1069	15	19	34	3	3	6	12	8	20	6
831	Hutton, . . .	876	842	11	11	22	1	2	3	3	5	8	2
832	Johnstone, . . .	1149	1089	13	17	30	6	1	7	16	7	23	2
833	Keir, . . .	849	828	12	9	21	1	3	4	7	5	12	3
834	Kirkconnel, . . .	996	952	18	10	28	1	—	1	5	8	13	2
835	Kirkmahoe, . . .	1462	1332	26	15	41	5	2	7	3	17	20	6
836	Kirkmichael, . . .	1026	903	18	22	40	3	9	12	4	9	13	7
837	Kirkpatrick-Fleming— (1) Northern Dist., . . .	493	393	8	4	12	1	1	2	4	5	9	1
	(2) Southern Dist., . . .	1432	1136	13	19	32	9	4	13	14	10	24	4
838	Kirkpatrick-Juxta, . . .	1025	1091	23	12	35	2	—	2	11	6	17	2
839	Langholm, . . .	2979	3735	65	46	111	6	3	9	27	37	64	18
840	LOCHMABEN (includ. Burgh), . . .	3087	3085	53	41	94	8	9	17	37	32	69	17
841	Middlebie, . . .	2004	2000	40	34	74	9	3	12	17	13	30	13
842	Moffat, . . .	2232	2543	29	28	57	1	6	7	17	20	37	9
843	Morton, . . .	2253	2099	38	28	66	5	2	7	20	22	42	16
844	Mousewald, . . .	633	647	9	10	19	2	1	3	2	—	2	4
845	Penpont, . . .	1326	1323	27	12	39	2	1	3	8	12	20	7
846	Ruthwell, . . .	1046	974	18	15	33	3	3	6	10	7	17	7
847	St Mungo, . . .	686	658	10	8	18	—	2	2	8	5	13	4
848	SANQUHAR (including Burgh), . . .	2758	2201	35	36	71	4	5	9	18	19	37	28
849	Tinwald, . . .	1079	993	18	12	30	1	2	3	9	8	17	9
850	Torthorwald, . . .	1254	1098	18	17	35	5	7	12	14	16	30	6
851	Tundergarth, . . .	507	510	8	9	17	1	2	3	6	5	11	4
852	Tynron, . . .	446	381	2	5	7	—	1	1	3	4	7	1
853	Wamphray, . . .	559	505	2	6	8	—	1	1	5	2	7	4
853	Wanlockhead, . . .	811	837	10	14	24	1	1	2	10	8	18	2
854	Westerkirk, . . .	537	540	8	6	14	2	—	2	3	2	5	4
	Total,	75904	74842	1150	1100	2250	194	179	373	651	708	1359	418
	32. KIRKCUDBRIGHT.												
855	Anwoth, . . .	899	827	10	6	16	—	1	1	12	13	25	4
856	Balmacellan, . . .	890	861	16	12	28	1	2	3	4	6	10	3
857	Balmaghie, . . .	1225	1085	13	16	29	2	2	4	4	6	10	5
857	Bargrennan, . . .	471	428	7	4	11	1	2	3	4	1	5	3
858	Borgue, . . .	1162	1087	8	17	25	—	4	4	5	9	14	10
859	Buittle, . . .	1165	1026	14	14	28	1	—	1	14	12	26	4
860	Carsphairn, . . .	553	545	7	8	15	—	—	—	4	5	9	2
861	Colvend, . . .	1366	1318	13	12	25	3	2	5	15	8	23	6
862	Corsock-Bridge, . . .	544	563	7	6	13	1	2	3	3	8	11	7
863	Crossmichael, . . .	1536	1492	23	26	49	8	5	13	7	15	22	8
864	Dalbeattie, . . .	2054	3163	43	60	103	5	8	13	29	28	57	11
865	Dalry, . . .	1149	1074	18	17	35	4	6	10	7	9	16	6
866	Girthon, . . .	1702	1586	23	24	47	4	4	8	12	20	32	6
867	Irongray, . . .	913	815	12	10	22	3	—	3	5	11	16	4
868	Kells (incl. NEW GAL- LOWAY), . . .	1170	1007	16	17	33	1	2	3	10	10	20	5
869	KELTON, . . .	3436	3222	58	58	116	8	11	19	29	32	61	17
870	Kirkbean, . . .	942	825	13	18	31	3	3	6	8	8	16	1
871	KIRKCUDBRIGHT (in- cluding Burgh), . . .	3407	3346	55	48	103	10	4	14	47	46	93	13
872	Kirkgunzeon, . . .	793	661	12	9	21	2	—	2	9	5	14	2
873	Kirkmabreck, . . .	1851	1568	27	25	52	5	6	11	10	17	27	11
874	Kirkpatrick-Durham, . . .	1323	1218	19	17	36	3	4	7	9	7	16	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
875	Lochrutton,	677	656	11	13	24	4	2	6	5	3	8	3
876	Minnigaff,	1518	1329	25	15	40	2	3	5	14	9	23	13
877	New Abbey,	1063	931	15	11	26	2	—	2	10	18	28	7
878	Parton,	572	526	6	12	18	1	2	3	2	4	6	1
879	Rerrick,	1738	1911	25	30	55	3	3	6	15	19	34	16
880	Terregles (incl. part of DUMFRIES), . . .	580	547	2	9	11	—	1	1	5	1	6	2
881	Tongland,	892	908	11	13	24	1	1	2	4	5	9	4
882	Troqueer (incl. part of DUMFRIES), . . .	4743	5402	104	84	188	14	9	23	51	70	121	18
883	Twynholm,	815	717	12	8	20	3	2	5	10	4	14	1
884	Urr,	1531	1443	21	28	49	4	5	9	15	10	25	11
Total,		42680	42087	646	647	1293	99	96	195	378	419	797	211
33. WIGTOWN.													
885	Glasserton,	1472	1196	21	17	38	7	2	9	7	2	9	4
886	Inch,	2460	2189	22	31	53	5	8	13	11	20	31	18
887	Kirkcolm,	1860	1948	30	31	61	11	6	17	10	15	25	14
888	Kirkcowan,	1434	1352	19	26	45	2	3	5	10	23	33	7
889	Kirkinner,	1716	1548	17	11	28	3	—	3	16	10	26	5
890	Kirkmaiden,	2333	2507	46	46	92	11	8	19	23	17	40	12
891	Leswalt,	1417	1249	19	17	36	6	3	9	13	13	26	3
892	Mochrum,	2694	2450	39	30	69	6	3	9	17	20	37	9
893	New Luce,	731	661	7	11	18	2	3	5	5	6	11	5
894	Old Luce (or Glenluce), .	2800	2449	37	24	61	6	2	8	14	18	32	15
895	Penninghame (incl. NEW- TON-STEWART), . . .	3876	3712	63	46	109	12	13	25	37	29	66	19
896	Portpatrick,	2189	1492	21	29	50	4	7	11	18	12	30	5
897	Sorbie,	1814	1667	23	22	45	1	3	4	19	7	26	10
898	Stoneykirk,	3228	2993	40	51	91	8	5	13	26	35	61	23
899	STRANRAER (incl. Burgh)	6315	5977	93	94	187	14	17	31	68	63	131	33
900	WHITHORN (incl. Burgh)	2934	2906	51	47	98	7	10	17	34	35	69	11
901	WIGTOWN (incl. Burgh)	2637	2306	33	37	70	6	5	11	30	19	49	9
Total,		41910	38602	581	570	1151	111	98	209	358	344	702	202

SUMMARY.

DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
INSULAR, . . .	160,733	157,755	2147	1949	4096	146	119	265	1364	1420	2784	699
MAINLAND-RURAL, . .	1,762,576	1,823,542	30571	28552	59123	3164	3018	6182	17113	17025	34138	10088
TOWN, . . .	1,138,985	1,378,721	25603	24532	50135	2300	2319	4619	19391	19562	38953	11357
SCOTLAND, . . .	3,062,294	3,360,018	58321	55033	113354	5610	5456	11066	37868	38007	75875	22144

MARRIAGES registered in SCOTLAND in 1869 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Registers by Marks.	
			Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		22144	9761	5095	3277	450	2043	1393	56	69	18818	625	1949	651	101	2233	4423
INSULAR DISTRICTS		699	322	246	67	3	28	31	-	2	596	11	71	9	12	139	249
MAINLAND-RURAL DIST.		10088	5338	2318	1391	111	513	393	17	7	8812	178	820	194	84	766	1488
TOWN DISTRICTS		11357	4101	2531	1819	336	1502	969	39	60	9410	436	1058	448	5	1328	2688
DIVISIONS.																	
I.	NORTHERN	577	221	243	65	3	-	44	-	1	494	8	59	9	7	29	906
II.	NORTH-WESTERN	717	203	443	23	4	38	5	-	1	629	9	56	7	16	167	301
III.	NORTH-EASTERN	2237	1301	589	117	65	56	105	-	4	1948	47	191	44	7	73	2008
IV.	EAST-MIDLAND	3531	1695	759	624	83	185	175	6	4	3021	74	322	96	18	182	4885
V.	WEST-MIDLAND	1429	708	337	192	17	108	63	3	1	1244	27	122	27	9	157	2860
VI.	SOUTH-WESTERN	9057	3529	1680	1427	159	1370	822	45	25	7527	341	828	348	13	1380	26332
VII.	SOUTH-EASTERN	3451	1480	826	639	109	246	121	-	30	2962	107	271	103	8	201	3564
VI	SOUTHERN	1145	624	218	190	10	40	58	2	3	993	12	100	17	23	44	655
COUNTIES.																	
1	Shetland	144	98	19	6	3	-	18	-	-	120	3	17	1	3	11	46
2	Orkney	157	59	40	50	-	-	7	-	1	132	2	20	3	-	-	33
3	Caithness	203	50	125	9	-	-	19	-	-	179	3	16	5	-	8	266
4	Sutherland	73	14	59	-	-	-	-	-	-	63	-	6	-	4	10	211
5	Ross & Cromarty	312	54	248	4	2	2	2	-	-	277	4	24	2	5	79	1377
6	Inverness	405	149	195	19	2	36	3	-	1	352	5	32	5	11	88	1644
7	Nairn	42	19	13	4	1	3	2	-	-	37	1	4	-	-	5	123
8	Elgin	209	93	89	16	3	5	3	-	-	177	6	22	2	2	11	255
9	Banff	273	155	73	17	2	19	7	-	-	232	4	26	9	2	11	488
10	Aberdeen	1531	899	379	74	53	29	93	-	4	1337	34	128	29	3	39	1022
11	Kincardine	182	135	35	6	6	-	-	-	-	165	2	11	4	-	7	200
12	Forfar	1661	683	352	283	66	164	112	1	-	1411	35	157	57	1	137	3483
13	Perth	718	350	219	100	9	13	22	4	1	611	16	68	15	8	10	477
14	Fife	1005	593	146	212	6	7	38	-	3	876	20	82	20	7	28	800
15	Kinross	41	22	12	7	-	-	-	-	-	35	2	3	1	-	1	-
16	Clackmannan	106	47	30	22	2	1	3	1	-	88	1	12	3	2	6	100
17	Stirling	627	300	129	119	4	36	36	3	-	543	18	53	11	2	56	1044
18	Dumbarton	385	185	82	45	6	52	15	-	-	341	4	31	7	2	51	953
19	Argyll	327	184	93	20	7	13	10	-	-	282	4	30	7	4	44	690
20	Bute	90	39	33	8	-	7	2	-	1	78	1	8	2	1	6	122
21	Renfrew	1539	641	315	165	22	294	99	-	3	1264	63	133	70	9	243	4200
22	Ayr	1300	717	239	156	7	89	84	8	-	1113	25	120	38	4	155	2944
23	Lanark	6218	2171	1126	1106	130	987	639	37	22	5150	253	575	240	-	982	19188
24	Linlithgow	243	132	32	37	1	32	9	-	-	204	18	13	6	2	37	500
25	Edinburgh	2676	1052	715	482	104	190	103	-	30	2284	83	217	89	3	134	2555
26	Haddington	221	129	35	29	2	22	4	-	-	194	2	20	5	-	28	430
27	Berwick	191	111	24	55	-	-	1	-	-	172	4	12	-	3	2	2
28	Peebles	46	25	9	11	-	1	-	-	-	39	-	4	3	-	-	-
29	Selkirk	74	31	11	25	2	1	4	-	-	69	-	5	-	-	-	4
30	Roxburgh	314	145	53	72	6	17	21	-	-	276	4	28	4	2	7	9
31	Dumfries	418	231	75	74	4	11	20	-	3	365	4	36	6	7	14	200
32	Kirkcudbright	211	137	42	20	-	6	6	-	-	175	4	19	5	8	6	11
33	Wigtown	202	111	48	24	-	6	11	2	-	177	-	17	2	6	17	25

CONDITION and AGE of PERSONS married in SCOTLAND in 1869.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1869.

CONDITION.	Total.	AGES.																			Age not stated.	
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85
BACHELORS with SPINSTERS.	18818	-	-	1	12	132	472	944	7080	6548	2141	886	329	147	69	28	13	6	-	-	-	-
	18818	-	11	78	285	861	1472	1816	7701	4763	1230	406	129	36	12	4	1	-	-	-	-	-
BACHELORS with WIDOWS.	625	-	-	-	-	1	8	3	85	187	132	93	59	23	24	4	4	2	-	-	-	-
	625	-	-	-	-	-	-	1	33	180	182	123	70	25	8	3	-	-	-	-	-	-
WIDOWERS with SPINSTERS.	1949	-	-	-	-	-	-	-	35	268	376	367	291	246	155	106	62	30	7	4	-	-
	1949	-	-	-	4	16	20	49	306	496	438	298	162	113	28	14	2	-	-	-	-	-
WIDOWERS with WIDOWS.	651	-	-	-	-	-	-	-	1	33	61	102	123	117	90	62	43	14	4	1	-	-
	651	-	-	-	-	-	-	-	8	65	108	138	146	101	47	25	11	1	1	1	-	-
{ MEN. WOMEN.	101	-	-	-	-	-	1	2	15	45	14	9	2	6	2	1	1	1	-	-	-	-
	101	-	-	1	-	2	1	5	29	42	9	5	2	2	-	-	-	-	-	-	-	-
TOTAL MEN.....	22144	-	-	1	12	133	481	949	7216	7081	2724	1457	804	539	340	201	123	53	11	5	-	-
TOTAL WOMEN.....	22144	-	11	79	289	879	1493	1871	8077	5546	1967	970	509	277	95	46	14	1	-	1	-	-

AGES of MALES married in Scotland in 1869.

AGES OF MALES MARRIED IN SCOTLAND IN 1869.																							
Total Males.	Under 15												Age not stated.										
	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
Scotland . .	-	-	1	12	133	481	949	7216	7081	2724	1457	804	539	340	201	123	53	11	5	-	-	14	
DISTRICTS.																							
INSULAR . .	-	-	-	-	2	5	5	114	264	167	70	22	18	9	12	6	5	-	-	-	-	-	
MAINLAND-RURAL	-	-	-	-	59	198	459	3368	3192	1214	664	360	240	150	92	51	22	7	3	-	-	9	
TOWN . . .	-	-	1	12	72	278	485	3734	3625	1343	723	422	281	181	97	66	26	4	2	-	-	5	
DIVISIONS.																							
1. NORTHERN . .	-	-	-	-	2	4	9	141	201	89	60	19	17	9	10	9	6	-	1	-	-	-	
2. NORTH-WESTERN	-	-	-	-	-	2	4	113	249	178	78	41	17	14	12	7	2	-	-	-	-	-	
3. NORTH-EASTERN	-	-	-	2	13	42	85	665	722	301	165	77	67	43	22	19	8	3	-	-	-	3	
4. EAST-MIDLAND .	-	-	1	3	33	78	173	1156	1130	388	224	137	87	54	32	17	13	3	1	-	-	1	
5. WEST-MIDLAND	-	-	-	-	8	29	52	433	468	201	96	52	40	28	11	7	3	-	-	-	-	1	
6. SOUTH-WESTERN	-	-	-	3	61	257	422	3176	2830	997	544	307	200	129	72	42	12	1	-	-	-	4	
7. SOUTH-EASTERN	-	-	-	4	13	47	155	1173	1134	409	211	119	78	45	32	16	7	3	2	-	-	3	
8. SOUTHERN . .	-	-	-	-	3	22	49	359	347	161	79	52	33	18	10	6	2	1	1	-	-	2	
COUNTIES.																							
Shetland . .	-	-	-	-	1	1	1	29	60	23	13	5	3	2	1	1	4	-	-	-	-	-	
Orkney . .	-	-	-	-	1	2	3	30	57	24	16	5	7	3	5	3	1	-	-	-	-	-	
Caithness . .	-	-	-	-	-	1	4	68	61	28	20	7	4	2	3	3	1	-	1	-	-	-	
Sutherland . .	-	-	-	-	-	-	1	14	23	14	11	2	3	2	1	2	-	-	-	-	-	-	
Ross and Cromarty	-	-	-	-	-	-	2	45	119	69	35	19	8	7	4	3	1	-	-	-	-	-	
Inverness . .	-	-	-	-	-	2	2	68	130	109	43	22	9	7	8	4	1	-	-	-	-	-	

AGES of MALES married in Scotland in 1869.

[illegible]

AGES of FEMALES married in Scotland in 1869.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1869.																	
TOTAL FEMALES.	Under																
	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	Age not stated.
Scotland . .	-	11	79	289	879	1493	1871	8077	5546	1967	970	509	277	95	46	14	19
DISTRICTS.																	
INSULAR . .	-	-	2	5	10	21	38	223	242	89	44	12	9	3	1	-	-
MAINLAND-RURAL	-	3	35	105	400	650	842	3782	2556	877	419	222	117	42	18	7	12
TOWN . . .	-	8	42	179	469	822	991	4072	2748	1001	507	275	151	50	27	7	7
DIVISIONS.																	
1. NORTHERN . .	-	-	1	6	7	28	38	169	178	83	32	16	13	3	1	-	1
2. NORTH-WESTERN	-	-	3	3	16	26	41	241	226	88	48	14	10	1	-	-	-
3. NORTH-EASTERN	-	2	7	22	97	122	177	835	585	181	111	49	32	6	5	3	3
4. EAST-MIDLAND .	-	-	9	24	101	205	265	1319	946	343	157	86	42	21	7	3	1
5. WEST-MIDLAND .	-	1	5	13	65	98	115	529	357	133	58	30	13	7	4	-	5
6. SOUTH-WESTERN	-	7	36	160	444	731	862	3280	2095	695	365	209	107	38	22	1	4
7 SOUTH-EASTERN	-	1	16	55	120	225	281	1262	861	334	146	75	46	14	6	4	2
8. SOUTHERN . .	-	-	2	6	29	58	92	442	298	110	53	30	14	5	1	3	-
COUNTIES.																	
Shetland . .	-	-	1	-	2	2	4	47	50	21	9	3	4	1	-	-	-
Orkney . .	-	-	-	3	1	12	8	43	44	25	11	6	3	-	1	-	-
Caithness . .	-	-	-	2	3	9	21	58	65	22	8	6	6	1	-	-	1
Sutherland . .	-	-	-	1	1	5	5	21	19	15	4	1	-	1	-	-	-
Ross and Cromarty	-	-	-	1	5	11	17	114	89	40	26	3	6	-	-	-	-
Inverness . .	-	-	3	2	11	15	24	127	137	48	22	11	4	1	-	-	-

AGES of FEMALES married in Scotland in 1869.

[illegible]

DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND	3062294	3360018	75875	6970	2569	5115	6713	3473	2430	1771	4105	1855	2374	2600	2564
Insular	160733	157755	2784	201	56	82	125	75	44	32	78	68	90	89	94
Mainland-Rural	1762576	1823542	34138	3208	1023	1896	2389	1265	905	694	1736	918	1126	1160	1077
Towns	1138985	1378721	38953	3561	1490	3137	4199	2133	1481	1045	2291	869	1158	1351	1393
Shetland	31670	31608	516	21	9	6	19	10	2	1	9	12	19	17	10
Orkney	32395	31274	536	25	5	13	10	14	6	3	15	16	23	13	22
Caithness	42200	41011	623	64	17	20	34	12	10	4	15	18	31	17	20
Sutherland	24157	23298	369	16	6	9	13	8	3	3	7	3	11	15	10
Ross & Cromarty	82427	82093	1372	115	34	43	61	32	23	36	36	22	30	44	44
Inverness	84902	84258	1560	135	43	64	86	38	27	14	43	21	36	45	52
Nairn	8347	8372	215	33	11	15	11	4	1	3	12	—	4	8	8
Elgin	44218	44549	832	80	25	53	52	35	21	12	37	22	24	22	21
Banff	56020	58883	920	73	26	53	42	22	16	9	37	31	21	28	37
Aberdeen	223344	246298	4036	412	120	170	190	108	58	61	161	80	154	139	138
Kincardine	34854	35097	547	41	7	26	14	13	12	4	14	14	15	13	20
Forfar	206750	240049	5970	586	199	361	426	284	250	201	475	183	177	195	166
Perth	133198	128550	2693	184	69	95	135	80	62	57	166	64	78	89	90
Fife	155021	160924	2883	258	94	158	175	92	67	57	116	85	94	92	91
Kinross	8731	7918	112	10	—	5	1	—	2	—	2	2	5	3	4
Clackmannan	20122	22235	429	43	19	31	33	23	12	13	24	6	17	8	15
Stirling	88138	93345	2272	193	67	158	195	125	92	71	202	61	85	74	63
Dumbarton	54179	61116	1328	115	56	93	117	67	43	40	73	44	52	47	55
Argyll	83859	79661	1447	109	27	44	77	51	41	18	54	30	43	60	61
Bute	16331	16966	376	21	12	17	18	17	9	8	18	15	18	10	11
Renfrew	168746	195305	5092	447	200	428	561	279	197	148	334	138	148	181	194
Ayr	199063	200908	4385	425	115	285	512	224	164	81	276	136	145	167	137
Lanark	640444	787005	22690	2050	910	1997	2766	1367	952	653	1326	535	750	822	795
Linlithgow	39045	41379	875	122	37	80	81	43	12	12	37	14	21	25	20
Edinburgh	274093	328138	8150	829	304	628	801	370	231	178	384	153	175	248	286
Haddington	37626	37755	785	72	15	31	54	37	36	16	58	19	17	25	16
Berwick	36488	36382	586	47	21	21	25	13	12	12	22	17	21	27	14
Peebles	11300	12218	189	23	7	9	5	3	—	1	6	4	10	5	8
Selkirk	10410	14334	232	33	9	23	14	9	3	4	6	10	12	11	8
Roxburgh	53722	53558	997	109	29	52	53	26	21	10	45	18	36	31	41
Dumfries	75904	74842	1359	118	40	67	59	30	13	9	34	38	52	63	57
Kirkcudbright	42495	42087	797	83	18	32	42	20	18	17	27	26	27	33	22
Wigtown	42095	38602	702	78	18	28	31	17	14	15	34	18	23	23	28

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—BOTH SEXES.

Glasgow	395503	477732	15648	1392	606	1413	2028	973	662	452	885	347	505	603	577
Edinburgh	170444	201052	5406	517	193	435	520	249	144	102	230	97	126	161	205
Dundee	91664	120724	3564	377	122	256	301	208	168	137	300	86	99	102	107
Aberdeen	73900	88181	1787	177	53	77	99	57	29	32	72	29	61	66	74
Paisley	47427	48257	1449	111	55	120	168	76	53	30	101	32	52	50	51
Greenock	43894	59794	1750	164	76	152	188	107	82	57	103	55	37	67	68
Leith	36029	46434	1169	119	63	103	153	70	42	45	71	19	11	31	34
Perth	26094	26382	694	50	22	36	44	37	35	23	75	22	18	20	26
Inverness	16162	18552	450	35	19	28	34	16	10	3	16	5	10	8	19
Arbroath	17831	20169	459	46	13	21	31	20	19	9	27	14	17	21	9
Forfar	10838	12585	274	26	10	16	20	6	8	4	20	11	5	13	4
Montrose	15668	15783	383	23	8	14	16	13	8	11	38	17	10	12	9
Dunfermline	13506	14963	275	19	11	23	26	6	7	6	10	8	19	8	9
Kirkcaldy	11117	12835	232	32	5	17	16	4	3	4	5	6	10	5	7
Stirling	14012	14590	364	33	13	25	24	15	9	9	19	7	18	12	14
Ayr	19659	19172	536	47	13	39	46	26	24	17	57	13	15	20	17
Kilmarnock	23556	24072	652	66	23	43	99	41	29	13	31	12	24	28	24
Barony	22559	31746	1103	77	46	76	97	60	32	24	62	22	41	34	38
Govan	28584	56754	1172	112	62	132	136	82	42	28	70	25	31	35	40
Hamilton	14047	16803	317	26	14	23	27	13	17	5	22	9	8	10	12
Airdrie	12922	13488	327	26	14	23	36	14	20	9	21	8	15	9	9
Coatbridge, etc.	13303	18410	505	45	26	48	64	27	30	18	46	18	11	16	15
Dumfris	18266	20243	437	41	23	17	26	13	8	7	10	7	15	20	25

DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2252	2326	2387	2408	2677	2644	3261	3471	3643	3405	2638	1425	544	162	24	69
Insular	82	73	75	81	87	104	144	172	224	241	225	132	64	21	6	19
Mainland-Rural . .	917	924	928	988	1112	1162	1525	1827	2044	2073	1727	972	374	122	14	32
Towns	1253	1329	1384	1339	1478	1378	1592	1472	1375	1091	686	321	106	19	4	18
Shetland	20	16	14	17	16	17	31	34	39	52	58	36	12	7	—	12
Orkney	8	12	14	20	15	21	22	37	64	51	50	35	16	1	1	4
Caithness	16	8	11	12	18	13	26	51	43	49	49	36	18	3	2	6
Sutherland	6	7	10	14	8	17	27	31	31	44	35	17	10	5	3	—
Ross and Cromarty .	26	40	34	45	45	47	76	77	93	132	119	64	33	15	4	2
Inverness	55	41	49	39	59	55	79	90	131	127	118	66	27	14	2	4
Nairn	5	4	3	9	6	4	10	10	10	11	21	9	2	1	—	—
Elgin	21	19	22	18	23	33	31	45	53	57	51	38	9	4	—	4
Banff	29	19	24	27	31	34	38	53	66	63	72	53	11	4	—	1
Aberdeen	132	141	103	123	161	151	177	247	273	281	226	145	65	13	3	4
Kincardine	17	12	13	15	32	18	23	36	48	53	45	33	5	3	—	1
Forfar	157	170	200	188	192	231	266	255	273	231	185	77	32	5	1	4
Perth	68	68	79	66	90	98	148	198	203	196	185	71	42	12	—	—
Fife	92	65	67	83	111	120	148	197	189	184	155	65	24	4	—	—
Kinross	4	3	3	5	2	6	2	7	8	16	12	9	1	—	—	—
Clackmannan	14	19	8	16	9	15	23	14	25	18	16	6	2	—	—	—
Stirling	55	46	68	65	80	78	82	85	117	86	69	41	7	6	—	1
Dumbarton	53	40	36	34	41	32	61	58	61	50	33	16	8	2	1	—
Argyll	47	36	34	42	51	57	87	85	98	114	90	46	30	10	4	1
Bute	12	9	16	13	9	14	17	24	36	19	13	15	4	—	1	—
Renfrew	156	155	155	168	166	162	195	166	199	161	91	41	13	6	—	3
Ayr	121	128	135	121	114	137	152	178	196	176	137	76	32	14	—	1
Lanark	721	770	805	786	860	707	804	716	605	492	295	139	43	9	2	13
Linlithgow	19	38	29	23	35	32	40	32	42	35	26	15	3	2	—	—
Edinburgh	248	289	299	292	309	313	399	411	356	321	192	97	32	3	—	2
Haddington	18	25	16	21	28	35	40	48	52	44	30	20	7	5	—	—
Berwick	15	12	14	14	19	27	35	37	49	48	31	26	7	—	—	—
Peebles	5	10	5	6	9	13	14	11	8	11	9	7	—	—	—	—
Selkirk	7	2	7	9	8	6	14	7	11	8	4	7	—	—	—	—
Roxburgh	26	28	38	25	32	41	52	61	60	70	58	22	12	—	—	1
Dumfries	50	51	37	46	45	59	67	95	101	90	76	42	15	5	—	—
Kirkcudbright . . .	22	26	22	26	28	24	40	38	61	67	45	17	10	6	—	—
Wigtown	7	17	17	20	25	27	35	37	42	48	42	38	12	3	—	5

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—BOTH SEXES.

Glasgow	536	555	555	551	609	524	545	464	367	270	138	60	22	5	1	3
Edinburgh	192	204	216	187	213	220	289	278	236	196	115	56	24	1	—	—
Dundee	104	103	133	126	135	140	158	114	110	84	55	28	6	3	—	2
Aberdeen	75	74	61	62	80	80	88	110	120	94	63	35	17	—	2	—
Paisley	42	43	40	41	41	42	63	54	77	55	28	19	3	2	—	—
Greenock	66	61	63	62	68	50	60	51	47	38	17	5	3	2	—	1
Leith	22	32	34	41	37	41	43	45	37	37	24	10	3	1	—	1
Perth	16	22	29	17	22	22	34	19	41	28	24	8	3	1	—	—
Inverness	20	15	18	12	20	17	20	26	29	26	31	8	2	—	—	3
Arbroath	7	20	14	17	8	25	20	27	28	19	14	9	3	—	—	1
Forfar	4	4	8	6	6	12	12	18	20	20	15	4	2	—	—	—
Montrose	14	11	11	11	10	16	22	22	35	25	18	6	3	—	—	—
Dunfermline	7	6	7	7	11	10	14	15	17	14	14	1	—	—	—	—
Kirkcaldy	7	8	10	14	10	10	12	11	10	10	11	5	—	—	—	—
Stirling	12	10	8	10	17	17	18	16	20	17	12	7	2	—	—	—
Ayr	8	10	16	12	16	22	19	19	24	25	18	9	4	—	—	—
Kilmarnock	16	21	21	15	16	21	24	19	23	18	21	4	—	—	—	—
Barony	27	41	51	44	58	45	48	51	45	39	24	17	—	—	—	4
Govan	39	35	51	45	41	18	34	35	27	23	13	11	3	1	—	1
Hamilton	8	15	6	8	10	11	17	18	17	9	6	5	—	—	—	1
Airdrie	9	9	11	14	6	10	15	15	12	12	6	2	1	—	—	1
Coatbridge, etc. . .	11	11	8	17	24	13	14	11	15	8	2	5	1	—	1	—
Dumfries	11	19	13	20	20	12	23	34	18	24	17	7	4	3	—	—

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1449848	1603143	37868	3922	1410	2788	3477	1774	1214	862	2111	925	1120	1369	1284
Insular . .	73409	72175	1364	132	31	45	60	38	20	18	41	36	46	53	52
Mainland-Rural	848998	880835	17113	1797	582	1043	1260	633	476	340	870	462	538	645	566
Towns . .	527441	650133	19391	1993	797	1700	2157	1103	718	504	1200	427	536	671	666
Shetland . .	13053	13103	232	14	3	2	7	4	1	1	6	7	11	12	6
Orkney . .	14924	14355	246	14	3	9	3	9	3	—	6	8	9	9	12
Caithness . .	19846	19403	319	38	10	13	14	5	4	1	8	15	17	9	11
Sutherland . .	11058	10942	184	11	3	7	10	5	1	2	5	1	5	11	6
Ross & Cromarty	38462	38558	699	78	24	20	40	14	13	24	15	8	14	28	26
Inverness . .	39479	39360	780	75	27	35	43	22	12	9	24	15	16	31	27
Nairn . .	3976	3925	104	18	6	7	8	—	—	—	7	—	3	3	5
Elgin . .	20737	20738	411	50	9	33	27	20	13	5	22	10	13	11	13
Banff . .	26401	27826	454	34	14	26	22	11	10	6	17	18	14	18	20
Aberdeen . .	105322	116768	1970	238	63	93	108	53	23	25	89	37	71	75	67
Kincardine . .	16939	17002	258	24	4	12	7	5	6	3	7	5	5	6	7
Forfar . .	93280	107416	2903	331	108	199	216	146	135	96	246	92	79	87	74
Perth . .	63169	60812	1336	118	37	57	74	39	30	31	91	32	36	49	46
Fife . .	72714	75206	1407	152	50	88	91	45	28	30	64	41	49	50	45
Kinross . .	4150	3748	55	4	—	3	—	—	1	—	1	1	2	3	1
Clackmannan . .	9742	10819	220	25	11	16	19	11	6	6	10	3	9	7	6
Stirling . .	43487	46193	1172	92	36	92	96	64	59	30	103	35	42	48	32
Dumbarton . .	26455	29957	669	60	30	48	62	28	22	18	40	25	24	29	30
Argyll . .	40914	38796	739	66	13	24	41	32	22	7	25	18	25	36	42
Bute . .	7208	7616	193	14	5	11	7	7	3	5	10	7	11	5	6
Renfrew . .	79380	93167	2530	258	109	232	286	130	97	65	146	65	68	94	94
Ayr . .	97035	98244	2194	241	64	154	270	101	94	38	130	69	70	101	65
Lanark . .	308263	388392	11424	1105	504	1093	1403	712	457	320	694	253	338	394	386
Linlithgow . .	20069	21049	465	77	19	47	31	21	8	6	20	6	11	14	12
Edinburgh . .	126429	153784	4122	471	167	315	431	202	121	91	205	78	94	124	153
Haddington . .	17866	18069	406	42	10	21	33	19	12	10	33	9	9	13	8
Berwick . .	17354	17361	280	21	12	11	15	10	6	7	11	8	7	12	6
Peebles . .	5603	5902	99	14	2	6	2	2	—	—	1	2	3	3	3
Selkirk . .	5069	6896	117	15	5	14	6	7	2	3	3	6	8	5	3
Roxburgh . .	26593	25529	493	63	18	24	31	12	8	3	25	11	16	16	18
Dumfries . .	35687	34831	651	65	22	39	31	17	6	6	18	19	21	32	28
Kirkcudbright . .	19789	19607	378	49	11	21	22	13	5	5	11	14	10	19	10
Wigtown . .	19395	17769	358	45	11	16	21	8	6	9	18	7	10	15	16

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—MALES.

Glasgow . .	185556	230995	7835	756	335	776	1038	511	318	213	455	166	226	285	280
Edinburgh . .	76013	91090	2736	286	96	218	279	146	76	52	127	50	69	79	108
Dundee . .	40395	52605	1747	217	60	142	148	106	90	63	165	41	51	42	53
Aberdeen . .	32554	39786	862	103	23	44	54	27	11	15	45	13	32	33	33
Paisley . .	21913	22269	693	57	24	70	90	33	21	16	48	16	18	24	15
Greenock . .	21567	30298	931	100	50	78	106	56	42	22	43	30	22	42	42
Leith . .	17894	22976	589	81	38	57	77	29	15	22	34	10	6	18	17
Perth . .	11947	12002	351	34	12	21	22	18	18	15	48	13	9	9	13
Inverness . .	7261	8488	226	17	11	17	18	9	4	1	10	3	6	6	9
Arbroath . .	7770	8711	213	20	7	12	16	10	12	3	10	7	6	10	3
Forfar . .	4735	5581	125	15	6	9	11	3	1	2	10	5	1	5	—
Montrose . .	6736	6800	174	12	2	6	9	8	5	6	19	8	5	5	5
Dunfermline . .	6447	6763	138	14	7	13	12	4	3	4	6	4	9	5	4
Kirkcaldy . .	5074	5678	109	19	3	8	6	2	2	2	4	5	4	3	—
Stirling . .	6814	6815	173	19	7	17	13	7	6	—	10	4	6	6	7
Ayr . .	9094	8867	271	24	9	21	25	17	14	9	29	5	7	13	6
Kilmarnock . .	11398	11670	322	40	10	22	51	16	12	8	17	6	10	19	10
Barony . .	11221	16248	552	48	18	34	48	33	17	17	34	9	17	15	12
Govan . .	13603	28221	550	57	33	70	61	39	19	13	37	13	13	17	18
Hamilton . .	6798	8358	162	14	10	15	13	6	7	3	11	3	2	9	5
Airdrie . .	6242	6642	168	10	9	9	21	7	10	4	10	5	6	4	7
Coatbridge, etc.	8155	10035	255	24	15	30	28	10	13	9	22	9	6	11	8
Dumfries . .	8254	9235	209	26	12	11	11	6	2	5	6	2	5	11	11

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1086	1071	1173	1251	1300	1341	1593	1731	1644	1525	1051	540	212	47	8	39
Insular . . .	38	33	43	44	44	44	78	83	97	114	89	45	24	8	3	5
Mainland-Rural .	448	420	453	529	571	596	744	949	938	941	715	385	154	34	3	21
Towns . . .	600	618	677	678	685	701	771	699	609	470	247	110	34	5	2	13
Shetland . . .	11	7	6	10	9	4	18	16	17	24	19	10	2	1	—	4
Orkney . . .	3	2	8	9	7	9	9	19	26	24	26	11	7	—	—	1
Caithness . . .	6	2	5	4	11	8	16	33	22	25	12	15	10	1	1	3
Sutherland . . .	4	—	4	6	3	10	11	16	13	17	14	9	8	2	—	—
Ross and Cromarty .	14	19	17	31	19	21	37	44	46	50	42	33	16	5	1	—
Inverness . . .	26	22	24	20	32	25	39	43	66	67	41	18	13	4	2	2
Nairn . . .	3	—	1	7	4	4	2	5	8	3	6	2	2	—	—	—
Elgin . . .	11	10	8	13	11	17	15	19	22	26	18	7	5	1	—	2
Banff . . .	10	13	13	15	17	19	18	36	34	26	29	8	4	1	—	1
Aberdeen . . .	60	56	47	59	70	66	76	132	142	122	102	61	25	6	2	2
Kincardine . . .	8	3	5	4	16	12	4	18	25	31	22	15	3	—	—	1
Forfar . . .	55	79	84	94	71	120	136	126	114	105	68	28	11	—	—	3
Perth . . .	27	31	39	34	42	44	83	91	92	91	78	23	19	2	—	—
Fife . . .	34	24	29	41	48	59	65	97	87	84	66	31	8	1	—	—
Kinross . . .	3	1	2	5	—	2	—	4	3	8	7	4	—	—	—	—
Clackmannan . . .	8	10	3	10	4	11	14	7	13	9	1	1	—	—	—	—
Stirling . . .	30	22	36	38	43	43	39	55	52	39	23	17	4	1	—	1
Dumbarton . . .	29	16	23	13	22	19	36	31	20	18	19	4	3	—	—	—
Argyll . . .	24	18	21	15	25	31	38	43	38	55	40	23	11	4	2	—
Bute . . .	7	5	10	8	6	7	13	13	9	11	6	6	1	—	—	—
Renfrew . . .	70	72	78	86	85	90	91	75	94	74	41	18	5	4	—	3
Ayr . . .	57	64	71	65	45	76	67	82	93	70	59	30	14	3	—	1
Lanark . . .	366	355	403	416	428	373	402	348	264	225	114	47	11	4	—	9
Linlithgow . . .	9	22	16	15	28	15	20	19	20	12	9	5	1	2	—	—
Edinburgh . . .	133	141	148	152	153	146	202	184	144	139	77	39	10	—	—	2
Haddington . . .	9	10	7	9	16	20	21	27	23	21	15	5	2	2	—	—
Berwick . . .	8	8	10	7	11	9	21	22	22	18	6	11	1	—	—	—
Peebles . . .	3	2	3	4	5	7	8	10	5	7	3	4	—	—	—	—
Selkirk . . .	2	1	1	5	3	4	7	4	3	2	3	5	—	—	—	—
Roxburgh . . .	15	13	16	15	19	18	25	30	32	28	19	13	5	—	—	—
Dumfries . . .	24	24	13	24	18	24	26	52	42	47	30	17	5	1	—	—
Kirkeudbright . . .	13	11	11	11	16	13	16	10	31	25	13	8	3	2	—	—
Wigtown . . .	4	8	11	6	13	15	18	20	22	22	18	12	3	—	—	4

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—MALES.

Glasgow . . .	277	255	274	278	287	277	266	214	159	115	44	18	6	3	—	3
Edinburgh . . .	109	104	112	101	100	99	136	127	96	89	45	22	10	—	—	—
Dundee . . .	35	48	57	61	51	74	74	50	54	38	13	11	1	—	—	2
Aberdeen . . .	31	30	30	28	31	39	36	63	63	38	22	10	6	—	2	—
Paisley . . .	14	18	21	20	23	24	35	23	34	24	15	7	1	2	—	—
Greenock . . .	32	27	33	33	33	29	30	24	24	19	9	3	1	—	—	1
Leith . . .	11	13	18	19	24	19	24	19	15	10	10	2	—	—	—	1
Perth . . .	4	12	12	9	10	8	20	8	14	14	7	—	1	—	—	—
Inverness . . .	10	8	9	7	11	8	6	12	13	15	9	3	2	—	—	2
Arbroath . . .	2	13	4	8	3	13	12	16	10	7	7	2	—	—	—	—
Forfar . . .	2	2	3	3	1	3	8	7	13	6	7	1	1	—	—	—
Montrose . . .	4	4	5	7	3	12	12	11	7	11	6	1	1	—	—	—
Dunfermline . . .	3	1	2	3	4	5	8	8	9	5	4	1	—	—	—	—
Kirkcaldy . . .	2	4	5	8	4	3	3	6	4	4	4	4	—	—	—	—
Stirling . . .	7	3	4	6	10	7	6	9	8	5	5	1	—	—	—	—
Ayr . . .	6	6	7	3	8	12	9	10	12	6	7	5	1	—	—	—
Kilmarnock . . .	8	10	10	8	7	12	10	8	10	8	8	2	—	—	—	—
Barony . . .	11	16	26	24	30	24	27	28	26	22	8	6	—	—	—	2
Govan . . .	14	16	23	17	17	11	16	14	8	14	3	5	1	—	—	1
Hamilton . . .	4	5	3	5	5	6	8	9	7	6	2	3	—	—	—	1
Airdrie . . .	4	6	7	9	2	6	9	8	5	5	4	1	—	—	—	—
Coatbridge, etc. .	4	7	6	12	11	7	4	5	9	2	2	—	1	—	—	—
Dumfries . . .	6	10	6	9	10	3	12	20	9	7	6	2	1	—	—	—

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1612446	1756875	38007	3048	1159	2327	3236	1699	1216	909	1994	930	1254	1231	1280
Insular . .	87324	85580	1420	69	25	37	65	37	24	14	37	32	44	36	42
Mainland-Rural	913578	942707	17025	1411	441	853	1129	632	429	354	866	456	588	515	511
Towns . .	611544	728588	19562	1568	693	1437	2042	1030	763	541	1091	442	622	680	727
Shetland . .	18617	18505	284	7	6	4	12	6	1	—	3	5	8	5	4
Orkney . .	17471	16919	290	11	2	4	7	5	3	3	9	8	14	4	10
Caithness .	22354	21608	304	26	7	7	20	7	6	3	7	3	14	8	9
Sutherland .	13099	12356	185	5	3	2	3	3	2	1	2	2	6	4	4
Ross & Cromarty	43965	43535	673	37	10	23	21	18	10	12	21	14	16	16	18
Inverness .	45523	44898	780	60	16	29	43	16	15	5	19	6	20	14	25
Nairn . .	4371	4447	111	15	5	8	3	4	1	3	5	—	1	5	3
Elgin . .	23481	23811	421	30	16	20	25	15	8	7	15	12	11	11	8
Banff . .	29619	31057	466	39	12	27	20	11	6	3	20	13	7	10	17
Aberdeen . .	118022	129530	2066	174	57	77	82	55	35	36	72	43	83	64	71
Kincardine .	17915	18095	289	17	3	14	7	8	6	1	7	9	10	7	13
Forfar . .	113470	132633	3067	255	91	162	210	138	115	105	229	91	98	108	92
Perth . .	70029	67738	1357	66	32	38	61	41	32	26	75	32	42	40	44
Fife . .	82307	85718	1476	106	44	70	84	47	39	27	52	44	45	42	46
Kinross . .	4581	4170	57	6	—	2	1	—	1	—	1	1	3	—	3
Clackmannan .	10380	11416	209	18	8	15	14	12	6	7	14	3	8	1	9
Stirling . .	44651	47152	1100	101	31	66	99	61	33	41	99	26	43	26	31
Dumbarton .	27724	31159	659	55	26	45	55	39	21	22	33	19	28	18	25
Argyll . .	42945	40865	708	43	14	20	36	19	19	11	29	12	18	24	19
Bute . .	9123	9350	183	7	7	6	11	10	6	3	8	8	7	5	5
Renfrew . .	89366	102138	2562	189	91	196	275	149	100	83	188	73	80	87	100
Ayr . .	102028	102664	2191	184	51	131	242	123	70	43	146	67	75	66	72
Lanark . .	332181	398613	11266	945	406	904	1363	655	495	333	632	282	412	428	409
Linlithgow .	18976	20330	410	45	18	33	50	22	4	6	17	8	10	11	8
Edinburgh .	147664	174354	4028	358	137	313	370	168	110	87	179	75	81	124	133
Haddington .	19760	19686	379	30	5	10	21	18	24	6	25	10	8	12	8
Berwick . .	19134	19021	306	26	9	10	10	3	6	5	11	9	14	15	8
Peebles . .	5697	6316	90	9	5	3	3	1	—	1	5	2	7	2	5
Selkirk . .	5341	7438	115	18	4	9	8	2	1	1	3	4	4	6	5
Roxburgh .	27129	28029	504	46	11	28	22	14	13	7	20	7	20	15	23
Dumfries . .	42217	40011	708	53	18	28	28	13	7	3	16	19	31	31	29
Kirkcudbright	22706	22480	419	34	7	11	20	7	13	12	16	12	17	14	12
Wigtown . .	22700	20833	344	33	7	12	10	9	8	6	16	11	13	8	12

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—FEMALES.

Glasgow . . .	209947	246737	7813	636	271	637	990	462	344	239	430	181	279	318	297
Edinburgh . .	94431	109962	2670	231	97	217	241	103	68	50	103	47	57	82	97
Dundee . . .	51269	68119	1817	160	62	114	153	102	78	74	135	45	48	60	54
Aberdeen . . .	41346	48395	925	74	30	33	45	30	18	17	27	16	29	33	41
Paisley . . .	25514	25988	756	54	31	50	78	43	32	14	53	16	34	26	36
Greenock . . .	22327	29496	819	64	26	74	82	51	40	35	60	25	15	25	26
Leith . . .	18135	23458	580	38	25	46	76	41	27	23	37	9	5	13	17
Perth . . .	14117	14380	343	16	10	15	22	19	17	8	27	9	9	11	13
Inverness . .	8901	10064	224	18	8	11	16	7	6	2	6	2	4	2	10
Arbroath . . .	10061	11458	246	26	6	9	15	10	7	6	17	7	11	11	6
Forfar . . .	6103	7004	149	11	4	7	9	3	7	2	10	6	4	8	4
Montrose . . .	8932	8983	209	11	6	8	7	5	3	5	19	9	5	7	4
Dunfermline .	7059	8200	137	5	4	10	14	2	4	2	4	4	10	3	5
Kirkcaldy . .	6043	7157	123	13	2	9	10	2	1	2	1	1	6	2	7
Stirling . . .	7198	7775	191	14	6	8	11	8	3	9	9	3	12	6	7
Ayr . . .	10565	10305	265	23	4	18	21	9	10	8	28	8	8	7	11
Kilmarnock . .	12158	12402	330	26	13	21	48	25	17	5	14	6	14	9	14
Barony . . .	11338	15498	551	29	28	42	49	27	15	7	28	13	24	19	26
Govan . . .	14981	28533	622	55	29	62	75	43	23	15	33	12	28	18	22
Hamilton . . .	7249	8445	155	12	4	8	14	7	10	2	11	6	6	1	7
Airdrie . . .	6680	6846	159	16	5	14	15	7	10	5	11	3	9	5	2
Coatbridge, etc.	7148	8375	250	21	11	18	36	17	17	9	24	9	5	5	7
Dumfries . . .	16012	11008	228	15	11	6	15	7	6	2	4	5	10	9	14

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1869.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1166	1255	1214	1157	1377	1303	1668	1740	1999	1880	1587	885	332	115	16	30
Insular	44	40	32	37	43	60	66	89	127	127	136	87	40	13	3	14
Mainland-Rural . .	469	504	475	459	541	566	781	878	1106	1132	1012	587	220	88	11	11
Towns	653	711	707	661	793	677	821	773	766	621	439	211	72	14	2	5
Shetland	9	9	8	7	7	13	13	18	22	28	39	26	10	6	—	8
Orkney	5	10	6	11	8	12	13	18	38	27	24	24	9	1	1	3
Caithness	10	6	6	8	7	5	10	18	21	24	37	21	8	2	1	3
Sutherland	2	7	6	8	5	7	16	15	18	27	21	8	2	3	3	—
Ross and Cromarty .	12	21	17	14	26	26	39	33	47	82	77	31	17	10	3	2
Inverness	29	19	25	19	27	30	40	47	65	60	77	48	14	10	—	2
Nairn	2	4	2	2	2	—	8	5	2	8	15	7	—	1	—	—
Elgin	10	9	14	5	12	16	16	26	31	31	33	31	4	3	—	2
Banff	19	6	11	12	14	15	20	17	32	37	43	45	7	3	—	—
Aberdeen	72	85	56	64	91	85	101	115	131	159	124	84	40	7	1	2
Kincardine	9	9	8	11	16	6	19	18	23	22	23	18	2	3	—	—
Forfar	102	91	116	94	121	111	130	129	159	126	117	49	21	5	1	1
Perth	41	37	40	32	48	54	65	107	111	105	107	48	23	10	—	—
Fife	58	41	28	42	63	61	83	100	102	100	89	34	16	3	—	—
Kinross	1	2	1	—	2	4	2	3	5	8	5	5	1	—	—	—
Clackmannan	6	9	5	6	5	4	9	7	12	9	15	5	2	—	—	—
Stirling	25	24	32	27	37	35	43	30	65	47	46	24	3	5	—	—
Dumbarton	24	24	13	21	19	13	25	27	41	32	14	12	5	2	1	—
Argyll	23	18	13	27	26	26	49	42	60	59	50	23	19	6	2	1
Bute	5	4	6	5	3	7	4	11	27	8	7	9	3	—	1	—
Renfrew	86	83	77	82	81	72	104	91	105	87	50	23	8	2	—	—
Ayr	64	64	64	56	69	61	85	96	103	106	78	46	18	11	—	—
Lanark	355	415	402	370	432	334	402	368	341	267	181	92	32	5	2	4
Linlithgow	10	16	13	8	7	17	20	13	22	23	17	10	2	—	—	—
Edinburgh	115	148	151	140	156	167	197	227	212	182	115	58	22	3	—	—
Haddington	9	15	9	12	12	15	19	21	29	23	15	15	5	3	—	—
Berwick	7	4	4	7	8	18	14	15	27	30	25	15	6	—	—	—
Peebles	2	8	2	2	4	6	6	1	3	4	6	3	—	—	—	—
Selkirk	5	1	6	4	5	2	7	3	8	6	1	2	—	—	—	—
Roxburgh	11	15	22	10	13	23	27	31	28	42	39	9	7	—	—	1
Dumfries	26	27	24	22	27	35	41	43	59	43	46	25	10	4	—	—
Kirkcudbright	9	15	11	15	12	11	24	28	30	42	27	9	7	4	—	—
Wigtown	3	9	6	14	12	12	17	17	20	26	24	26	9	3	—	1

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1869.—FEMALES.

Glasgow	259	300	281	273	322	247	279	250	208	155	94	42	16	2	1	—
Edinburgh	83	100	104	86	113	121	153	151	140	107	70	34	14	1	—	—
Dundee	69	55	76	65	84	66	84	64	56	46	42	17	5	3	—	—
Aberdeen	44	44	31	34	49	41	52	47	57	56	41	25	11	—	—	—
Paisley	28	25	19	21	18	18	28	31	43	31	13	12	2	—	—	—
Greenock	34	34	30	29	35	21	30	27	23	19	8	2	2	2	—	—
Leith	11	19	16	22	13	22	19	26	22	27	14	8	3	1	—	—
Perth	12	10	17	8	12	14	14	11	27	14	17	8	2	1	—	—
Inverness	10	7	9	5	9	9	14	14	16	11	22	5	—	—	—	1
Arbroath	5	7	10	9	5	12	8	11	18	12	7	7	3	—	—	1
Forfar	2	2	5	3	5	9	4	11	7	14	8	3	1	—	—	—
Montrose	10	7	6	4	7	4	10	11	28	14	12	5	2	—	—	—
Dunfermline	4	5	5	4	7	5	6	7	8	9	10	—	—	—	—	—
Kirkcaldy	5	4	5	6	6	7	9	5	6	6	7	1	—	—	—	—
Stirling	5	7	4	4	7	10	12	7	12	12	7	6	2	—	—	—
Ayr	2	4	9	9	8	10	10	9	12	19	11	4	3	—	—	—
Kilmarnock	8	11	11	7	9	9	14	11	13	10	13	2	—	—	—	—
Barony	16	25	25	20	28	21	21	23	19	17	16	11	—	—	—	2
Govan	25	19	28	28	24	7	18	21	19	9	10	6	2	1	—	—
Hamilton	4	10	3	3	5	5	9	9	10	3	4	2	—	—	—	—
Airdrie	5	3	4	5	4	4	6	7	7	7	2	1	1	—	—	1
Coatbridge, etc. . . .	7	4	2	5	13	6	10	6	6	6	—	5	—	—	1	—
Dumfries	5	9	7	11	10	9	11	14	9	17	11	5	3	3	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns	11901	1144	414	831	1034	542	350	289	668	340	387	389	372
Lerwick	80	4	—	2	2	1	—	—	1	2	6	2	2
Kirkwall and St. Ola	84	9	—	3	2	4	—	2	1	5	2	4	5
Thurso	93	12	4	3	5	2	3	—	2	—	5	2	4
Wick	242	23	9	8	20	6	6	3	6	9	17	6	5
Nairn	151	23	9	14	8	2	1	3	11	—	4	6	7
Elgin	205	20	4	13	12	11	3	2	7	3	6	8	4
Forres	101	15	4	5	8	4	1	1	2	1	—	2	4
Banff	173	11	7	7	10	6	4	2	15	6	6	4	9
Cullen	33	5	2	4	2	—	—	1	2	—	—	1	1
Seafield	18	1	2	2	1	—	—	2	—	—	—	2	2
Fraserburgh	76	12	1	10	4	2	1	1	6	2	1	—	—
Huntly	71	6	2	3	1	—	1	2	3	2	4	2	3
Peterhead	198	26	5	9	13	6	5	2	9	3	4	10	6
Dunnottar	31	2	—	3	1	1	1	—	—	—	—	—	—
Fetteresso	76	4	—	4	—	1	1	—	—	—	1	1	3
Cookney	25	2	1	2	3	—	—	—	1	—	—	1	1
Brechin	201	14	4	10	9	3	6	7	13	11	4	7	9
Kirriemuir	168	12	6	8	9	7	4	8	12	11	7	4	2
Monifieth	120	12	5	8	4	5	3	5	9	2	4	8	1
Blairgowrie	123	8	5	5	11	4	3	3	14	3	1	4	4
Crieff	93	5	4	5	7	3	3	—	4	1	3	3	3
Burntisland	54	5	1	2	5	1	2	4	1	1	1	2	3
Cupar	163	8	5	4	4	4	1	1	2	2	8	9	9
Dysart	166	11	11	15	6	10	1	5	4	14	4	7	3
St Andrews, etc.	150	8	1	12	10	4	3	5	3	2	2	2	4
Alloa	216	21	6	18	17	13	9	7	11	3	7	4	4
Tillicoultry	95	9	9	8	7	5	1	3	6	2	5	2	3
Alva	73	8	3	4	8	3	1	2	5	3	5	2	—
Campsie	131	10	2	8	4	5	2	3	2	3	12	8	7
Falkirk (Burgh)	314	20	11	21	24	19	25	14	39	10	9	8	6
„ (Landward)	183	28	8	12	11	15	3	9	19	5	5	2	3
Kilsyth	262	11	4	26	40	23	25	12	36	12	7	7	6
Bonhill	208	20	10	14	12	6	5	2	11	7	11	12	12
Dumbarton	261	26	11	24	23	11	8	9	16	7	10	10	11
Kirkintilloch	183	17	9	10	21	12	7	5	8	8	3	5	6
Row	134	11	6	10	7	3	2	7	3	6	5	2	3
Campbeltown	203	20	2	4	22	9	11	6	13	5	7	3	10
Rothsay	215	15	10	16	15	12	8	6	12	8	6	4	5

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Total Small Towns .	306	354	359	353	378	381	497	570	611	556	434	230	84	17	1	10	
Lerwick	—	4	4	2	2	3	5	1	10	8	10	8	1	—	—	—	
Kirkwall and St. Ola .	3	4	3	2	3	2	3	2	5	8	8	2	2	—	—	—	
Thurso	—	2	2	1	3	5	5	9	6	7	4	4	2	—	—	1	
Wick	10	3	8	4	8	3	11	15	16	13	13	11	5	1	1	2	
Nairn	5	1	1	6	2	4	9	5	7	5	11	5	2	—	—	—	
Elgin	10	4	7	3	6	6	11	17	14	17	6	6	2	1	—	2	
Forres	2	2	2	4	2	4	3	6	4	8	13	3	1	—	—	—	
Banff	4	3	6	9	4	8	5	10	6	9	13	6	3	—	—	—	
Cullen	—	—	—	1	—	3	—	2	1	3	2	3	—	—	—	—	
Seafield	1	—	—	—	1	—	—	1	—	3	—	—	—	—	—	—	
Fraserburgh . . .	2	1	2	1	3	4	5	1	4	3	3	4	3	—	—	—	
Huntly. . . .	3	6	2	2	4	1	1	2	2	8	5	4	2	—	—	—	
Peterhead	4	8	4	8	10	8	7	16	14	9	9	1	1	—	—	1	
Dunnottar	1	—	—	1	—	5	1	1	2	5	4	2	—	1	—	—	
Fetteresso	2	1	6	2	5	4	2	5	12	7	9	6	—	—	—	—	
Cookney	—	—	1	—	3	—	—	1	—	1	4	4	—	—	—	—	
Brechin	—	4	10	5	3	4	8	11	16	19	16	5	3	—	—	—	
Kirriemuir	1	2	6	5	5	5	13	13	10	7	9	2	—	—	—	—	
Monifieth	3	4	1	1	5	7	3	4	6	9	5	4	2	—	—	—	
Blairgowrie. . . .	4	3	5	3	3	3	7	11	8	5	3	2	1	—	—	—	
Crieff	3	4	3	1	2	1	1	8	5	11	6	4	3	—	—	—	
Burntisland. . . .	2	1	—	4	2	—	2	4	1	6	2	—	—	—	—	—	
Cupar	6	11	6	4	6	6	10	8	16	8	15	6	4	—	—	—	
Dysart. . . .	3	7	5	1	7	11	7	10	7	11	3	3	—	—	—	—	
St Andrews, etc.. .	8	2	5	8	5	6	9	15	14	4	11	3	3	1	—	—	
Alloa	4	12	6	9	7	10	14	6	12	6	7	2	1	—	—	—	
Tillicoultry. . . .	3	2	2	1	1	3	3	3	8	3	3	2	1	—	—	—	
Alva	5	2	2	4	3	2	2	1	2	3	1	2	—	—	—	—	
Campsie	2	4	6	1	3	4	8	8	10	4	12	2	1	—	—	—	
Falkirk (Burgh) . .	8	8	14	12	8	9	9	7	14	5	8	4	—	1	—	1	
„ (Landward) . .	4	5	4	5	7	5	3	9	8	10	—	3	—	—	—	—	
Kilsyth	1	1	6	4	4	6	4	4	8	8	5	1	1	—	—	—	
Bonhill	10	5	5	10	5	5	13	10	2	12	6	2	1	—	—	—	
Dumbarton	11	8	8	3	10	4	11	10	15	6	7	1	—	1	—	—	
Kirkintilloch . . .	8	9	7	5	5	8	6	6	6	6	4	2	—	—	—	—	
Row	1	4	2	4	8	1	6	12	10	11	4	4	2	—	—	—	
Campbeltown . . .	8	3	3	3	6	8	8	14	10	14	8	3	3	—	—	—	
Rothsay	7	7	8	8	2	11	12	9	19	6	2	7	—	—	—	—	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.— BOTH SEXES. (*Continued.*)

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	114	13	6	6	6	8	1	3	7	4	5	5	5
Johnstone	194	23	5	18	20	8	5	10	15	11	13	7	1
Eastwood	376	26	15	31	47	21	20	14	33	9	11	17	14
Neilston	67	6	4	3	6	3	2	1	6	1	2	2	2
Barrhead	122	14	6	8	12	2	1	3	4	1	3	1	8
Port-Glasgow	290	25	15	30	56	19	14	8	14	6	3	10	10
Renfrew	132	15	2	14	16	7	6	5	7	3	—	2	9
Old Ardrossan	89	5	—	6	8	8	2	4	6	3	—	5	4
New Ardrossan	55	5	—	4	6	2	2	—	5	1	1	1	4
Beith	184	5	4	15	24	12	9	3	15	9	9	7	7
Dalry	277	28	7	20	41	16	10	10	21	14	9	9	4
Galston	118	11	5	10	14	9	2	—	3	3	3	5	2
Girvan	108	10	6	6	7	3	—	2	5	—	3	3	4
Irvine	237	22	3	11	15	11	9	5	9	5	5	11	6
Kilbirnie	105	11	3	16	15	8	—	1	3	1	7	6	4
Kilwinning	186	13	4	15	31	12	10	3	26	10	6	2	4
Maybole	114	13	5	2	9	3	8	1	2	1	7	2	2
Riccarton	79	14	4	2	13	2	3	—	3	3	4	2	—
Stevenston	131	10	2	11	27	13	5	4	13	3	3	3	—
Stewarton	92	7	4	6	13	4	2	—	1	1	2	5	3
Avondale	112	12	6	6	10	3	2	4	2	1	6	2	3
Cambusnethan	346	42	22	35	39	23	14	13	16	14	14	7	8
Carluke	161	12	4	13	22	11	8	4	11	5	7	4	5
Lanark	224	24	9	12	21	11	10	5	8	11	10	9	5
Rutherglen	272	28	11	34	30	16	6	8	13	8	7	10	14
Stonehouse	67	9	3	7	2	1	1	2	1	7	3	3	1
Bathgate	136	18	6	11	14	8	1	4	6	—	2	3	4
Armadale	93	21	7	11	12	4	—	1	3	4	—	3	2
Borrowstounness	120	9	6	12	10	9	1	1	8	1	5	4	3
Linlithgow	129	13	4	5	9	1	1	1	8	3	2	5	3
Dalkeith	172	16	9	11	9	4	6	—	11	1	3	7	7
Portobello	131	18	5	3	7	3	—	4	9	3	2	2	6
Inveresk	253	22	5	22	15	8	5	6	9	7	6	9	7
Dunbar	111	12	2	4	4	3	6	1	4	—	1	2	6
Haddington	159	13	4	9	16	9	6	3	10	2	2	5	1
Galashiels	118	18	5	11	9	7	2	3	4	7	5	6	4
Selkirk	84	17	2	7	3	2	1	1	1	3	4	3	4
Hawick	210	26	8	14	12	8	2	1	13	2	8	9	7
Jedburgh	114	11	4	10	5	4	3	—	5	3	3	3	1
Kelso	111	10	1	4	9	2	1	—	8	1	1	4	8
Ladhope	102	17	4	3	9	2	3	1	1	4	7	6	6
Annan	102	14	3	8	4	3	—	1	3	3	3	7	3
Stranraer	131	12	1	9	9	6	—	4	7	2	8	5	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

SMALL TOWNS.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward) . . .	2	4	3	5	3	6	6	5	3	5	2	1	—	—	—	—
Johnstone	5	6	5	2	7	4	5	4	9	3	6	1	1	—	—	—
Eastwood	11	14	9	13	9	18	12	8	10	4	7	1	1	1	—	—
Neilston	—	1	1	2	2	2	8	1	3	5	3	1	—	—	—	—
Barrhead	2	3	7	3	6	6	4	5	7	10	3	3	—	—	—	—
Port-Glasgow	10	5	6	10	8	5	10	10	5	6	4	1	—	—	—	—
Renfrew	2	6	1	6	4	3	2	6	7	4	3	—	1	1	—	—
Old Ardrossan	—	3	1	4	2	3	6	3	5	2	5	1	2	1	—	—
New Ardrossan	—	2	3	2	1	2	2	2	2	5	2	1	—	—	—	—
Beith	2	5	8	3	1	5	6	10	8	4	6	4	1	2	—	—
Dalry	8	10	13	7	4	3	7	11	14	6	3	—	2	—	—	—
Galston	4	8	4	2	6	6	7	3	2	5	—	4	—	—	—	—
Girvan	5	1	1	4	2	3	7	8	11	5	7	4	—	1	—	—
Irvine	7	7	8	9	6	8	11	18	17	13	12	8	—	1	—	—
Kilbirnie	2	2	4	4	4	1	1	3	5	1	2	—	—	1	—	—
Kilwinning	5	4	5	4	4	3	3	4	9	4	3	2	—	—	—	—
Maybole	4	3	2	7	4	4	3	6	9	3	6	7	1	—	—	—
Riccarton	1	1	6	1	6	2	1	4	6	—	—	1	—	—	—	—
Stevenston	3	4	2	1	5	5	4	4	2	3	—	1	3	—	—	—
Stewarton	4	1	1	6	2	3	7	4	3	7	1	3	2	—	—	—
Avondale	1	1	1	4	5	5	4	6	9	9	6	2	2	—	—	—
Cambusnethan	11	11	8	10	9	6	9	13	6	7	6	2	—	1	—	—
Carluke	3	1	5	3	7	4	7	6	7	4	5	2	1	—	—	—
Lanark	4	5	7	7	7	7	11	8	13	13	5	2	—	—	—	—
Rutherglen	4	6	10	11	15	8	8	6	6	9	2	1	1	—	—	—
Stonehouse	3	3	4	2	—	—	5	3	1	4	1	1	—	—	—	—
Bathgate	3	10	8	6	—	5	5	5	4	6	3	2	1	1	—	—
Armadales	2	1	1	4	4	1	4	3	1	—	1	3	—	—	—	—
Borrowstounness	1	5	4	1	9	5	6	7	5	5	2	1	—	—	—	—
Linlithgow	6	9	4	4	7	5	7	5	10	9	5	2	1	—	—	—
Dalkeith	5	5	4	10	5	9	10	8	11	13	5	2	—	1	—	—
Portobello	3	6	6	4	6	2	4	9	9	11	7	2	—	—	—	—
Inveresk	3	18	9	7	16	10	11	17	16	12	10	1	1	—	—	1
Dunbar	3	11	4	4	4	5	5	7	5	11	3	1	3	—	—	—
Haddington	4	1	3	5	7	11	7	9	10	7	8	5	2	—	—	—
Galashiels	5	1	4	2	6	—	4	1	7	3	2	2	—	—	—	—
Selkirk	1	2	1	6	1	4	8	6	4	1	—	2	—	—	—	—
Hawick	6	7	7	7	5	9	13	10	11	14	7	4	—	—	—	—
Jedburgh	2	1	6	4	1	5	6	8	3	12	7	4	3	—	—	—
Kelso	5	2	5	1	1	2	4	12	11	7	8	3	1	—	—	—
Ladhope	1	3	3	3	3	3	3	5	5	6	2	1	1	—	—	—
Annan	4	3	2	1	4	1	7	9	4	5	7	2	1	—	—	—
Stranraer	—	5	1	5	7	3	10	9	6	5	6	6	2	—	—	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns	6021	637	233	445	541	259	200	143	360	171	193	212	189
Lerwick	27	2	—	—	1	—	—	—	1	—	3	2	1
Kirkwall and St. Ola	47	6	—	2	—	4	—	—	1	3	—	2	4
Thurso	54	10	3	1	2	1	2	—	2	—	2	1	2
Wick	119	11	6	4	8	3	1	1	3	7	9	2	3
Nairn	75	10	6	7	5	—	—	—	7	—	3	2	4
Elgin	101	8	1	7	7	5	2	1	3	2	4	4	2
Forres	48	12	2	2	1	3	—	—	2	—	—	1	2
Banff	82	3	4	1	6	4	1	1	7	4	5	3	3
Cullen	20	3	1	4	2	—	—	1	2	—	—	—	1
Seafeld	11	1	1	—	—	—	—	2	—	—	—	2	1
Fraserburgh	47	8	1	8	2	1	1	1	4	1	1	—	—
Huntly	36	2	1	1	1	—	—	—	2	—	—	1	3
Peterhead	95	14	3	6	9	3	3	—	7	2	2	7	2
Dunnottar	16	2	—	—	—	—	—	—	—	—	—	—	—
Fetteresso	35	1	—	2	—	1	1	—	—	—	1	1	2
Cookney	11	1	—	—	2	—	—	—	1	—	—	—	1
Brechin	95	7	3	3	4	2	4	3	7	7	3	4	2
Kirriemuir	85	4	3	5	5	6	3	5	5	5	1	1	1
Monifieth	65	9	4	4	3	3	2	3	6	1	1	3	—
Blairgowrie	59	7	3	4	8	3	—	3	3	—	—	1	1
Crieff	51	5	3	5	6	2	1	—	2	—	—	1	2
Burntisland	27	1	—	1	2	1	1	1	1	1	1	—	3
Cupar	77	6	2	2	1	—	—	1	1	1	5	4	6
Dysart	79	4	6	11	5	4	—	3	3	7	2	3	2
St Andrews, etc.	64	6	1	4	7	—	1	2	1	—	—	2	3
Alloa	99	10	1	9	9	6	3	3	3	2	2	3	2
Tillicoultry	52	6	8	5	4	2	1	2	4	—	2	2	—
Alva	36	7	1	1	3	3	1	1	2	2	3	1	—
Campsie	70	4	—	5	1	2	2	2	1	2	7	7	4
Falkirk (Burgh)	186	13	6	13	14	11	15	7	24	6	6	6	5
„ (Landward)	101	13	6	7	6	4	2	6	10	3	2	2	1
Kilsyth	133	6	—	14	16	15	15	5	19	6	4	5	2
Bonhill	98	8	5	6	3	2	3	2	5	3	5	6	7
Dumbarton	145	19	7	16	13	5	3	3	8	5	5	7	6
Kirkintilloch	87	5	4	6	14	7	5	3	5	4	1	2	2
Row	53	6	3	4	5	1	2	2	2	3	—	2	1
Campbeltown	104	14	—	1	12	4	6	2	8	2	3	2	5
Rothesay	108	10	4	11	6	4	3	4	8	4	3	1	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Total Small Towns .	146	162	181	189	209	196	253	298	262	252	163	80	34	5	1	7	
Lerwick	—	2	—	—	—	—	1	1	4	4	4	1	—	—	—	—	
Kirkwall and St. Ola .	2	1	3	2	3	2	2	2	1	4	2	—	1	—	—	—	
Thurso	—	1	—	—	2	2	2	6	3	4	1	4	2	—	—	1	
Wick	6	1	5	1	5	1	8	9	8	5	4	2	3	—	1	2	
Nairn	3	—	1	5	2	4	2	2	5	2	2	1	2	—	—	—	
Elgin	8	2	2	3	5	4	6	8	5	7	1	1	2	—	—	1	
Forres	1	2	—	4	2	2	1	2	1	4	3	1	—	—	—	—	
Banff	2	3	3	5	2	3	1	8	4	5	4	—	—	—	—	—	
Cullen	—	—	—	1	—	2	—	—	1	1	1	—	—	—	—	—	
Seafield	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—	—	
Fraserburgh	2	—	1	1	2	2	3	—	2	2	1	1	2	—	—	—	
Huntly	3	4	1	1	2	1	—	1	2	5	2	1	2	—	—	—	
Peterhead	3	5	2	4	5	2	2	5	6	1	1	1	—	—	—	—	
Dunnottar	—	—	—	—	—	5	—	—	2	4	3	—	—	—	—	—	
Fetteresso	1	—	3	1	—	3	—	3	6	5	3	1	—	—	—	—	
Cookney	—	—	1	—	1	—	—	1	—	1	2	—	—	—	—	—	
Brechin	—	1	4	1	1	1	5	5	5	14	7	1	1	—	—	—	
Kirriemuir	1	1	3	3	1	4	7	10	3	3	4	1	—	—	—	—	
Monifieth	1	—	—	1	3	2	3	3	2	6	2	2	1	—	—	—	
Blairstown	2	1	2	1	2	1	3	6	3	2	2	—	1	—	—	—	
Crieff	2	2	2	1	1	—	—	5	2	5	2	1	1	—	—	—	
Burntisland	2	1	—	2	1	—	2	3	—	2	1	—	—	—	—	—	
Cupar	2	5	2	2	3	2	5	4	8	2	8	3	2	—	—	—	
Dysart	—	4	2	—	3	5	3	5	2	3	1	1	—	—	—	—	
St Andrews, etc.	4	1	3	2	3	5	5	5	4	1	3	1	—	—	—	—	
Alloa	3	5	3	6	3	7	8	2	6	3	—	—	—	—	—	—	
Tillicoultry	—	1	—	—	1	2	3	2	3	3	—	1	—	—	—	—	
Alva	2	1	2	1	2	1	1	—	—	1	—	—	—	—	—	—	
Campsie	—	3	2	—	1	3	5	7	4	3	2	2	1	—	—	—	
Falkirk (Burgh)	4	3	6	8	4	6	4	6	7	4	5	2	—	—	—	1	
„ (Landward)	1	2	3	5	5	4	1	6	3	8	—	1	—	—	—	—	
Kilsyth	1	—	5	2	2	4	3	1	2	2	2	1	1	—	—	—	
Bonhill	6	1	3	2	3	3	9	6	2	3	5	—	—	—	—	—	
Dumbarton	5	4	6	1	9	2	7	3	3	3	5	—	—	—	—	—	
Kirkintilloch	3	3	4	1	1	4	2	5	1	3	2	—	—	—	—	—	
Row	—	1	1	2	2	1	1	8	4	1	—	1	—	—	—	—	
Campbeltown	6	2	1	1	3	3	4	7	3	7	4	2	2	—	—	—	
Rothsay	4	3	5	4	1	6	9	4	5	3	2	2	—	—	—	—	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—MALES. (Continued.)

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	57	8	3	3	4	3	—	2	3	—	3	4	3
Johnstone	104	15	1	10	14	4	3	2	7	5	7	4	—
Eastwood	198	11	8	18	22	8	15	7	14	4	5	8	7
Neilston	35	6	1	1	2	1	2	—	5	1	1	—	—
Barrhead	50	10	4	5	1	—	—	1	2	—	1	—	3
Port-Glasgow	133	14	9	12	23	9	8	6	6	2	2	4	5
Renfrew	66	8	1	7	10	5	2	2	4	1	—	1	4
Old Ardrossan	38	1	—	5	4	2	—	2	4	1	—	4	2
New Ardrossan	31	4	—	3	4	1	1	—	—	1	1	1	2
Beith	88	3	2	11	12	4	6	2	4	4	7	2	4
Dalry	141	19	4	7	22	5	6	6	7	5	4	6	1
Galston	64	5	3	3	8	4	1	—	2	1	1	5	2
Girvan	55	7	4	5	3	—	—	1	2	—	1	2	3
Irvine	106	10	1	5	13	5	6	2	3	4	1	6	3
Kilbirnie	51	6	1	10	9	5	—	—	1	—	4	1	3
Kilwinning	99	6	4	5	17	4	8	1	17	7	4	—	1
Maybole	54	6	3	2	4	1	4	—	1	—	4	2	—
Riccarton	39	8	2	1	4	2	3	—	2	1	2	1	—
Stevenston	63	7	1	5	15	6	2	2	6	2	2	3	—
Stewarton	46	5	2	1	7	2	1	—	—	—	2	2	1
Avondale	55	5	5	2	4	1	2	2	1	1	3	2	1
Cambusnethan	200	27	13	21	20	15	10	8	12	8	9	4	5
Carluke	89	5	4	9	12	3	5	2	8	1	5	1	2
Lanark	113	10	5	7	11	6	6	2	8	7	3	3	3
Rutherglen	138	17	7	20	12	9	3	6	8	3	—	5	7
Stonehouse	44	6	1	7	1	1	1	2	1	5	2	2	—
Bathgate	81	12	5	6	5	6	1	2	4	—	1	1	2
Armadales	50	8	4	6	7	2	—	1	2	2	—	2	1
Borrowstounness	61	5	5	8	3	5	1	—	3	—	3	1	2
Linlithgow	65	8	—	3	3	1	1	—	4	2	—	4	3
Dalkeith	94	8	5	2	7	2	4	—	5	1	1	3	4
Portobello	68	8	4	—	6	1	—	3	6	2	1	1	4
Inveresk	103	11	2	7	9	4	4	1	4	3	3	5	4
Dunbar	55	9	1	4	1	—	1	1	—	—	1	1	5
Haddington	84	6	2	6	12	1	4	1	8	—	1	4	—
Galashiels	60	8	3	7	4	5	2	2	2	5	3	2	2
Selkirk	41	9	1	3	1	2	—	1	1	1	4	1	1
Hawick	121	15	6	7	8	5	—	1	8	2	3	5	5
Jedburgh	53	6	—	4	4	1	1	—	2	2	1	2	—
Kelso	52	6	1	—	2	1	—	—	4	1	1	4	3
Ladhope	59	9	3	3	8	1	2	—	1	1	4	3	2
Annan	51	7	2	5	4	1	—	—	3	1	—	5	1
Stranraer	68	9	1	7	6	3	—	2	5	1	6	2	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland Rural Districts.—MALES. (Continued.)

SMALL TOWNS.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward) . . .	—	2	2	3	1	3	3	2	1	2	1	1	—	—	—	—
Johnstone	4	2	5	1	5	1	1	2	6	2	3	—	—	—	—	—
Eastwood	4	10	6	10	5	11	7	6	6	2	3	—	—	1	—	—
Neilston	—	—	1	1	1	2	3	—	1	3	2	1	—	—	—	—
Barrhead	1	1	2	1	2	2	2	2	5	3	—	2	—	—	—	—
Port-Glasgow	7	3	3	4	3	2	2	2	2	3	2	—	—	—	—	—
Renfrew	—	2	1	3	2	1	—	4	2	3	1	—	1	1	—	—
Old Ardrossan	—	1	—	2	—	1	1	3	2	1	1	—	—	1	—	—
New Ardrossan	—	1	2	2	—	1	1	—	—	4	1	1	—	—	—	—
Beith	—	—	3	2	—	2	4	2	4	2	5	2	1	—	—	—
Dalry	2	5	10	5	2	3	4	6	8	1	2	—	1	—	—	—
Galston	2	4	2	1	3	4	4	1	2	4	—	2	—	—	—	—
Girvan	3	—	—	4	2	1	2	2	5	1	6	—	—	1	—	—
Irvine	4	3	6	4	2	1	5	9	7	3	2	1	—	—	—	—
Kilbirnie	—	—	2	3	3	—	—	1	1	—	1	—	—	—	—	—
Kilwinning	1	4	3	2	2	1	1	4	2	3	1	1	—	—	—	—
Maybole	2	2	—	4	1	2	1	4	3	1	2	5	—	—	—	—
Riccarton	—	—	4	1	2	2	—	1	3	—	—	—	—	—	—	—
Stevenston	2	1	—	—	—	3	2	1	1	1	—	1	—	—	—	—
Stewarton	1	—	1	3	1	2	4	3	2	3	—	1	2	—	—	—
Avondale	—	—	—	3	4	2	1	4	4	4	2	2	—	—	—	—
Cambusnethan	6	5	2	6	6	3	4	9	1	1	4	1	—	—	—	—
Carluke	—	1	3	3	6	3	4	2	5	3	1	1	—	—	—	—
Lanark	1	2	1	4	4	4	7	6	6	5	2	—	—	—	—	—
Rutherglen	—	2	4	5	8	4	6	3	5	3	1	—	—	—	—	—
Stonehouse	1	—	2	2	—	—	4	3	—	3	—	—	—	—	—	—
Bathgate	2	8	6	3	—	1	1	5	3	4	1	1	—	1	—	—
Armadale	1	—	1	2	4	—	2	2	1	—	—	2	—	—	—	—
Borrowstounness	—	2	3	—	7	2	4	4	2	—	1	—	—	—	—	—
Linlithgow	3	4	4	3	6	1	3	1	5	3	2	—	1	—	—	—
Dalkeith	3	1	2	4	4	7	7	4	6	8	4	2	—	—	—	—
Portobello	2	3	2	2	6	2	2	6	1	3	2	1	—	—	—	—
Inveresk	—	8	2	3	6	1	7	5	7	5	1	—	—	—	—	1
Dunbar	2	6	2	2	3	3	3	2	3	4	1	—	—	—	—	—
Haddington	1	—	2	2	4	6	5	5	6	3	3	1	1	—	—	—
Galashiels	2	—	—	2	2	—	3	—	2	—	2	2	—	—	—	—
Selkirk	—	2	1	2	—	3	2	4	1	—	—	1	—	—	—	—
Hawick	2	3	2	4	3	5	10	7	6	7	3	4	—	—	—	—
Jedburgh	2	1	4	3	1	—	3	3	2	5	3	2	1	—	—	—
Kelso	3	2	1	1	1	2	2	4	6	4	2	1	—	—	—	—
Ladhope	1	1	2	3	2	2	1	2	2	3	1	1	1	—	—	—
Annan	1	2	1	—	3	—	2	7	1	2	1	1	1	—	—	—
Stranraer	0	2	—	—	5	1	5	3	2	2	2	3	—	—	—	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the Year 1869. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns	5880	507	181	386	493	283	150	146	308	169	194	177	188
Lerwick	53	2	—	2	1	1	—	—	—	2	3	—	1
Kirkwall and St. Ola	37	3	—	1	2	—	—	2	—	2	2	2	1
Thurso	39	2	1	2	3	1	1	—	—	—	3	1	2
Wick	123	12	3	4	12	3	5	2	3	2	8	4	2
Nairn	76	13	3	7	3	2	1	3	4	—	1	4	3
Elgin	104	12	3	6	5	6	1	1	4	1	2	4	2
Forres	53	3	2	3	7	1	1	1	—	1	—	1	2
Banff	91	8	3	6	4	2	3	1	8	2	1	1	6
Cullen	13	2	1	—	—	—	—	—	—	—	—	1	—
Seafeld	7	—	1	2	1	—	—	—	—	—	—	—	1
Fraserburgh	29	4	—	2	2	1	—	—	2	1	—	—	—
Huntly	35	4	1	2	—	—	1	2	1	2	4	1	—
Peterhead	103	12	2	3	4	3	2	2	2	1	2	3	4
Dunnottar	15	—	—	3	1	1	1	—	—	—	—	—	—
Fetteresso	41	3	—	2	—	—	—	—	—	—	—	—	1
Cookney	14	1	1	2	1	—	—	—	—	—	—	1	—
Brechin	106	7	1	7	5	1	2	4	6	4	1	3	7
Kirriemuir	83	8	3	3	4	1	1	3	7	6	6	3	1
Monifieth	55	3	1	4	1	2	1	2	3	1	3	5	1
Blairstown	64	1	2	1	3	1	3	—	11	3	1	3	3
Crieff	42	—	1	—	1	1	2	—	2	1	3	2	1
Burntisland	27	4	1	1	3	—	1	3	—	—	—	2	—
Cupar	86	2	3	2	3	4	1	—	1	1	3	5	3
Dysart	87	7	5	4	1	6	1	2	1	7	2	4	1
St Andrews, etc.	86	2	—	8	3	4	2	3	2	2	2	—	1
Alloa	117	11	5	9	8	7	6	4	8	1	5	1	2
Tillicoultry	43	3	1	3	3	3	—	1	2	2	3	—	3
Alva	37	1	2	3	5	—	—	1	3	1	2	1	—
Campsie	61	6	2	3	3	3	—	1	1	1	5	1	3
Falkirk (Burgh)	128	7	5	8	10	8	10	7	15	4	3	2	1
„ (Landward)	82	15	2	5	5	11	1	3	9	2	3	—	2
Kilsyth	129	5	4	12	24	8	10	7	17	6	3	2	4
Bonhill	110	12	5	8	9	4	2	—	6	4	6	6	5
Dumbarton	116	7	4	8	10	6	5	6	8	2	5	3	5
Kirkintilloch	96	12	5	4	7	5	2	2	3	4	2	3	4
Row	81	5	3	6	2	2	—	5	1	3	5	—	2
Campbeltown	99	6	2	3	10	5	5	4	5	3	4	1	5
Rothsay	107	5	6	5	9	8	5	2	4	4	3	3	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	160	192	178	164	169	185	244	272	349	304	271	150	50	12	—	3
Lerwick	—	2	4	2	2	3	4	—	6	4	6	7	1	—	—	—
Kirkwall and St. Ola .	1	3	—	—	—	—	1	—	4	4	6	2	1	—	—	—
Thurso	—	1	2	1	1	3	3	3	3	3	3	—	—	—	—	—
Wick	4	2	3	3	3	2	3	6	8	8	9	9	2	1	—	—
Nairn	2	1	—	1	—	—	7	3	2	3	9	4	—	—	—	—
Elgin	2	2	5	—	1	2	5	9	9	10	5	5	—	1	—	1
Forres	1	—	2	—	—	2	2	4	3	4	10	2	1	—	—	—
Banff	2	—	3	4	2	5	4	2	2	4	9	6	3	—	—	—
Cullen	—	—	—	—	—	1	—	2	—	2	1	3	—	—	—	—
Seafield	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Fraserburgh . . .	—	1	1	—	1	2	2	1	2	1	2	3	1	—	—	—
Huntly	—	2	1	1	2	—	1	1	—	3	3	3	—	—	—	—
Peterhead	1	3	2	4	5	6	5	11	8	8	8	—	1	—	—	1
Dunnottar	1	—	—	1	—	—	1	1	—	1	1	2	—	1	—	—
Fetteresso	1	1	3	1	5	1	2	2	6	2	6	5	—	—	—	—
Cookney	—	—	—	—	2	—	—	—	—	—	2	4	—	—	—	—
Brechin	—	3	6	4	2	3	3	6	11	5	9	4	2	—	—	—
Kirriemuir	—	1	3	2	4	1	6	3	7	4	5	1	—	—	—	—
Monifieth	2	4	1	—	2	5	—	1	4	3	3	2	1	—	—	—
Blairgowrie . . .	2	2	3	2	1	2	4	5	5	3	1	2	—	—	—	—
Crieff	1	2	1	—	1	1	1	3	3	6	4	3	2	—	—	—
Burntisland . . .	—	—	—	2	1	—	—	3	1	4	1	—	—	—	—	—
Cupar	4	6	4	2	3	4	5	4	8	6	7	3	2	—	—	—
Dysart	3	3	3	1	4	6	4	5	5	8	2	2	—	—	—	—
St Andrews, etc. .	4	1	2	6	2	1	4	10	10	3	8	2	3	1	—	—
Alloa	1	7	3	3	4	3	6	4	6	3	7	2	1	—	—	—
Tillicoultry . . .	3	1	2	1	—	—	—	1	5	1	3	1	1	—	—	—
Alva	3	1	—	3	1	—	1	1	2	1	1	2	—	—	—	—
Campsie	2	1	4	1	2	—	3	1	6	1	10	—	—	—	—	—
Falkirk (Burgh) . .	4	5	8	4	4	3	5	1	7	1	3	2	—	1	—	—
„ (Landward) . .	3	3	1	—	2	1	2	3	5	2	—	2	—	—	—	—
Kilsyth	—	1	1	2	2	2	1	3	6	6	3	—	—	—	—	—
Bonhill	4	4	2	8	2	2	4	4	—	9	1	2	1	—	—	—
Dumbarton	6	4	2	2	1	2	4	7	12	3	2	1	—	1	—	—
Kirkintilloch . . .	5	6	3	4	4	4	4	1	5	3	2	2	—	—	—	—
Row	1	3	1	2	6	—	5	4	6	10	4	3	2	—	—	—
Campbeltown . . .	2	1	2	2	3	5	4	7	7	7	4	1	1	—	—	—
Rothsay	3	4	3	4	1	5	3	5	14	3	—	5	—	—	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	57	5	3	3	2	5	1	1	4	4	2	1	1
Johnstone	90	8	4	8	6	4	2	8	8	6	6	3	1
Eastwood	178	15	7	13	25	13	5	7	19	5	6	9	7
Neilston	32	—	3	2	4	2	—	1	1	—	1	2	2
Barrhead	72	4	2	3	11	2	1	2	2	1	2	1	1
Port-Glasgow	157	11	6	18	33	10	6	2	8	4	1	6	5
Renfrew	66	7	1	7	6	2	4	3	3	2	—	1	5
Old Ardrossan	51	4	—	1	4	6	2	2	2	2	—	1	2
New Ardrossan	24	1	—	1	2	1	1	—	5	—	—	—	2
Beith	96	2	2	4	12	8	3	1	11	5	2	5	3
Dalry	136	9	3	13	19	11	4	4	14	9	5	3	3
Galston	54	6	2	7	6	5	1	—	1	2	2	—	—
Girvan	53	3	2	1	4	3	—	1	3	—	2	1	1
Irvine	131	12	2	6	2	6	3	3	6	1	4	5	3
Kilbirnie	54	5	2	6	6	3	—	1	2	1	3	5	1
Kilwinning	87	7	—	10	14	8	2	2	9	3	2	2	3
Maybole	60	7	2	—	5	2	4	1	1	1	3	—	2
Riccarton	40	6	2	1	9	—	—	—	1	2	2	1	—
Stevenston	68	3	1	6	12	7	3	2	7	1	1	—	—
Stewarton	46	2	2	5	6	2	1	—	1	1	—	3	2
Avondale	57	7	1	4	6	2	—	2	1	—	3	—	2
Cambusnethan	146	15	9	14	19	8	4	5	4	6	5	3	3
Carluke	72	7	—	4	10	8	3	2	3	4	2	3	3
Lanark	111	14	4	5	10	5	4	3	—	4	7	6	2
Rutherglen	134	11	4	14	18	7	3	2	5	5	7	5	7
Stonehouse	23	3	2	—	1	—	—	—	—	2	1	1	1
Bathgate	55	6	1	5	9	2	—	2	2	—	1	2	2
Armadale	43	13	3	5	5	2	—	—	1	2	—	1	1
Borrowstounness	59	4	1	4	7	4	—	1	5	1	2	3	1
Linlithgow	64	5	4	2	6	—	—	1	4	1	2	1	—
Dalkeith	78	8	4	9	2	2	2	—	6	—	2	4	3
Portobello	63	10	1	3	1	2	—	1	3	1	1	1	2
Inveresk	150	11	3	15	6	4	1	5	5	4	3	4	8
Dunbar	56	3	1	—	3	3	5	—	4	—	—	1	1
Haddington	75	7	2	3	4	8	2	2	2	2	1	1	1
Galashiels	58	10	2	4	5	2	—	1	2	2	2	4	2
Selkirk	43	8	1	4	2	—	1	—	—	2	—	2	3
Hawick	89	11	2	7	4	3	2	—	5	—	5	4	2
Jedburgh	61	5	4	6	1	3	2	—	3	1	2	1	1
Kelso	59	4	—	4	7	1	1	—	4	—	—	—	5
Ladhope	43	8	1	—	1	1	1	1	—	3	3	3	4
Annan	51	7	1	3	—	2	—	1	—	2	3	2	2
Stranraer	63	3	—	2	3	3	—	2	2	1	2	3	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward) . .	2	2	1	2	2	3	3	3	2	3	1	—	—	—	—	—
Johnstone	1	4	—	1	2	3	4	2	3	1	3	1	1	—	—	—
Eastwood	7	4	3	3	4	7	5	2	4	2	4	1	1	—	—	—
Neilston	—	1	—	1	1	—	5	1	2	2	1	—	—	—	—	—
Barrhead	1	2	5	2	4	4	2	3	2	7	3	1	—	—	—	—
Port-Glasgow . . .	3	2	3	6	5	3	8	8	3	3	2	1	—	—	—	—
Renfrew	2	4	—	3	2	2	2	2	5	1	2	—	—	—	—	—
Old Ardrossan . . .	—	2	1	2	2	2	5	—	3	1	4	1	2	—	—	—
New Ardrossan . . .	—	1	1	—	1	1	1	2	2	1	1	—	—	—	—	—
Beith	2	5	5	1	1	3	2	8	4	2	1	2	—	2	—	—
Dalry	6	5	3	2	2	—	3	5	6	5	1	—	1	—	—	—
Galston	2	4	2	1	3	2	3	2	—	1	—	2	—	—	—	—
Girvan	2	1	1	—	—	2	5	6	6	4	1	4	—	—	—	—
Irvine	3	4	2	5	4	7	6	9	10	10	10	7	—	1	—	—
Kilbirnie	2	2	2	1	1	1	1	2	4	1	1	—	—	1	—	—
Kilwinning	4	—	2	2	2	2	2	—	7	1	2	1	—	—	—	—
Maybole	2	1	2	3	3	2	2	2	6	2	4	2	1	—	—	—
Riccarton	1	1	2	—	4	—	1	3	3	—	—	1	—	—	—	—
Stevenston	1	3	2	1	5	2	2	3	1	2	—	—	3	—	—	—
Stewarton	3	1	—	3	1	1	3	1	1	4	1	2	—	—	—	—
Avondale	1	1	1	1	1	3	3	2	5	5	4	—	2	—	—	—
Cambusnethan . . .	5	6	6	4	3	3	5	4	5	6	2	1	—	1	—	—
Carluke	3	—	2	—	1	1	3	4	2	1	4	1	1	—	—	—
Lanark	3	3	6	3	3	3	4	2	7	8	3	2	—	—	—	—
Rutherglen	4	4	6	6	7	4	2	3	1	6	1	1	1	—	—	—
Stonehouse	2	3	2	—	—	—	1	—	1	1	1	1	—	—	—	—
Bathgate	1	2	2	3	—	4	4	—	1	2	2	1	1	—	—	—
Armadales	1	1	—	2	—	1	2	1	—	—	1	1	—	—	—	—
Borrowstounness . .	1	3	1	1	2	3	2	3	3	5	1	1	—	—	—	—
Linlithgow	3	5	—	1	1	4	4	4	5	6	3	2	—	—	—	—
Dalkeith	2	4	2	6	1	2	3	4	5	5	1	—	—	1	—	—
Portobello	1	3	4	2	—	—	2	3	8	8	5	1	—	—	—	—
Inveresk	3	10	7	4	10	9	4	12	9	7	9	1	1	—	—	—
Dunbar	1	5	2	2	1	2	2	5	2	7	2	1	3	—	—	—
Haddington	3	1	1	3	3	5	2	4	4	4	5	4	1	—	—	—
Galashiels	3	1	4	—	4	—	1	1	5	3	—	—	—	—	—	—
Selkirk	1	—	—	4	1	1	6	2	3	1	—	1	—	—	—	—
Hawick	4	4	5	3	2	4	3	3	5	7	4	—	—	—	—	—
Jedburgh	—	—	2	1	—	5	3	5	1	7	4	2	2	—	—	—
Kelso	2	—	4	—	—	—	2	8	5	3	6	2	1	—	—	—
Ladhope	—	2	1	—	1	1	2	3	3	3	1	—	—	—	—	—
Annan	3	1	1	1	1	1	5	2	3	3	6	1	—	—	—	—
Stranraer	—	3	1	5	2	2	5	6	4	3	4	3	2	—	—	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	75875	516	536	623	369	1372	1560	215	832	920	4036	547	5970	2693	2883	112
SPECIFIED CAUSES	73247	412	495	557	316	1154	1375	197	773	879	3895	528	5870	2596	2789	110
I. Zymotic Class	17354	43	61	94	31	178	222	28	175	149	627	85	1670	526	537	13
II. Diseases of Uncer. Seat	2506	14	22	18	12	56	52	9	36	40	188	28	168	105	125	5
III. Tubercular Class	12079	53	72	95	41	119	170	31	126	135	663	75	926	379	393	18
IV. Brain and Nervous Sys.	5937	14	48	43	19	54	106	17	76	78	396	42	441	265	270	9
V. Organs of Circulation	3420	7	13	21	8	40	59	1	41	40	249	33	309	172	205	11
VI. Respiratory Organs	11883	21	52	61	34	131	165	11	74	126	548	69	951	305	373	10
VII. Organs of Digestion	4888	18	32	29	21	67	72	19	43	71	285	45	310	174	209	8
VIII. Urinary Organs	1096	3	15	8	8	10	19	3	26	32	105	16	76	52	52	1
IX. Organs of Generation	571	2	5	1	3	9	18	—	2	8	35	5	26	22	29	—
X. Organs of Locomotion	422	3	4	4	3	11	16	—	3	7	28	—	22	15	14	1
XI. Skin, etc.	101	—	—	4	—	1	5	—	—	2	12	—	6	5	8	—
XII. Malformation	221	—	—	—	—	1	—	3	—	3	13	6	19	5	8	1
XIII. Premature Debility	3463	10	9	29	3	33	43	15	28	35	195	19	335	93	135	3
XIV. Atrophy	518	5	3	6	2	8	9	1	5	—	15	5	27	14	14	2
XV. Age	6278	190	146	130	120	373	381	48	111	120	420	87	404	365	309	26
XVI. Sudden Deaths	197	1	—	1	1	9	4	1	1	—	7	1	21	11	16	—
XVII. Violent Deaths	2313	28	13	13	10	54	34	10	26	33	109	12	159	88	92	2
I. Small-pox	64	—	—	—	—	—	1	—	—	—	1	—	2	1	—	—
Measles	1670	17	14	8	—	21	39	6	57	8	29	1	2	1	8	1
Scarlatina	4680	—	—	—	—	2	7	5	26	2	20	6	993	254	106	1
Diphtheria	663	—	11	3	—	9	4	—	8	23	46	18	26	16	59	1
Whooping-cough	2461	6	—	17	9	12	35	1	21	20	67	8	98	38	65	1
Croup	976	—	3	4	6	52	23	1	9	13	49	6	54	32	47	1
Thrush	34	—	—	—	—	3	—	—	—	1	10	—	3	1	—	—
Diarrhoea	1614	1	4	5	3	17	28	2	17	23	98	7	128	47	54	2
Dysentery	233	3	—	3	1	2	4	6	2	4	21	3	34	10	18	—
Cholera	142	—	—	—	—	1	—	1	—	—	1	2	23	1	4	—
Influenza	191	—	7	13	3	12	8	1	2	3	18	6	9	3	7	—
Purpura	41	—	1	—	—	—	—	—	—	1	5	—	8	—	3	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	18	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Typhus	2059	5	8	21	4	18	44	—	7	15	91	11	131	27	41	—
Enteric Fever	1335	1	3	13	4	18	18	2	8	14	98	10	82	59	67	5
Relapsing Fever	29	—	—	—	—	1	—	—	—	—	1	—	2	1	1	—
Simple Cont. Fever	121	1	3	—	—	2	—	2	1	—	3	2	8	9	4	—
Infantile Remittent	157	—	—	—	—	2	2	—	—	3	8	—	9	4	11	—
Metria	153	3	1	—	—	2	1	1	3	3	10	3	11	2	9	—
Rheumatic Fever	159	3	3	4	1	2	4	—	2	4	11	—	10	7	13	1
Erysipelas	284	2	3	—	—	1	2	—	8	7	20	1	20	4	14	—
Pyæmia	38	—	—	1	—	1	2	—	1	1	—	1	—	4	2	—
Syphilis	215	1	—	1	—	—	—	—	3	4	17	—	17	4	3	—
Noma	16	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hemorrhage	91	1	—	—	—	2	1	—	1	2	9	1	8	2	9	—
Dropsy	673	10	12	4	3	23	16	3	9	3	23	3	45	29	29	1
Abscess	140	—	—	1	—	—	2	—	1	2	12	2	4	4	5	—
Ulcer	41	—	—	—	—	1	—	—	1	—	3	—	1	—	3	—
Fistula	18	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—
Mortification	100	—	1	—	1	1	3	—	1	2	11	2	9	5	4	—
Cancer	1426	3	8	13	8	28	28	6	22	29	129	20	99	65	74	4
Gout	17	—	—	—	—	1	2	—	—	2	1	—	2	—	—	—
III. Scrofula	668	3	4	7	3	3	8	1	11	8	45	5	46	22	22	—
Tabes Mesenterica	973	—	—	1	—	—	8	3	1	10	28	4	55	6	22	—
Phthisis	8525	48	66	76	35	111	143	25	99	109	490	55	678	297	290	15
Hydrocephalus	1913	2	2	11	3	5	11	2	15	8	100	11	147	54	59	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—BOTH SEXES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	429	2272	1328	1447	376	5092	4385	22690	875	8150	785	586	189	232	997	1359	797	702
SPECIFIED CAUSES . . .	404	2164	1276	1293	353	4870	4283	22304	842	8063	756	578	183	231	983	1280	757	681
Zymotic Class . . .	83	662	290	224	69	1327	1168	6229	210	1785	191	109	27	37	138	128	113	125
Uncertain Seat . . .	16	66	43	70	18	166	135	551	31	304	35	21	10	9	30	63	33	27
Tubercular Class . . .	65	322	271	216	60	854	849	3829	119	1253	81	79	29	52	173	269	145	117
Brain, etc.	40	167	98	127	32	369	304	1504	58	787	79	52	20	21	135	146	65	55
Heart, etc.	27	98	59	59	20	187	179	682	45	492	56	52	11	16	69	72	59	28
Respiratory Organs . . .	62	303	151	133	38	751	518	4637	142	1496	85	58	16	41	123	194	127	77
Digestive Organs . . .	22	136	99	85	23	398	315	1426	67	488	35	62	14	16	84	105	57	53
Urinary Organs . . .	1	33	10	17	11	51	47	236	19	136	11	13	8	2	18	31	12	14
Generative Organs . . .	3	12	17	10	2	32	32	180	7	64	4	4	1	3	11	14	2	8
Locomotive Organs . . .	—	8	5	8	6	36	28	97	3	66	3	3	5	1	6	10	2	4
Skin	—	2	1	1	—	10	5	18	2	12	1	1	1	—	1	1	1	1
Malformation	2	4	2	2	—	11	23	49	4	35	4	1	1	2	10	4	5	3
Premature Debility . . .	24	111	70	41	7	218	192	1094	49	405	52	27	10	19	51	45	27	36
Atrophy	3	16	11	8	1	50	28	180	6	65	9	5	—	—	8	7	2	3
Age	47	162	88	239	40	261	324	838	46	403	82	72	19	6	96	156	80	89
Sudden Deaths . . .	1	9	5	1	—	15	6	68	2	5	2	1	1	—	—	4	2	1
Violent Deaths . . .	8	53	56	52	26	134	130	686	32	267	26	18	10	6	30	31	25	40
Small Pox	—	1	—	1	—	46	2	6	—	1	—	—	1	—	1	—	—	—
Measles	8	56	21	32	18	111	174	820	5	196	1	2	—	—	1	9	2	2
Scarlatina	29	313	77	51	17	368	308	1518	10	347	92	28	1	11	19	16	19	34
Diphtheria	—	23	11	2	2	48	51	179	16	59	15	3	—	—	10	2	10	8
Hooping Cough	4	47	46	35	14	262	195	941	51	385	35	6	2	2	11	10	13	4
Croup	9	34	12	21	2	64	49	295	7	109	12	10	1	1	20	8	7	15
Thrush	1	—	—	1	—	2	—	7	—	4	—	—	—	—	—	—	1	—
Diarrhœa	10	41	29	26	2	131	111	480	35	223	11	13	1	5	17	19	8	16
Dysentery	1	12	7	2	1	11	11	36	6	15	—	4	2	3	—	4	6	1
Cholera	—	2	3	—	1	9	24	36	3	26	2	1	—	—	1	1	—	—
Influenza	—	3	4	6	—	1	13	40	1	12	1	—	1	—	2	7	4	4
Purpura	—	2	—	1	—	1	2	8	—	3	—	2	1	—	3	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	—	2	2	1	—	—	2	5	—	1	—	—	—	—	—	1	2	—
Typhus	5	44	31	10	3	138	58	1172	19	128	4	5	—	3	7	4	3	2
Enteric Fever	10	49	27	18	3	52	102	360	40	132	10	21	12	7	20	24	26	20
Relapsing Fever	—	—	1	—	1	10	1	2	—	2	—	—	—	—	3	3	—	—
Simple Cont. Fever . . .	—	5	1	1	—	9	12	22	6	11	2	1	2	1	3	4	4	2
Infantile Remittent . . .	1	3	2	—	—	23	10	57	—	9	2	—	—	—	1	1	1	8
Metria	2	6	2	3	1	10	9	45	4	15	2	2	—	—	—	2	1	—
Rheumatic Fever	—	7	3	3	1	5	6	23	—	28	2	3	1	1	3	3	1	4
Erysipelas	3	7	6	6	1	13	11	85	1	39	—	5	—	2	10	7	3	3
Pyæmia	—	—	—	1	1	1	2	9	2	6	—	1	—	—	1	—	1	—
Syphilis	—	5	5	1	1	12	14	78	4	31	—	1	2	1	4	3	1	2
Noma	—	—	—	2	—	—	1	5	—	3	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	3	4	—	2	5	27	1	8	—	—	—	1	—	1	2	1
Dropsy	7	22	14	15	2	73	45	199	4	37	11	1	—	1	5	10	8	6
Abscess	1	6	4	5	1	4	9	39	3	29	2	1	—	1	—	1	1	—
Ulcer	—	2	—	1	—	5	2	7	—	10	—	—	—	—	1	1	3	—
Fistula	—	1	1	—	—	3	1	4	—	3	—	—	—	—	—	1	—	1
Mortification	1	1	1	4	—	5	5	22	—	10	—	1	2	1	2	2	2	1
Cancer	7	34	20	40	15	74	67	252	23	204	21	18	8	5	22	46	17	17
Gout	—	—	—	1	—	—	1	1	—	3	1	—	—	—	—	1	—	1
Scrofula	1	17	10	9	4	32	46	199	14	81	7	6	1	6	5	23	13	6
Tabes Mesenterica . . .	2	30	20	6	12	80	87	381	16	134	6	8	4	6	16	16	8	3
Phthisis	45	218	192	175	39	602	573	2596	65	791	59	55	20	31	120	198	111	98
Hydrocephalus	17	57	49	26	5	140	143	653	24	247	9	10	4	9	32	32	13	10

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	510	1	5	5	3	4	13	1	9	3	30	3	24	13	26	—
Apoplexy	1354	3	9	7	4	10	19	6	13	20	84	10	104	65	66	5
Paralysis	1825	5	24	20	4	24	37	5	28	28	115	16	132	101	104	2
Delirium Tremens	63	—	—	—	—	1	—	—	1	—	4	—	6	3	6	—
Chorea	11	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—
Epilepsy	217	1	1	—	2	2	7	—	2	5	20	1	11	15	13	—
Tetanus	44	—	—	—	—	3	—	—	—	1	7	—	2	1	1	—
Insanity	42	—	1	—	—	—	3	—	—	1	9	—	1	3	3	—
Convulsions	959	1	5	9	3	3	11	3	14	6	67	3	91	20	15	1
Brain Disease	912	3	3	2	3	7	16	2	9	14	59	9	70	43	35	1
V. Pericarditis	66	1	—	—	—	2	1	—	1	3	2	—	6	3	1	—
Aneurism	93	—	—	1	—	1	—	—	—	2	8	3	6	1	2	—
Heart Disease	3261	6	13	20	8	37	58	1	40	35	239	30	297	168	202	11
VI. Laryngitis	125	—	—	1	—	—	1	—	—	3	7	1	11	1	8	1
Bronchitis	8030	13	28	40	18	46	89	6	42	74	368	42	655	219	243	7
Pleurisy	248	—	2	2	1	3	23	—	3	2	16	2	24	14	11	1
Pneumonia	2630	3	11	12	5	30	29	5	23	43	130	19	190	50	97	1
Asthma	462	4	5	5	10	43	22	—	5	3	16	3	57	18	7	—
Lung Disease	388	1	6	1	—	9	1	—	1	1	11	2	14	3	7	—
VII. Teething	914	2	1	3	2	3	10	9	8	10	60	3	92	24	30	2
Quinsey	76	—	—	—	—	1	1	—	—	—	5	—	2	1	8	—
Gastritis	157	—	1	—	—	3	4	—	2	1	6	2	5	4	4	—
Enteritis	891	—	2	4	2	9	9	3	5	13	26	5	35	30	36	—
Peritonitis	338	1	1	2	3	4	5	2	2	9	17	2	20	10	19	2
Ascites	66	2	—	1	1	1	4	—	1	—	7	1	1	4	—	—
Ulceration of Intestines	212	2	2	1	2	3	2	1	2	12	18	6	17	6	6	2
Hernia	112	—	3	4	—	5	3	—	—	2	20	1	9	3	8	—
Ileus	249	2	3	1	2	8	5	1	4	4	36	5	17	11	5	—
Intussusception	59	—	1	—	—	—	2	1	1	—	4	1	5	4	—	—
Stricture of Intestines	27	—	—	—	—	—	—	—	1	1	2	—	4	1	—	—
Stomach Disease	703	5	12	6	6	10	12	—	5	6	36	8	40	36	31	1
Pancreas Disease	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hepatitis	131	2	—	—	—	1	—	—	1	2	2	—	4	6	6	—
Jaundice	193	1	3	4	1	6	4	1	1	2	11	2	18	5	16	1
Liver Disease	717	1	3	3	2	13	10	1	10	9	33	9	39	29	35	—
Spleen Disease	38	—	—	—	—	—	1	—	—	—	1	—	2	—	5	—
VIII. Nephritis	100	—	2	1	—	—	2	—	—	7	4	1	6	3	5	—
Nephria	308	—	3	2	—	—	5	1	9	4	24	2	23	13	16	1
Addison's Disease	4	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Ischuria	61	—	—	1	—	2	3	—	3	4	6	2	4	3	2	—
Diabetes	84	—	—	1	—	1	—	—	1	2	6	—	8	8	2	—
Stone	57	2	8	1	3	3	2	—	2	2	10	2	1	3	—	—
Cystitis	204	1	—	1	1	2	2	1	6	8	25	6	12	13	17	—
Stricture of Urethra	15	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—
Kidney Disease	263	—	2	1	4	1	4	1	4	5	28	3	21	9	10	—
IX. Paramenia	19	—	1	—	—	—	—	—	—	1	1	—	1	—	1	—
Ovarian Dropsy	69	—	1	—	1	1	1	—	—	2	9	2	2	4	8	—
Childbirth	410	1	3	—	1	7	17	—	2	5	21	3	16	16	17	—
Organs of Generation	73	1	—	1	1	1	—	—	—	—	4	—	7	2	3	—
X. Arthritis	100	—	1	—	1	—	2	—	—	3	9	—	7	5	6	1
Rheumatism	162	3	3	3	2	10	13	—	1	2	6	—	3	5	5	—
Joint and Bone Disease	160	—	—	1	—	1	1	—	2	2	13	—	12	5	3	—
XI. Carbuncle	24	—	—	2	—	—	1	—	—	—	3	—	2	3	1	—
Phlegmon	13	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Skin Disease	64	—	—	2	—	1	4	—	—	2	8	—	4	1	7	—
XVII. Intemperance	101	—	—	—	1	—	—	—	—	1	3	—	5	3	2	—
Privation	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk	101	—	1	—	—	—	—	—	—	1	9	—	4	—	3	—
Neglect	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cold	27	2	1	2	1	—	2	—	—	—	1	—	1	1	1	—
Poison	35	—	—	—	1	—	—	—	—	—	3	—	2	3	2	—
Poisoned Wounds	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	217	2	3	1	1	9	3	1	2	3	10	—	19	4	7	1
Hanging, etc.	56	1	—	—	—	1	—	—	2	—	3	—	6	2	8	—
Suffocation	137	—	1	1	—	—	—	2	1	—	12	—	19	5	3	—
Drowning	546	21	3	2	5	28	15	6	9	17	21	4	31	26	19	—
Fracture and Contusion	950	2	3	6	1	16	12	1	10	8	37	7	61	35	39	1
Gunshot Wounds	25	—	1	—	—	—	1	—	1	1	3	—	4	3	1	—
Cuts and Stabs	25	—	—	1	—	—	—	—	—	1	—	1	1	1	2	—
Other Violent Causes	83	—	—	—	—	—	1	—	1	1	7	—	5	5	4	—
Not Specified	2628	104	41	66	53	218	185	18	59	41	141	19	100	97	94	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	5	19	2	9	—	38	26	134	6	87	6	2	—	1	15	15	4	1
Apoplexy	11	38	39	36	14	107	73	298	12	162	10	13	6	6	28	34	21	21
Paralysis	11	49	21	51	11	104	93	354	20	239	35	16	11	8	50	67	19	21
Delirium Tremens . .	1	1	—	—	—	5	5	14	1	10	—	—	—	—	4	1	—	—
Chorea	—	—	1	—	—	—	1	4	—	—	—	—	—	—	—	1	—	1
Epilepsy	4	7	6	6	1	11	9	47	1	27	4	6	—	—	1	3	3	1
Tetanus	—	2	—	3	—	3	2	9	—	7	—	1	—	—	1	—	1	—
Insanity	3	—	1	1	—	1	6	6	—	2	—	—	—	—	—	1	—	—
Convulsions	3	27	15	10	1	44	39	378	10	129	8	10	2	1	16	7	3	4
Brain Disease	2	24	13	11	5	56	50	260	8	124	16	4	1	5	20	17	14	6
Pericarditis	—	1	1	5	—	6	8	12	1	6	1	—	—	—	2	2	—	1
Aneurism	—	1	2	1	—	3	4	25	4	20	3	—	—	—	2	3	—	1
Heart Disease	27	96	56	53	20	178	167	645	40	466	52	52	11	16	65	67	59	26
Laryngitis	—	1	1	2	1	11	1	43	1	20	1	—	1	1	3	—	3	1
Bronchitis	45	178	107	73	21	485	386	3262	98	1026	51	30	13	26	71	123	86	59
Pleurisy	1	6	3	5	—	8	13	50	2	33	2	—	—	3	5	3	6	4
Pneumonia	16	60	33	27	14	213	76	1003	33	316	25	18	2	11	38	58	28	11
Asthma	—	22	2	23	2	12	23	117	3	37	6	4	—	—	4	6	3	—
Lung Disease	—	36	5	3	—	22	19	162	5	64	—	6	—	—	2	4	1	2
Teething	2	26	27	6	1	112	53	311	11	76	3	1	1	5	5	9	2	4
Quinsey	—	1	1	2	—	8	5	24	—	15	—	1	—	—	1	—	—	—
Gastritis	1	7	2	5	1	11	15	59	3	10	1	—	1	—	3	4	1	1
Enteritis	5	34	13	11	4	98	79	310	20	50	6	12	—	3	17	26	20	4
Peritonitis	3	2	5	2	—	15	16	95	5	53	4	2	2	3	9	12	6	5
Ascites	—	3	—	5	—	2	4	17	1	7	—	1	—	—	1	1	1	1
Ulceration of Intestines	—	6	3	5	1	11	13	35	1	28	2	9	—	1	4	7	1	3
Hernia	1	1	1	1	—	7	5	19	3	11	—	2	—	—	2	—	—	1
Ileus	—	3	7	1	3	8	16	48	2	32	2	—	1	—	3	8	5	6
Intussusception . . .	—	1	—	3	—	3	4	16	1	4	—	4	—	1	—	—	—	3
Stricture of Intestines	—	—	—	1	—	1	1	8	—	5	—	1	—	—	—	1	—	—
Stomach Disease . . .	4	25	16	20	5	39	47	194	3	67	6	13	5	1	15	15	7	7
Pancreas Disease . . .	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1
Hepatitis	3	2	2	5	—	8	7	39	6	19	3	1	1	—	2	4	3	2
Jaundice	1	3	5	3	2	17	15	34	—	16	3	3	1	1	6	2	—	5
Liver Disease	2	21	17	14	6	57	32	206	10	87	5	9	2	1	15	15	11	10
Spleen Disease	—	1	—	1	—	1	3	11	—	8	—	2	—	—	1	—	1	—
Nephritis	—	7	—	1	—	12	1	29	—	13	—	1	1	—	1	3	—	—
Nephria	—	9	4	4	5	11	7	76	7	60	3	2	4	—	4	6	2	1
Addison's Disease . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	2	—	1	6	6	2	5	1	1	1	1	1	—	1	2
Diabetes	—	4	1	2	1	3	6	17	3	7	2	1	—	—	1	4	—	3
Stone	—	1	—	3	—	1	—	7	1	2	—	—	—	—	—	1	1	1
Cystitis	—	2	3	2	3	5	12	31	5	18	2	4	2	—	7	8	4	1
Stricture of Urethra .	—	—	—	—	—	—	—	7	—	1	1	—	—	—	—	2	—	—
Kidney Disease . . .	1	10	1	3	2	17	15	62	1	30	2	4	—	1	4	7	4	6
Paramenia	—	—	2	—	—	1	2	2	—	2	—	1	—	—	1	—	—	3
Ovarian Dropsy . . .	1	1	1	—	—	2	3	8	—	13	1	—	—	—	1	4	1	2
Childbirth	2	9	13	8	2	24	25	146	6	42	1	2	—	3	8	6	1	3
Organs of Generation .	—	2	1	2	—	5	2	24	1	7	2	1	1	—	1	4	—	—
Arthritis	—	1	1	1	4	11	6	15	1	13	—	1	3	1	3	1	1	2
Rheumatism	—	1	1	7	2	17	8	39	—	15	2	1	1	—	1	8	1	2
Joint Disease	—	6	3	—	—	8	14	43	2	38	1	1	1	—	2	1	—	—
Carbuncle	—	—	—	1	—	2	1	2	—	4	1	—	—	—	1	—	—	—
Phlegmon	—	—	—	—	—	1	—	8	—	2	—	—	—	—	—	—	—	—
Skin Disease	—	2	1	—	—	7	4	8	2	6	—	1	1	—	—	1	1	1
Intemperance	1	4	1	3	2	9	4	32	1	22	2	—	—	—	—	5	—	—
Privation	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	1	4	—	56	—	16	—	1	—	—	1	—	1	3
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	3	1	2	1	2	2	1	—	—	—	—	—	—	—	1
Poison	—	2	1	1	—	2	2	8	—	4	—	2	—	—	—	2	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Burns and Scalds . . .	3	—	4	3	—	11	20	66	4	26	2	1	1	1	1	1	3	4
Hanging, etc. . . .	—	2	—	—	—	5	4	13	—	5	1	1	—	—	—	1	—	1
Suffocation	1	2	2	—	—	6	3	30	1	30	1	5	—	2	2	1	2	5
Drowning	—	15	27	23	17	34	19	116	8	21	14	4	2	2	9	7	8	13
Fracture and Contusion	2	21	19	18	2	53	72	322	13	123	5	4	7	1	15	12	9	13
Gunshot Wounds . . .	—	—	—	—	—	1	1	2	—	5	—	—	—	—	1	—	—	—
Cuts and Stabs	—	3	1	—	—	1	—	8	—	1	1	—	—	—	1	1	1	—
Other Violent Causes .	—	3	1	1	3	6	4	28	2	9	—	—	—	—	—	1	1	—
Not Specified	25	108	52	154	23	222	102	386	33	87	29	8	6	1	14	79	40	21

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37868	232	246	319	184	699	780	104	411	454	1970	258	2903	1336	1407	55
SPECIFIED CAUSES	36466	184	223	294	159	588	674	97	375	431	1896	249	2855	1280	1360	55
I. Zymotic Class	8550	20	28	51	21	97	109	11	92	79	304	32	825	270	252	6
II. Diseases of Uncer. Seat	962	4	8	9	5	21	17	3	12	16	70	13	60	37	44	2
III. Tubercular Class	5959	29	32	56	19	65	102	16	62	62	341	32	417	181	191	9
IV. Brain and Nervous Sys.	3098	6	25	22	8	30	59	12	42	31	209	19	230	142	145	5
V. Organs of Circulation	1794	3	7	12	4	27	33	1	19	24	123	20	158	88	95	7
VI. Respiratory Organs	6102	13	23	28	17	63	90	6	36	62	244	40	460	152	195	3
VII. Organs of Digestion	2528	11	17	19	13	40	47	7	19	37	135	22	155	95	103	5
VIII. Urinary Organs	741	3	9	5	7	7	15	1	17	25	70	11	51	38	37	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	222	2	2	2	3	4	8	—	2	3	14	—	16	6	7	1
XI. Skin, etc.	61	—	—	2	—	1	3	—	—	1	8	—	3	3	4	—
XII. Malformation	114	—	—	—	—	1	—	2	—	2	5	2	12	2	5	1
XIII. Premature Debility	1899	6	4	22	3	20	17	11	19	17	113	10	183	54	87	1
XIV. Atrophy	225	—	3	4	2	2	4	1	2	—	7	1	10	4	3	1
XV. Age	2383	63	57	51	52	161	142	16	34	44	178	40	147	136	116	11
XVI. Sudden Deaths	99	—	—	—	—	3	3	1	1	—	3	1	10	3	6	—
XVII. Violent Deaths	1729	24	8	11	5	46	25	9	18	28	72	6	118	69	70	2
I. Small Pox	40	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—
Measles	860	10	7	7	—	12	18	2	29	5	10	1	1	1	3	1
Scarlatina	2416	—	—	—	—	1	4	1	13	1	6	2	506	144	58	1
Diphtheria	303	—	4	1	—	8	2	—	5	11	17	6	15	8	30	—
Hooping Cough	1094	1	—	6	3	7	12	1	11	11	37	2	43	14	29	—
Croup	525	—	—	2	6	30	11	1	6	10	32	3	32	19	27	1
Thrush	14	—	—	—	—	1	—	—	—	1	4	—	1	1	—	—
Diarrhoea	806	1	3	3	3	7	17	1	9	11	51	2	57	21	24	1
Dysentery	108	1	—	3	1	—	3	2	2	1	13	1	16	3	8	—
Cholera	76	—	—	—	—	1	—	1	—	—	1	2	12	1	2	—
Influenza	77	—	2	8	3	6	3	1	2	—	7	—	4	—	3	—
Purpura	21	—	1	—	—	—	—	—	—	—	2	—	2	—	3	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	8	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Typhus	1072	3	2	11	1	9	25	—	3	8	43	8	71	15	21	—
Enteric Fever	608	1	3	5	3	9	9	—	3	9	46	5	29	24	22	2
Relapsing Fever	14	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—
Simple Cont. Fever	63	—	2	—	—	1	—	1	—	—	1	—	6	5	1	—
Infantile Remittent	71	—	—	—	—	1	1	—	—	1	7	—	5	2	3	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	75	1	1	4	1	1	3	—	2	3	4	—	2	2	7	—
Erysipelas	150	1	3	—	—	1	—	—	5	5	15	—	8	2	5	—
Pyæmia	20	—	—	—	—	1	—	—	1	—	—	—	—	2	2	—
Syphilis	123	1	—	1	—	—	—	—	1	2	6	—	12	4	3	—
Noma	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	48	1	—	—	—	1	1	—	—	1	6	1	4	—	6	—
Dropsy	288	1	3	1	2	8	3	—	1	2	9	2	17	16	12	1
Abscess	82	—	—	1	—	—	1	—	1	—	7	2	1	3	5	—
Ulcer	19	—	—	—	—	1	—	—	1	—	1	—	—	—	1	—
Fistula	14	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	48	—	—	—	1	—	3	—	1	1	5	1	6	2	1	—
Cancer	452	2	4	7	2	10	9	3	8	12	42	7	30	16	18	1
Gout	11	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—
III. Scrofula	385	2	2	5	3	3	6	—	3	6	28	1	24	11	14	—
Tabes Mesenterica	525	—	—	1	—	—	4	2	—	4	18	3	23	2	12	—
Phthisis	3980	25	28	41	13	59	86	13	53	47	237	23	282	135	124	9
Hydrocephalus	1069	2	2	9	3	3	6	1	6	5	58	5	88	33	41	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	220	1172	669	739	193	2530	2194	11424	465	4122	406	280	99	117	493	651	378	358
SPECIFIED CAUSES . . .	203	1110	635	653	181	2407	2141	11219	447	4077	392	275	96	116	486	609	352	347
Zymotic Class . . .	41	329	140	108	30	640	575	3090	93	876	98	57	12	19	63	65	45	72
Uncertain Seat . . .	3	34	16	31	8	60	43	219	13	122	17	7	7	3	15	23	11	9
Tubercular Class . . .	37	172	133	105	26	393	451	1857	66	640	41	41	12	23	89	124	76	59
Brain, etc.	29	85	43	56	20	186	145	804	30	423	41	24	16	13	62	68	33	35
Heart, etc.	12	48	36	36	8	99	102	371	31	250	34	21	8	8	34	36	27	12
Respiratory Organs . . .	38	189	79	62	25	383	274	2404	81	777	47	27	8	20	62	98	58	38
Digestive Organs . . .	9	63	51	48	12	216	150	746	42	242	18	37	6	10	46	46	32	29
Urinary Organs . . .	—	22	6	16	8	34	32	153	15	86	5	8	5	1	13	22	9	9
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	7	2	3	3	22	9	45	2	47	1	—	—	—	2	7	—	2
Skin	—	1	1	—	—	8	3	10	2	9	1	—	—	—	—	—	1	—
Malformation	—	1	1	—	—	6	11	30	2	14	3	1	—	1	6	1	2	3
Premature Debility . . .	14	48	39	29	4	126	112	562	31	218	29	14	7	12	30	28	15	14
Atrophy	1	6	5	4	—	26	14	82	2	26	5	2	—	—	3	4	—	1
Age	13	61	36	111	13	104	115	304	8	152	30	23	8	4	37	59	24	33
Sudden Deaths	—	6	1	1	—	7	3	42	1	4	1	—	—	—	—	1	1	—
Violent Deaths	6	38	46	43	24	97	102	500	28	191	21	13	7	2	24	27	18	31
Small Pox	—	—	—	1	—	25	2	6	—	1	—	—	1	—	—	—	—	—
Measles	4	29	13	13	8	49	86	439	5	104	—	2	—	—	—	—	—	1
Scarlatina	15	159	38	25	8	193	152	800	4	166	47	15	1	8	8	11	10	19
Diphtheria	—	11	6	1	1	19	27	75	8	28	9	2	—	—	5	—	2	2
Whooping Cough	1	18	17	16	5	108	86	424	20	187	16	2	1	—	3	5	4	4
Croup	6	15	7	13	2	34	28	133	4	54	7	8	1	—	12	5	6	10
Thrush	—	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	—
Diarrhoea	7	18	11	8	2	71	59	248	16	112	6	5	1	2	6	11	4	8
Dysentery	—	6	4	1	—	3	3	19	2	8	—	2	—	—	—	3	2	1
Cholera	—	1	3	—	—	5	13	19	2	13	—	—	—	—	—	—	—	—
Influenza	—	3	2	3	—	1	5	15	—	3	—	—	—	—	1	1	1	3
Purpura	—	2	—	1	—	—	1	4	—	—	—	2	1	—	2	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	—	—	1	—	—	—	1	3	—	1	—	—	—	—	—	—	—	—
Typhus	4	27	18	8	2	79	27	598	7	73	3	3	—	—	1	—	1	1
Enteric Fever	3	27	13	10	1	25	50	162	19	59	7	9	4	4	12	15	7	11
Relapsing Fever	—	—	1	—	1	3	1	—	—	—	—	—	—	—	2	2	—	—
Simple Cont. Fever	—	2	1	—	—	5	9	9	3	6	1	—	1	1	1	2	4	1
Infantile Remittent	—	2	—	—	—	6	6	25	—	4	1	—	—	—	—	1	—	6
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	3	1	3	—	2	3	13	—	10	1	1	1	1	2	1	—	2
Erysipelas	1	3	2	2	—	5	6	44	1	23	—	3	—	2	5	5	2	1
Pyæmia	—	—	—	1	—	—	1	7	1	2	—	1	—	—	1	—	—	—
Syphilis	—	3	2	—	—	7	9	42	1	20	—	1	—	1	1	3	1	2
Noma	—	—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	2	2	—	1	2	12	—	6	—	—	—	—	—	1	—	1
Dropsy	1	13	8	7	1	35	18	99	2	15	3	—	—	—	3	2	2	1
Abscess	—	4	2	4	1	2	4	24	—	18	2	—	—	—	—	—	—	—
Ulcer	—	1	—	1	—	2	1	3	—	6	—	—	—	—	1	—	—	—
Fistula	—	1	—	—	—	3	—	4	—	2	—	—	—	—	—	1	—	1
Mortification	1	—	1	—	—	2	2	10	—	6	—	—	2	—	1	1	1	—
Cancer	1	15	3	16	6	15	15	66	11	67	11	7	5	3	10	17	8	5
Gout	—	—	—	1	—	—	1	1	—	2	1	—	—	—	—	1	—	1
Scrofula	1	10	5	6	1	17	24	116	10	49	6	4	—	4	3	12	3	6
Tabes Mesenterica	1	15	11	4	4	43	58	212	7	69	3	3	3	1	6	8	6	2
Phthisis	26	111	93	82	18	262	293	1163	35	388	26	30	8	14	65	88	58	45
Hydrocephalus	9	36	24	13	3	71	76	366	14	134	6	4	1	4	15	16	9	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	280	1	4	3	1	—	10	1	6	1	17	1	11	8	11	—
Apoplexy . . .	679	2	5	2	1	7	10	4	6	7	41	3	56	35	35	3
Paralysis . . .	882	1	12	10	1	13	16	2	14	12	60	9	58	51	55	—
Delirium Tremens . . .	55	—	—	—	—	1	—	—	1	—	4	—	6	3	5	—
Chorea . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy . . .	122	1	1	—	2	1	4	—	—	3	10	—	4	9	7	—
Tetanus . . .	22	—	—	—	—	2	—	—	—	1	4	—	2	1	1	—
Insanity . . .	16	—	1	—	—	—	—	—	—	—	3	—	1	1	1	—
Convulsions . . .	541	—	2	5	1	2	8	3	8	3	40	2	57	11	8	1
Brain Disease . . .	498	1	—	2	2	4	11	2	7	4	30	4	35	23	22	1
V. Pericarditis . . .	32	1	—	—	—	2	1	—	—	—	2	—	3	1	—	—
Aneurism . . .	75	—	—	—	—	1	—	—	—	2	6	1	5	1	1	—
Heart Disease . . .	1687	2	7	12	4	24	32	1	19	22	115	19	150	86	94	7
VI. Laryngitis . . .	70	—	—	1	—	—	—	—	—	1	3	—	5	—	5	—
Bronchitis . . .	3956	6	9	15	10	25	53	3	19	29	154	28	295	110	109	1
Pleurisy . . .	152	—	2	1	1	2	12	—	1	2	10	1	16	7	10	1
Pneumonia . . .	1486	3	6	9	3	16	12	3	12	26	67	10	109	27	59	1
Asthma . . .	220	3	4	1	3	14	13	—	4	3	8	1	26	7	5	—
Lung Disease . . .	218	1	2	1	—	6	—	—	—	1	2	—	9	1	7	—
VII. Teething . . .	495	2	1	1	2	2	8	2	3	4	32	2	51	10	15	1
Quinsey . . .	41	—	—	—	—	1	—	—	—	—	3	—	1	—	5	—
Gastritis . . .	80	—	1	—	—	2	2	—	—	—	6	1	1	2	1	—
Enteritis . . .	499	—	2	3	2	5	6	1	2	8	10	2	15	17	23	—
Peritonitis . . .	168	1	—	2	3	3	3	1	—	5	8	—	9	5	10	—
Ascites . . .	27	1	—	—	—	—	2	—	—	—	1	—	—	3	—	—
Ulceration of Intestines . . .	106	1	1	1	1	2	1	1	2	6	4	1	8	3	3	2
Hernia . . .	52	—	2	3	—	2	3	—	—	1	7	—	4	1	5	—
Ileus . . .	134	2	2	—	2	2	4	1	4	3	18	4	9	7	4	—
Intussusception . . .	37	—	1	—	—	—	2	—	1	—	2	1	4	3	—	—
Stricture of Intestines . . .	13	—	—	—	—	—	—	—	—	1	—	—	4	1	—	—
Stomach Disease . . .	340	3	4	5	2	7	7	—	1	3	20	5	15	20	14	1
Pancreas Disease . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	73	1	—	—	—	1	—	—	1	1	1	—	2	5	2	—
Jaundice . . .	89	—	2	3	1	4	4	—	—	2	4	1	10	1	5	1
Liver Disease . . .	356	—	1	1	—	9	4	1	5	3	18	5	22	17	13	—
Spleen Disease . . .	14	—	—	—	—	—	1	—	—	—	1	—	—	—	3	—
VIII. Nephritis . . .	66	—	1	1	—	—	2	—	—	4	3	—	4	3	5	—
Nephria . . .	168	—	1	—	—	—	3	—	2	3	9	2	11	8	8	1
Addison's Disease . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ischuria . . .	53	—	—	1	—	1	3	—	3	3	6	2	3	3	2	—
Diabetes . . .	49	—	—	—	—	1	—	—	1	2	4	—	7	4	1	—
Stone . . .	52	2	7	1	3	3	2	—	2	2	9	2	1	3	—	—
Cystitis . . .	183	1	—	1	1	2	2	1	6	8	21	4	11	11	16	—
Stricture of Urethra . . .	14	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—
Kidney Disease . . .	155	—	—	1	3	—	2	—	2	3	16	1	13	6	5	—
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . .	62	—	1	—	1	—	2	—	—	1	3	—	5	1	3	1
Rheumatism . . .	68	2	1	2	2	4	5	—	1	1	3	—	1	2	4	—
Joint and Bone Disease . . .	92	—	—	—	—	—	1	—	1	1	8	—	10	3	—	—
XI. Carbuncle . . .	19	—	—	1	—	—	1	—	—	—	3	—	1	2	1	—
Phlegmon . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	38	—	—	1	—	1	2	—	—	1	5	—	2	1	3	—
XVII. Intemperance . . .	57	—	—	—	1	—	—	—	—	1	1	—	5	2	1	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	58	—	1	—	—	—	—	—	—	—	7	—	2	—	2	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	18	1	1	1	—	—	—	—	—	—	1	—	—	1	1	—
Poison . . .	28	—	—	—	—	—	—	—	—	—	1	—	1	2	1	—
Poisoned Wounds . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	114	—	—	1	—	6	2	1	1	2	4	—	9	1	5	1
Hanging, etc. . .	39	1	—	—	—	—	—	—	2	—	2	—	2	—	6	—
Suffocation . . .	67	—	—	1	—	—	—	1	—	—	4	—	11	4	—	—
Drowning . . .	471	21	3	2	4	26	11	6	7	16	17	3	28	23	15	—
Fracture and Contusion . . .	776	1	2	5	—	14	11	1	7	6	26	3	52	28	33	1
Gunshot Wounds . . .	24	—	1	—	—	—	1	—	1	1	3	—	3	3	1	—
Cuts and Stabs . . .	17	—	—	1	—	—	—	—	—	1	—	—	1	—	2	—
Other Violent Causes . . .	57	—	—	—	—	—	—	—	—	1	6	—	4	5	3	—
Not Specified . . .	1402	48	23	25	25	111	106	7	36	23	74	9	48	56	47	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	5	11	1	7	—	15	11	70	5	58	4	—	—	—	10	5	2	1
Apoplexy	6	22	16	17	9	50	32	152	4	83	7	5	3	4	14	14	9	15
Paralysis	6	20	10	20	5	49	40	181	11	106	19	10	10	6	18	34	12	11
Delirium Tremens . .	1	1	—	—	—	5	5	10	—	9	—	—	—	—	3	1	—	—
Chorea	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	3	3	—	1	5	6	31	—	19	3	3	—	—	1	1	1	—
Tetanus	—	2	—	—	—	2	1	4	—	2	—	1	—	—	—	—	—	—
Insanity	3	—	1	1	—	—	2	1	—	1	—	—	—	—	—	—	—	—
Convulsions	3	15	6	5	—	28	20	212	6	71	2	3	2	—	7	4	3	3
Brain Disease	2	11	6	6	5	32	27	142	4	74	6	2	1	3	9	9	6	5
Pericarditis	—	1	1	2	—	2	5	5	1	2	1	—	—	—	2	—	—	—
Aneurism	—	1	2	1	—	2	3	21	4	17	3	—	—	—	1	2	—	1
Heart Disease	12	46	33	33	8	95	94	345	26	231	30	21	8	8	31	34	27	11
Laryngitis	—	—	1	1	1	4	—	27	—	14	1	—	—	1	3	—	1	1
Bronchitis	30	112	51	33	15	234	193	1646	53	510	28	15	7	15	31	59	32	26
Pleurisy	—	6	2	3	—	4	8	30	—	21	1	—	—	—	1	2	4	4
Pneumonia	8	37	21	13	9	122	42	563	21	185	13	5	1	4	23	31	19	6
Asthma	—	9	1	10	—	4	17	56	2	15	4	3	—	—	3	3	1	—
Lung Disease	—	25	3	2	—	15	14	82	5	32	—	4	—	—	1	3	1	1
Teething	1	15	14	3	—	62	22	170	4	49	3	1	1	2	3	6	2	1
Quinsey	—	1	—	1	—	2	4	16	—	7	—	—	—	—	—	—	—	—
Gastritis	—	3	1	1	1	7	7	34	3	3	1	—	—	—	1	1	—	1
Enteritis	2	17	10	8	2	50	46	172	14	30	2	8	—	2	11	15	12	2
Peritonitis	1	—	2	—	—	10	8	44	3	24	3	1	2	3	7	5	3	2
Ascites	—	1	—	3	—	1	1	11	1	2	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	3	2	5	1	8	5	18	—	16	—	7	—	—	—	1	—	3
Hernia	1	—	—	—	—	2	2	10	2	6	—	—	—	—	1	—	—	—
Ileus	—	1	3	—	2	5	9	26	—	15	2	—	—	—	2	1	2	4
Intussusception . . .	—	1	—	2	—	1	3	7	1	3	—	3	—	1	—	—	—	1
Stricture of Intestines	—	—	—	—	—	1	—	4	—	1	—	1	—	—	—	—	—	—
Stomach Disease . . .	2	9	6	13	2	24	12	99	3	31	3	9	—	1	8	5	3	3
Pancreas Disease . . .	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1
Hepatitis	—	1	1	4	—	6	4	20	4	13	—	—	—	—	—	2	2	2
Jaundice	—	2	1	1	—	11	8	13	—	3	1	1	1	1	4	1	—	3
Liver Disease	2	9	11	6	4	26	17	99	6	36	3	5	2	—	9	8	8	6
Spleen Disease	—	—	—	1	—	—	2	3	—	3	—	—	—	—	—	—	—	—
Nephritis	—	3	—	1	—	10	—	17	—	8	—	1	1	—	1	1	—	—
Nephria	—	7	2	4	4	7	6	40	4	37	1	1	1	—	1	4	—	1
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	2	—	1	4	6	2	4	—	1	1	—	1	—	1	2
Diabetes	—	3	1	2	—	1	2	6	2	5	1	—	—	—	—	3	—	3
Stone	—	1	—	2	—	1	—	6	1	2	—	—	—	—	—	1	1	—
Cystitis	—	2	2	2	3	4	10	28	5	16	2	3	2	—	7	7	4	1
Stricture of Urethra .	—	—	—	—	—	—	—	7	—	1	—	—	—	—	—	2	—	—
Kidney Disease	—	6	—	3	1	10	10	43	1	13	1	2	—	1	3	4	3	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	—	—	2	9	4	12	—	11	—	—	—	—	2	1	—	2
Rheumatism	—	1	—	3	1	9	1	11	—	8	1	—	—	—	—	5	—	—
Joint Disease	—	5	2	—	—	4	4	22	2	28	—	—	—	—	—	1	—	—
Carbuncle	—	—	—	—	—	2	1	2	—	4	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—
Skin Disease	—	1	1	—	—	6	2	5	2	4	—	—	—	—	—	—	1	—
Intemperance	1	3	—	3	2	4	4	15	1	7	2	—	—	—	—	4	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	1	3	—	26	—	11	—	—	—	—	1	—	1	3
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	2	1	2	—	2	2	1	—	—	—	—	—	—	—	—
Poison	—	2	1	1	—	2	1	8	—	4	—	2	—	—	—	2	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	—	3	1	—	5	9	38	2	13	1	1	1	—	—	1	2	2
Hanging, etc. . . .	—	1	—	—	—	4	1	12	—	4	1	1	—	—	—	1	—	1
Suffocation	—	—	1	—	—	2	3	16	—	16	—	2	—	—	2	—	2	2
Drowning	—	10	22	22	16	29	19	94	8	18	13	4	1	2	5	7	7	12
Fracture and Contusion	2	16	17	13	2	39	62	265	13	103	3	3	5	—	14	12	6	11
Gunshot Wounds . . .	—	—	—	—	—	1	1	2	—	5	—	—	—	—	1	—	—	—
Cuts and Stabs	—	3	1	—	—	1	—	5	—	—	1	—	—	—	1	—	—	—
Other Violent Causes .	—	2	1	1	2	5	2	16	2	7	—	—	—	—	—	—	—	—
Not Specified	17	62	34	86	12	123	53	205	18	45	14	5	3	1	7	42	26	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	38007	284	290	304	185	673	780	111	421	466	2066	289	3067	1357	1476	57
SPECIFIED CAUSES	36781	228	272	263	157	566	701	100	398	448	1999	279	3015	1316	1429	55
I. Zymotic Class	8804	23	33	43	10	81	113	17	83	70	323	53	845	256	285	7
II. Diseases of Uncer. Seat	1544	10	14	9	7	35	35	6	24	24	118	15	108	68	81	3
III. Tubercular Class	6120	24	40	39	22	54	68	15	64	73	322	43	509	198	202	9
IV. Brain and Nervous Sys.	2839	8	23	21	11	24	47	5	34	47	187	23	211	123	125	4
V. Organs of Circulation	1626	4	6	9	4	13	26	—	22	16	126	13	151	84	110	4
VI. Respiratory Organs	5781	8	29	33	17	68	75	5	38	64	304	29	491	153	178	7
VII. Organs of Digestion	2360	7	15	10	8	27	25	12	24	34	150	23	155	79	106	3
VIII. Urinary Organs	355	—	6	3	1	3	4	2	9	7	35	5	25	14	15	—
IX. Organs of Generation	571	2	5	1	3	9	18	—	2	8	35	5	26	22	29	—
X. Organs of Locomotion	200	1	2	2	—	7	8	—	1	4	14	—	6	9	7	—
XI. Skin, etc.	40	—	—	2	—	—	2	—	—	1	4	—	3	2	4	—
XII. Malformation	107	—	—	—	—	—	—	1	—	1	8	4	7	3	3	—
XIII. Premature Debility	1564	4	5	7	—	13	26	4	9	18	82	9	152	39	48	2
XIV. Atrophy	293	5	—	2	—	6	5	—	3	—	8	4	17	10	11	1
XV. Age	3895	127	89	79	68	212	239	32	77	76	242	47	257	229	193	15
XVI. Sudden Deaths	98	1	—	1	1	6	1	—	—	—	4	—	11	8	10	—
XVII. Violent Deaths	584	4	5	2	5	8	9	1	8	5	37	6	41	19	22	—
I. Small Pox	24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	810	7	7	1	—	9	21	4	28	3	19	—	1	—	5	—
Scarlatina	2264	—	—	—	—	1	3	4	13	1	14	4	487	110	48	—
Diphtheria	360	—	7	2	—	1	2	—	3	12	29	12	11	8	29	1
Whooping Cough	1367	5	—	11	6	5	23	—	10	9	30	6	55	24	36	1
Croup	451	—	3	2	—	22	12	—	3	3	17	3	22	13	20	—
Thrush	20	—	—	—	—	2	—	—	—	—	6	—	2	—	—	—
Diarrhœa	808	—	1	2	—	10	11	1	8	12	47	5	71	26	30	1
Dysentery	125	2	—	—	—	2	1	4	—	3	8	2	18	7	10	—
Cholera	66	—	—	—	—	—	—	—	—	—	—	—	11	—	2	—
Influenza	114	—	5	5	—	6	5	—	—	3	11	6	5	3	4	—
Purpura	20	—	—	—	—	—	—	—	—	1	3	—	6	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	987	2	6	10	3	9	19	—	4	7	48	3	60	12	20	—
Enteric Fever	727	—	—	8	1	9	9	2	5	5	52	5	53	35	45	3
Relapsing Fever	15	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Simple Cont. Fever	58	1	1	—	—	1	—	1	1	—	2	2	2	4	3	—
Infantile Remittent	86	—	—	—	—	1	1	—	—	2	1	—	4	2	8	—
Metria	153	3	1	—	—	2	1	1	3	3	10	3	11	2	9	—
Rheumatic Fever	84	2	2	—	—	1	1	—	—	1	7	—	8	5	6	1
Erysipelas	134	1	—	—	—	—	2	—	3	2	5	1	12	2	9	—
Pyæmia	18	—	—	1	—	—	2	—	—	1	—	—	—	2	—	—
Syphilis	92	—	—	—	—	—	—	—	2	2	11	—	5	—	—	—
Noma	11	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	43	—	—	—	—	1	—	—	1	1	3	—	4	2	3	—
Dropsy	385	9	9	3	1	15	13	3	8	1	14	1	28	13	17	—
Abscess	58	—	—	—	—	—	1	—	—	2	5	—	3	1	—	—
Ulcer	22	—	—	—	—	—	—	—	—	—	2	—	1	—	2	—
Fistula	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Mortification	52	—	1	—	—	1	—	—	—	1	6	1	3	3	3	—
Cancer	974	1	4	6	6	18	19	3	14	17	87	13	69	49	56	3
Gout	6	—	—	—	—	—	2	—	—	2	1	—	—	—	—	—
III. Scrofula	283	1	2	2	—	—	2	1	8	2	17	4	22	11	8	—
Tabes Mesenterica	448	—	—	—	—	—	4	1	1	6	10	1	32	4	10	—
Phthisis	4545	23	38	35	22	52	57	12	46	62	253	32	396	162	166	6
Hydrocephalus	844	—	—	2	—	2	5	1	9	3	42	6	59	21	18	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	209	1100	659	708	183	2562	2191	11266	410	4028	379	306	90	115	504	708	419	344
SPECIFIED CAUSES . . .	201	1054	641	640	172	2463	2142	11085	395	3986	364	303	87	115	497	671	405	334
Zymotic Class . . .	42	333	150	116	39	687	593	3139	117	909	93	52	15	18	75	63	68	53
Uncertain Seat . . .	13	32	27	39	10	106	92	332	18	182	18	14	3	6	15	40	22	18
Tubercular Class . . .	28	150	138	111	34	461	398	1972	53	613	40	38	17	29	84	145	69	58
Brain, etc.	11	82	55	71	12	183	159	700	28	364	38	28	4	8	73	78	32	20
Heart, etc.	15	50	23	23	12	88	77	311	14	242	22	31	3	8	35	36	32	16
Respiratory Organs . . .	24	114	72	71	13	368	244	2233	61	719	38	31	8	21	61	96	69	39
Digestive Organs . . .	13	73	48	37	11	182	165	680	25	246	17	25	8	6	38	59	25	24
Urinary Organs . . .	1	11	4	1	3	17	15	83	4	50	6	5	3	1	5	9	3	5
Generative Organs . . .	3	12	17	10	2	32	32	180	7	64	4	4	1	3	11	14	2	8
Locomotive Organs . . .	—	1	3	5	3	14	19	52	1	19	2	3	5	1	4	3	2	2
Skin	—	1	—	1	—	2	2	8	—	3	—	1	1	—	1	1	—	1
Malformation	2	3	1	2	—	5	12	19	2	21	1	—	1	1	4	3	3	—
Premature Debility . . .	10	63	31	12	3	92	80	532	18	187	23	13	3	7	21	17	12	22
Atrophy	2	10	6	4	1	24	14	98	4	39	4	3	—	—	5	3	2	2
Age	34	101	52	128	27	157	209	534	38	251	52	49	11	2	59	97	56	56
Sudden Deaths . . .	1	3	4	—	—	8	3	26	1	1	1	1	1	—	—	3	1	1
Violent Deaths . . .	2	15	10	9	2	37	28	186	4	76	5	5	3	4	6	4	7	9
Small Pox	—	1	—	—	—	21	—	—	—	—	—	—	—	—	1	—	—	—
Measles	4	27	8	19	10	62	88	381	—	92	1	—	—	—	1	9	2	1
Scarlatina	14	154	39	26	9	175	156	718	6	181	45	13	—	3	11	5	9	15
Diphtheria	—	12	5	1	1	29	24	104	8	31	6	1	—	—	5	2	8	6
Hooping Cough	3	29	29	19	9	154	109	517	31	198	19	4	1	2	8	5	9	—
Croup	3	19	5	8	—	30	21	162	3	55	5	2	—	1	8	3	1	5
Thrush	1	—	—	1	—	2	—	4	—	2	—	—	—	—	—	—	—	—
Diarrhœa	3	23	18	18	—	60	52	232	19	111	5	8	—	3	11	8	4	8
Dysentery	1	6	3	1	1	8	8	17	4	7	—	2	2	3	—	1	4	—
Cholera	—	1	—	—	1	4	11	17	1	13	2	1	—	—	1	1	—	—
Influenza	—	—	2	3	—	—	8	25	1	9	1	—	1	—	1	6	3	1
Purpura	—	—	—	—	—	1	1	4	—	3	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	2	1	1	—	—	1	2	—	—	—	—	—	—	—	1	2	—
Typhus	1	17	13	2	1	59	31	574	12	55	1	2	—	3	6	4	2	1
Enteric Fever	7	22	14	8	2	27	52	198	21	73	3	12	8	3	8	9	19	9
Relapsing Fever	—	—	—	—	—	7	—	2	—	2	—	—	—	—	1	1	—	—
Simple Cont. Fever	—	3	—	1	—	4	3	13	3	5	1	1	1	—	2	2	—	1
Infantile Remittent	1	1	2	—	—	17	4	32	—	5	1	—	—	—	1	—	1	2
Metria	2	6	2	3	1	10	9	45	4	15	2	2	—	—	—	2	1	—
Rheumatic Fever	—	4	2	—	1	3	3	10	—	18	1	2	—	—	1	2	1	2
Erysipelas	2	4	4	4	1	8	5	41	—	16	—	2	—	—	5	2	1	2
Pyæmia	—	—	—	—	1	1	1	2	1	4	—	—	—	—	—	—	1	—
Syphilis	—	2	3	1	1	5	5	36	3	11	—	—	2	—	3	—	—	—
Noma	—	—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	2	—	1	3	15	1	2	—	—	—	1	—	—	2	—
Dropsy	6	9	6	8	1	38	27	100	2	22	8	1	—	1	2	8	6	5
Abscess	1	2	2	1	—	2	5	15	3	11	—	1	—	1	—	1	1	—
Ulcer	—	1	—	—	—	3	1	4	—	4	—	—	—	—	—	1	3	—
Fistula	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	1	—	4	—	3	3	12	—	4	—	1	—	1	1	1	1	1
Cancer	6	19	17	24	9	59	52	186	12	137	10	11	3	2	12	29	9	12
Gout	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scrofula	—	7	5	3	3	15	22	83	4	32	1	2	1	2	2	11	10	—
Tabes Mesenterica	1	15	9	2	8	37	29	169	9	65	3	5	1	5	10	8	2	1
Phthisis	19	107	99	93	21	340	280	1433	30	403	33	25	12	17	55	110	53	53
Hydrocephalus	8	21	25	13	2	69	67	287	10	113	3	6	3	5	17	16	4	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	230	—	1	2	2	4	3	—	3	2	13	2	13	5	15	—
Apoplexy	675	1	4	5	3	3	9	2	7	13	43	7	48	30	31	2
Paralysis	943	4	12	10	3	11	21	3	14	16	55	7	74	50	49	2
Delirium Tremens . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	8	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Epilepsy	95	—	—	—	—	1	3	—	2	2	10	1	7	6	6	—
Tetanus	22	—	—	—	—	1	—	—	—	—	3	—	—	1	—	—
Insanity	26	—	—	—	—	—	3	—	—	1	6	—	—	2	2	—
Convulsions	418	1	3	4	2	1	3	—	6	3	27	1	34	9	7	—
Brain Disease	414	2	3	—	1	3	5	—	2	10	29	5	35	20	13	—
V. Pericarditis	34	—	—	—	—	—	—	—	1	3	—	—	3	2	1	—
Aneurism	18	—	—	1	—	—	—	—	—	—	2	2	1	—	1	—
Heart Disease	1574	4	6	8	4	13	26	—	21	13	124	11	147	82	108	4
VI. Laryngitis	55	—	—	—	—	—	1	—	—	2	4	1	6	1	3	1
Bronchitis	4074	7	19	25	8	21	36	3	23	45	214	14	360	109	134	6
Pleurisy	96	—	—	1	—	1	11	—	2	—	6	1	8	7	1	—
Pneumonia	1144	—	5	3	2	14	17	2	11	17	63	9	81	23	38	—
Asthma	242	1	1	4	7	29	9	—	1	—	8	2	31	11	2	—
Lung Disease	170	—	4	—	—	3	1	—	1	—	9	2	5	2	—	—
VII. Teething	419	—	—	2	—	1	2	7	5	6	28	1	41	14	15	1
Quinsey	35	—	—	—	—	—	1	—	—	—	2	—	1	1	3	—
Gastritis	77	—	—	—	—	1	2	—	2	1	—	1	4	2	3	—
Enteritis	392	—	—	1	—	4	3	2	3	5	16	3	20	13	13	—
Peritonitis	170	—	1	—	—	1	2	1	2	4	9	2	11	5	9	2
Ascites	39	1	—	1	1	1	2	—	1	—	6	1	1	1	—	—
Ulceration of Intestines	106	1	1	—	1	1	1	—	—	6	14	5	9	3	3	—
Hernia	60	—	1	1	—	3	—	—	—	1	13	1	5	2	3	—
Ileus	115	—	1	1	—	6	1	—	—	1	18	1	8	4	1	—
Intussusception	22	—	—	—	—	—	—	1	—	—	2	—	1	1	—	—
Stricture of Intestines	14	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Stomach Disease	363	2	8	1	4	3	5	—	4	3	16	3	25	16	17	—
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hepatitis	58	1	—	—	—	—	—	—	—	1	1	—	2	1	4	—
Jaundice	104	1	1	1	—	2	—	1	1	—	7	1	8	4	11	—
Liver Disease	361	1	2	2	2	4	6	—	5	6	15	4	17	12	22	—
Spleen Disease	24	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
VIII. Nephritis	34	—	1	—	—	—	—	—	—	3	1	1	2	—	—	—
Nephria	140	—	2	2	—	—	2	1	7	1	15	—	12	5	8	—
Addison's Disease . . .	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ishuria	8	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—
Diabetes	35	—	—	1	—	—	—	—	—	—	2	—	1	4	1	—
Stone	5	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Cystitis	21	—	—	—	—	—	—	—	—	—	4	2	1	2	1	—
Stricture of Urethra . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	108	—	2	—	1	1	2	1	2	2	12	2	8	3	5	—
IX. Paramenia	19	—	1	—	—	—	—	—	—	1	1	—	1	—	1	—
Ovarian Dropsy	69	—	1	—	1	1	1	—	—	2	9	2	2	4	8	—
Childbirth	410	1	3	—	1	7	17	—	2	5	21	3	16	16	17	—
Organs of Generation . .	73	1	—	1	1	1	—	—	—	—	4	—	7	2	3	—
X. Arthritis	38	—	—	—	—	—	—	—	—	2	6	—	2	4	3	—
Rheumatism	94	1	2	1	—	6	8	—	—	1	3	—	2	3	1	—
Joint and Bone Disease	68	—	—	1	—	1	—	—	1	1	5	—	2	2	3	—
XI. Carbuncle	5	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—
Phlegmon	9	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Skin Disease	26	—	—	1	—	—	2	—	—	1	3	—	2	—	4	—
XVII. Intemperance . . .	44	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—
Privation	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk . .	43	—	—	—	—	—	—	—	—	1	2	—	2	—	1	—
Neglect	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cold	9	1	—	1	1	—	2	—	—	—	—	—	1	—	—	—
Poison	7	—	—	—	1	—	—	—	—	—	2	—	1	1	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	103	2	3	—	1	3	1	—	1	1	6	—	10	3	2	—
Hanging, etc. . . .	17	—	—	—	—	1	—	—	—	—	1	—	4	2	2	—
Suffocation	70	—	1	—	—	—	—	1	1	—	8	—	8	1	3	—
Drowning	75	—	—	—	1	2	4	—	2	1	4	1	3	3	4	—
Fracture and Contusion	174	1	1	1	1	2	1	—	3	2	11	4	9	7	6	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cuts and Stabs	8	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Other Violent Causes . .	26	—	—	—	—	—	1	—	1	—	1	—	1	—	1	—
Not Specified	1226	56	18	41	28	107	79	11	23	18	67	10	52	41	47	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1869.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	—	8	1	2	—	23	15	64	1	29	2	2	—	1	5	10	2	—
Apoplexy	5	16	23	19	5	57	41	146	8	79	3	8	3	2	14	20	12	6
Paralysis	5	29	11	31	6	55	53	173	9	133	16	6	1	2	32	33	7	10
Delirium Tremens	—	—	—	—	—	—	—	4	1	1	—	—	—	—	1	—	—	—
Chorea	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	1	—	1
Epilepsy	1	4	3	6	—	6	3	16	1	8	1	3	—	—	—	2	2	1
Tetanus	—	—	—	3	—	1	1	5	—	5	—	—	—	—	1	—	1	—
Insanity	—	—	—	—	—	1	4	5	—	1	—	—	—	—	—	1	—	—
Convulsions	—	12	9	5	1	16	19	166	4	58	6	7	—	1	9	3	—	1
Brain Disease	—	13	7	5	—	24	23	118	4	50	10	2	—	2	11	8	8	1
Pericarditis	—	—	—	3	—	4	3	7	—	4	—	—	—	—	—	2	—	1
Aneurism	—	—	—	—	—	1	1	4	—	3	—	—	—	—	1	1	—	—
Heart Disease	15	50	23	20	12	83	73	300	14	235	22	31	3	8	34	33	32	15
Laryngitis	—	1	—	1	—	7	1	16	1	6	—	—	1	—	—	—	2	—
Bronchitis	15	66	56	40	6	251	193	1616	45	516	23	15	6	11	40	64	54	33
Pleurisy	1	—	1	2	—	4	5	20	2	12	1	—	—	3	4	1	2	—
Pneumonia	8	23	12	14	5	91	34	440	12	131	12	13	1	7	15	27	9	5
Asthma	—	13	1	13	2	8	6	61	1	22	2	1	—	—	1	3	2	—
Lung Disease	—	11	2	1	—	7	5	80	—	32	—	2	—	—	1	1	—	1
Teething	1	11	13	3	1	50	31	141	7	27	—	—	—	3	2	3	—	3
Quinsey	—	—	1	1	—	6	1	8	—	8	—	1	—	—	1	—	—	—
Gastritis	1	4	1	4	—	4	8	25	—	7	—	—	1	—	2	3	1	—
Enteritis	3	17	3	3	2	48	33	138	6	20	4	4	—	1	6	11	8	2
Peritonitis	2	2	3	2	—	5	8	51	2	29	1	1	—	—	2	7	3	3
Ascites	—	2	—	2	—	1	3	6	—	5	—	1	—	—	1	1	—	1
Ulceration of Intestines	—	3	1	—	—	3	8	17	1	12	2	2	—	1	4	6	1	—
Hernia	—	1	1	1	—	5	3	9	1	5	—	2	—	—	1	—	—	1
Ileus	—	2	4	1	1	3	7	22	2	17	—	—	1	—	1	7	3	2
Intussusception	—	—	—	1	—	2	1	9	—	1	—	1	—	—	—	—	—	2
Stricture of Intestines	—	—	—	1	—	—	1	4	—	4	—	—	—	—	—	1	—	—
Stomach Disease	2	16	10	7	3	15	35	95	—	36	3	4	5	—	7	10	4	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	1	1	1	—	2	3	19	2	6	3	1	1	—	2	2	1	—
Jaundice	1	1	4	2	2	6	7	21	—	13	2	2	—	—	2	1	—	2
Liver Disease	—	12	6	8	2	31	15	107	4	51	2	4	—	1	6	7	3	4
Spleen Disease	—	1	—	—	—	1	1	8	—	5	—	2	—	—	1	—	1	—
Nephritis	—	4	—	—	—	2	1	12	—	5	—	—	—	—	—	2	—	—
Nephria	—	2	2	—	1	4	1	36	3	23	2	1	3	—	3	2	2	—
Addison's Disease	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	2	—	—	1	1	—	—	1	—	—	—	—
Diabetes	—	1	—	—	1	2	4	11	1	2	1	1	—	—	1	1	—	—
Stone	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Cystitis	—	—	1	—	—	1	2	3	—	2	—	1	—	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Kidney Disease	1	4	1	—	1	7	5	19	—	17	1	2	—	—	1	3	1	4
Paramenia	—	—	2	—	—	1	2	2	—	2	—	1	—	—	1	—	—	3
Ovarian Dropsy	1	1	1	—	—	2	3	8	—	13	1	—	—	—	1	4	1	2
Childbirth	2	9	13	8	2	24	25	146	6	42	1	2	—	3	8	6	1	3
Organs of Generation	—	2	1	2	—	5	2	24	1	7	2	1	1	—	1	4	—	—
Arthritis	—	—	1	1	2	2	2	3	1	2	—	1	3	1	1	—	1	—
Rheumatism	—	—	1	4	1	8	7	28	—	7	1	1	1	—	1	3	1	2
Joint Disease	—	1	1	—	—	4	10	21	—	10	1	1	1	—	2	—	—	—
Carbuncle	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Phlegmon	—	—	—	—	—	1	—	5	—	1	—	—	—	—	—	—	—	—
Skin Disease	—	1	—	—	—	1	2	3	—	2	—	1	1	—	—	1	—	1
Intemperance	—	1	1	—	—	5	—	17	—	15	—	—	—	—	—	1	—	—
Privation	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	1	—	30	—	5	—	1	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	1	2	—	6	11	23	2	13	1	—	—	1	1	—	1	2
Hanging, etc. . . .	—	1	—	—	—	1	3	1	—	1	—	—	—	—	—	—	—	—
Suffocation	1	2	1	—	—	4	—	14	1	14	1	3	—	2	—	1	—	3
Drowning	—	5	5	1	1	5	—	22	—	3	1	—	1	—	4	—	1	1
Fracture and Contusion	—	5	2	5	—	14	10	57	—	20	2	1	2	1	1	—	3	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	1	—
Other Violent Causes	—	1	—	—	1	1	2	12	—	2	—	—	—	—	—	1	1	—
Not Specified	8	46	18	68	11	99	49	181	15	42	15	3	3	—	7	37	14	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	15648	1103	1172	5406	3564	1787	1449	1750	1169	694
SPECIFIED CAUSES	15481	1087	1159	5391	3539	1781	1427	1618	1159	687
I. Zymotic Class	4274	307	316	1166	1101	289	389	491	328	215
II. Diseases of Uncertain Seat	356	35	17	224	94	81	67	47	35	20
III. Tubercular Class	2677	171	217	871	569	345	245	285	161	97
IV. Brain and Nervous System	1053	65	115	530	245	189	138	116	101	58
V. Organs of Circulation	457	44	34	336	141	104	35	82	46	46
VI. Respiratory Organs	3557	196	207	1042	626	285	186	224	214	78
VII. Organs of Digestion	907	54	83	286	164	134	113	123	82	39
VIII. Urinary Organs	162	17	6	95	36	48	12	17	13	13
IX. Organs of Generation	124	6	8	44	17	20	11	12	7	5
X. Organs of Locomotion	68	8	1	52	14	12	13	10	5	2
XI. Skin, etc.	12	1	1	7	2	7	3	5	1	2
XII. Malformation	30	2	6	17	8	5	2	3	6	2
XIII. Premature Debility	733	52	50	248	216	78	58	67	59	28
XIV. Atrophy	116	15	15	45	22	8	18	16	10	7
XV. Age	431	85	44	252	166	114	105	57	43	46
XVI. Sudden Deaths	57	3	1	4	18	3	3	8	1	6
XVII. Violent Deaths	467	26	38	172	100	59	29	55	47	23
I. Small Pox	2	—	1	—	2	—	4	36	—	—
Measles	621	30	80	110	1	7	26	35	57	—
Scarlatina	873	72	70	199	664	9	84	150	94	157
Diphtheria	98	8	15	34	15	12	6	11	12	1
Hooping Cough	694	42	49	303	57	18	122	53	57	6
Croup	178	12	19	67	38	29	21	21	16	12
Thrush	4	—	1	2	2	8	—	1	—	—
Diarrhœa	308	34	26	149	95	43	29	72	26	16
Dysentery	16	1	1	10	19	6	3	2	2	1
Cholera	19	6	1	21	19	—	3	3	1	1
Influenza	26	—	1	6	7	8	—	1	—	—
Purpura	6	—	—	3	3	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	3	1	—	1	—	—	—	—	—	—
Typhus	970	71	19	98	105	64	32	78	18	8
Enteric Fever	222	13	23	73	34	49	21	11	21	5
Relapsing Fever	2	—	—	2	1	—	5	—	—	—
Simple Continued Fever	12	1	2	5	2	—	3	1	3	3
Infantile Remittent	47	2	—	5	7	1	16	3	1	—
Metria	34	1	1	10	5	5	3	4	2	1
Rheumatic Fever	13	1	—	13	5	6	2	1	3	2
Erysipelas	60	5	4	28	7	8	2	3	7	—
Pyæmia	3	—	—	4	—	—	—	—	—	—
Syphilis	63	6	3	20	13	13	7	4	8	2
Noma	—	1	—	3	—	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	2	1	6	5	4	1	—	2	1
Dropsy	127	8	5	27	37	11	34	21	6	6
Abscess	27	3	1	20	4	5	3	—	4	2
Ulcer	5	—	—	8	—	1	1	3	—	—
Fistula	3	1	—	2	—	—	3	—	1	—
Mortification	13	3	1	6	3	4	2	2	1	1
Cancer	163	17	9	155	43	56	23	21	21	10
Gout	—	1	—	—	2	—	—	—	—	—
III. Scrofula	135	8	11	62	22	19	10	12	7	7
Tabes Mesenterica	236	19	19	73	35	12	41	12	26	2
Phthisis	1843	127	134	566	421	248	154	208	86	65
Hydrocephalus	463	17	53	170	91	66	40	53	42	23

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	450	459	274	383	275	232	364	536	652	317	327	505	437
SPECIFIED CAUSES . . .	444	451	268	374	270	228	358	519	648	302	320	504	419
Zymotic Class . . .	76	84	68	77	66	42	82	145	208	69	91	192	47
Uncertain Seat . . .	20	7	10	9	11	15	14	9	11	13	11	11	22
Tubercular Class . . .	64	83	44	82	40	27	70	89	124	58	70	77	90
Brain, etc.	50	47	26	44	21	21	36	29	55	29	17	24	52
Heart, etc.	23	36	20	30	21	24	31	27	32	18	6	14	17
Respiratory Organs . . .	69	82	29	46	55	31	39	63	95	51	48	77	89
Digestive Organs . . .	25	27	13	23	19	13	20	46	32	20	24	37	26
Urinary Organs . . .	10	6	4	7	2	3	2	4	9	5	2	1	10
Generative Organs . . .	5	2	—	1	3	1	1	6	2	—	7	—	2
Locomotive Organs . . .	3	4	2	1	1	1	2	1	5	2	1	2	1
Skin	4	1	—	—	—	1	1	1	—	—	—	—	—
Malformation	—	3	3	—	1	—	1	—	—	1	1	—	2
Premature Debility . . .	26	31	10	14	10	17	22	25	36	13	17	25	12
Atrophy	2	2	1	—	1	—	4	5	1	1	2	5	2
Age	60	27	33	34	14	22	27	56	24	19	19	20	32
Sudden Deaths	1	—	—	1	1	2	—	—	1	—	2	1	—
Violent Deaths	6	9	5	5	4	8	6	13	13	3	2	18	15
Small Pox	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	19	—	—	1	1	1	13	22	61	2	6	1	6
Scarlatina	—	24	47	52	3	7	11	79	25	25	41	65	3
Diphtheria	2	3	—	1	15	4	4	10	4	2	3	8	—
Whooping Cough	2	30	—	7	9	3	3	8	40	5	9	56	1
Croup	10	3	2	—	7	4	5	1	5	4	6	11	4
Thrush	—	—	—	—	—	—	—	—	—	2	—	—	—
Diarrhoea	15	3	9	6	8	5	13	5	24	14	6	6	9
Dysentery	2	—	2	—	1	2	2	—	3	—	2	2	3
Cholera	—	—	—	—	1	—	—	—	16	—	—	1	—
Influenza	—	2	—	—	—	1	—	—	—	—	2	1	—
Purpura	—	—	1	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	8	9	1	3	2	5	15	4	9	6	8	15	—
Enteric Fever	11	5	1	5	10	2	9	10	11	3	6	22	10
Relapsing Fever	—	1	—	—	—	—	—	—	—	—	—	—	3
Simple Cont. Fever	—	1	—	—	1	—	2	—	1	—	1	2	—
Infantile Remittent	1	—	—	—	1	2	—	—	5	—	—	—	—
Metria	1	—	2	1	—	3	1	1	2	1	—	—	—
Rheumatic Fever	4	1	—	—	4	—	—	1	—	—	—	1	1
Erysipelas	—	2	1	—	1	2	2	1	1	2	1	1	4
Pyæmia	1	—	—	—	1	—	—	—	—	2	—	—	—
Syphilis	—	—	2	—	1	1	1	3	1	1	—	—	3
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	2	—	—	—	1	—	1	1
Dropsy	4	—	2	—	1	3	3	1	2	5	9	4	7
Abscess	2	—	—	—	1	1	2	1	—	1	—	—	1
Ulcer	—	—	—	—	—	—	1	—	1	—	—	1	1
Fistula	—	—	—	—	1	—	1	—	—	—	—	—	—
Mortification	1	1	—	1	—	1	—	1	—	—	—	—	1
Cancer	11	6	8	8	8	8	7	5	8	6	2	5	11
Gout	1	—	—	—	—	—	—	1	—	—	—	—	—
Scrofula	2	4	2	8	3	1	2	7	3	—	4	4	10
Tabes Mesenterica	5	3	4	6	—	2	6	14	9	1	18	16	3
Phthisis	49	60	26	58	36	20	54	57	92	39	41	43	70
Hydrocephalus	8	16	12	10	1	4	8	11	20	18	7	14	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	99	7	6	59	13	15	10	20	14	4
Apoplexy	214	16	21	109	55	37	42	28	25	17
Paralysis	232	19	23	145	61	55	47	30	35	13
Delirium Tremens	10	—	1	8	5	4	4	1	—	—
Chorea	2	1	—	—	—	—	—	—	—	—
Epilepsy	31	2	6	17	8	7	5	1	1	4
Tetanus	3	—	1	6	2	1	—	—	—	1
Insanity	5	1	—	2	—	4	1	—	—	1
Convulsions	293	12	14	91	71	41	16	15	18	7
Brain Disease	164	7	43	93	30	25	13	21	8	11
V. Pericarditis	7	—	1	4	2	—	2	—	—	—
Aneurism	22	1	1	18	4	5	2	1	1	—
Heart Disease	428	43	32	314	135	99	31	81	45	46
VI. Laryngitis	31	3	2	15	7	4	3	2	2	—
Bronchitis	2532	138	140	705	441	206	127	151	152	62
Pleurisy	29	1	3	26	9	7	1	3	1	1
Pneumonia	763	47	51	222	114	52	48	56	52	9
Asthma	71	4	7	22	48	8	5	3	5	6
Lung Disease	131	3	4	52	7	8	2	9	2	—
VII. Teething	232	13	14	45	64	36	31	38	16	9
Quinsey	17	—	2	8	1	2	3	2	—	—
Gastritis	31	1	4	2	5	4	1	5	4	1
Enteritis	171	8	17	28	17	11	41	20	7	5
Peritonitis	53	3	2	34	12	10	3	8	9	1
Ascites	10	1	1	6	1	5	—	2	1	1
Ulceration of Intestines	12	3	2	20	1	8	1	3	4	1
Hernia	16	—	1	7	6	7	—	2	2	—
Ileus	37	2	1	21	10	12	—	6	8	1
Intussusception	8	—	2	3	1	1	1	—	—	—
Stricture of Intestines	4	—	—	4	3	1	—	—	1	1
Stomach Disease	133	7	22	34	16	16	5	15	11	9
Pancreas Disease	—	—	—	—	—	1	—	1	—	—
Hepatitis	21	2	6	10	1	1	4	—	3	—
Jaundice	22	1	1	12	9	3	6	6	1	—
Liver Disease	134	13	8	50	17	15	17	14	13	10
Spleen Disease	6	—	—	2	—	1	—	1	2	—
VIII. Nephritis	20	3	2	6	4	1	6	—	2	—
Nephria	52	8	2	48	15	11	2	4	7	4
Addison's Disease	1	—	—	—	—	1	—	—	—	—
Ischuria	3	—	—	4	3	1	—	—	—	—
Diabetes	12	2	—	6	3	3	1	1	—	4
Stone	5	1	—	1	—	6	—	1	—	1
Cystitis	16	1	1	12	5	9	1	1	2	3
Stricture of Urethra	7	—	—	—	1	1	—	—	—	—
Kidney Disease	46	2	1	18	5	15	2	10	2	1
IX. Paramenia	2	—	—	2	1	—	1	—	—	—
Ovarian Dropsy	6	—	1	12	1	5	1	—	—	—
Childbirth	97	6	6	26	11	12	7	11	6	4
Organs of Generation	19	—	1	4	4	3	2	1	1	1
X. Arthritis	12	1	—	9	4	7	4	4	2	—
Rheumatism	27	2	1	10	1	1	7	—	—	—
Joint and Bone Disease	29	5	—	33	9	4	2	6	3	2
XI. Carbuncle	1	1	—	2	2	1	2	—	1	2
Phlegmon	7	—	—	1	—	1	—	1	—	—
Skin Disease	4	—	1	4	—	5	1	4	—	—
XVII. Intemperance	27	—	3	20	4	3	1	5	1	1
Privation	1	—	—	2	1	—	—	—	—	—
Want of Breast Milk	48	—	1	15	4	7	—	4	—	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	1	—	—	—	—	—
Poison	7	—	—	3	1	2	1	—	1	2
Poisoned Wounds	1	—	—	1	—	—	—	—	—	—
Burns and Scalds	48	4	1	12	14	4	2	7	7	2
Hanging, etc.	7	—	2	4	5	—	2	1	1	1
Suffocation	21	—	4	21	12	6	1	1	6	2
Drowning	78	11	9	2	17	11	4	14	9	4
Fracture and Contusion	204	11	15	82	36	21	17	18	22	7
Gunshot Wounds	—	—	1	3	—	2	1	1	—	1
Cuts and Stabs	6	—	—	1	1	—	—	—	—	—
Other Violent Causes	19	—	2	6	4	3	—	4	—	3
Not Specified	167	16	13	15	25	6	22	132	10	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	4	5	—	1	1	3	1	2	3	—	—	4	4
Apoplexy	12	13	7	15	6	1	7	4	11	4	3	5	10
Paralysis	12	12	10	11	3	10	11	14	12	12	5	6	25
Delirium Tremens	—	1	—	—	1	1	—	—	1	—	1	1	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	1
Epilepsy	1	1	1	—	2	1	1	1	3	2	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	1	—	1	—
Insanity	3	—	—	1	—	1	—	2	—	—	—	—	—
Convulsions	6	7	2	2	3	1	6	4	6	4	5	3	3
Brain Disease	12	8	6	14	5	3	10	2	19	6	3	4	8
Pericarditis	—	1	1	2	—	—	—	—	1	—	—	1	—
Aneurism	—	—	—	1	—	—	—	1	1	—	—	—	—
Heart Disease	23	35	19	27	21	24	30	26	30	18	6	13	17
Laryngitis	—	—	—	—	2	1	—	—	—	1	—	—	—
Bronchitis	47	58	23	38	37	23	29	51	77	37	39	53	68
Pleurisy	—	1	—	1	—	1	1	—	1	5	1	2	2
Pneumonia	11	19	5	5	14	5	3	7	9	7	5	16	18
Asthma	10	4	1	1	1	1	2	5	3	—	1	6	1
Lung Disease	1	—	—	1	1	—	4	—	5	1	2	—	—
Teething	6	5	3	2	4	—	5	12	3	3	1	3	1
Quinsey	1	—	—	—	3	—	—	1	—	—	—	1	—
Gastritis	—	—	—	—	—	—	1	4	—	—	4	5	1
Enteritis	4	2	2	1	1	—	6	11	8	2	5	10	5
Peritonitis	—	3	—	2	1	2	—	5	6	2	—	8	3
Ascites	1	—	—	—	—	—	—	1	—	—	—	1	—
Ulceration of Intestines	1	1	4	8	1	—	—	—	3	3	1	2	2
Hernia	—	1	—	—	1	—	—	1	1	—	—	—	—
Ileus	3	1	—	1	—	1	—	2	—	1	1	—	3
Intussusception	—	1	—	—	—	—	—	—	1	—	—	1	—
Stricture of Intestines	—	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	3	2	5	3	4	5	6	4	2	3	—	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	—	—	1	1	—	—	—	1	—	1	1
Jaundice	1	3	—	1	2	1	1	1	1	—	1	1	1
Liver Disease	3	5	2	3	2	3	2	2	3	5	8	4	4
Spleen Disease	1	—	—	—	—	1	—	—	2	1	—	—	—
Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	2
Nephria	5	2	2	2	—	2	—	—	—	2	—	—	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	1	1	—	—	—	—
Diabetes	—	2	—	1	—	—	1	—	—	—	1	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	1	—	1	—	2	4	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	2
Kidney Disease	1	2	2	3	2	—	1	1	4	3	—	—	3
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	1	—	—	—	1
Childbirth	5	1	—	—	3	1	1	6	1	—	7	—	1
Organs of Generation	—	1	—	1	—	—	—	—	—	—	—	—	—
Arthritis	1	—	2	1	1	1	—	—	1	—	—	—	—
Rheumatism	1	1	—	—	—	—	1	—	—	—	—	2	1
Joint Disease	1	3	—	—	—	—	1	1	4	2	1	—	—
Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	1	—	—	—	1	1	1	—	—	—	—	—
Intemperance	—	—	—	—	1	1	1	—	1	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	1	—	2	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	1	1	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	1	1	—	—	1	—	2	1	—	—	2	1
Hanging, etc.	—	—	—	1	—	1	—	1	2	—	—	—	1
Suffocation	—	1	1	1	—	—	1	1	—	—	—	—	1
Drowning	1	3	—	—	1	1	1	1	2	—	—	4	5
Fracture and Contusion	3	3	2	3	2	3	1	5	7	2	2	9	5
Gunshot Wounds	—	1	—	—	—	—	1	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	1	—	—	—	—	2	—	—	—	1	—
Not Specified	6	8	6	9	5	4	6	17	4	15	7	1	18

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	7835	552	550	2736	1747	862	693	931	589	351
SPECIFIED CAUSES	7748	543	541	2731	1736	860	679	864	583	345
I. Zymotic Class	2111	146	154	590	550	140	175	263	146	127
II. Diseases of Uncertain Seat	143	12	3	83	32	30	30	15	17	6
III. Tubercular Class	1292	76	102	449	261	176	103	146	81	35
IV. Brain and Nervous System	552	40	63	289	133	98	68	61	56	31
V. Organs of Circulation	257	18	14	172	73	52	21	48	26	24
VI. Respiratory Organs	1798	118	99	529	298	129	90	116	118	35
VII. Organs of Digestion	478	26	35	151	84	65	67	70	34	22
VIII. Urinary Organs	104	9	3	61	23	30	9	11	6	9
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	33	4	1	36	12	6	7	7	4	1
XI. Skin, etc.	7	1	1	7	1	3	3	3	1	1
XII. Malformation	21	2	3	7	4	2	2	3	3	—
XIII. Premature Debility	379	28	20	124	125	41	32	38	45	20
XIV. Atrophy	55	8	3	19	7	4	7	10	2	2
XV. Age	159	34	11	93	53	42	42	26	10	14
XVI. Sudden Deaths	36	1	1	3	7	2	2	5	1	—
XVII. Violent Deaths	323	20	28	118	73	40	21	42	33	18
I. Small Pox	2	—	1	—	2	—	—	21	—	—
Measles	338	9	39	57	—	3	12	15	26	—
Scarlatina	448	40	39	103	338	3	46	80	38	101
Diphtheria	42	5	5	20	6	5	4	3	4	—
Hooping Cough	318	17	22	155	25	9	46	25	21	1
Croup	76	4	10	30	24	18	14	10	9	9
Thrush	1	—	—	—	—	4	—	—	—	—
Diarrhœa	165	21	11	76	46	19	13	40	14	5
Dysentery	9	—	1	5	8	5	1	—	—	—
Cholera	9	2	—	12	9	—	1	3	—	1
Influenza	9	—	—	2	4	4	—	1	—	—
Purpura	4	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	2	1	—	1	—	—	—	—	—	—
Typhus	491	37	7	57	59	32	16	51	10	4
Enteric Fever	99	6	15	32	10	26	8	8	8	2
Relapsing Fever	—	—	—	—	—	—	2	—	—	—
Simple Continued Fever	4	—	1	2	2	—	2	1	2	1
Infantile Remittent	20	—	—	3	4	1	5	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	7	—	—	4	2	1	1	—	3	1
Erysipelas	30	3	2	18	2	6	1	2	4	—
Pyæmia	2	—	—	1	—	—	—	—	—	—
Syphilis	35	1	1	12	9	4	3	3	7	2
Noma	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	—	—	4	4	3	—	—	2	—
Dropsy	64	3	1	9	11	4	18	11	4	3
Abscess	17	1	—	11	1	2	1	—	4	2
Ulcer	3	—	—	5	—	—	—	—	—	—
Fistula	3	1	—	1	—	—	3	—	1	—
Mortification	6	2	—	4	3	2	1	—	—	1
Cancer	42	4	2	49	11	19	7	2	6	—
Gout	—	1	—	—	2	—	—	—	—	—
III. Scrofula	83	4	3	38	11	14	6	6	5	2
Tabes Mesenterica	132	10	12	39	14	7	21	7	13	—
Phthisis	820	50	59	275	185	117	56	104	44	20
Hydrocephalus	257	12	28	97	51	38	20	29	19	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	226	213	125	174	138	109	173	271	322	162	168	255	209
SPECIFIED CAUSES	223	212	120	168	136	109	170	262	319	153	164	254	200
Zymotic Class	39	42	29	38	40	20	36	72	92	36	52	95	24
Uncertain Seat	7	6	5	3	5	6	8	5	5	5	7	4	7
Tubercular Class	36	37	19	36	18	12	35	57	66	31	40	40	44
Brain, etc.	29	22	11	20	10	10	15	12	28	11	9	10	26
Heart, etc.	11	18	8	17	10	6	10	15	16	10	2	10	11
Respiratory Organs	38	34	15	18	25	16	21	30	54	30	25	43	42
Digestive Organs	17	11	6	9	10	6	12	23	12	8	8	19	9
Urinary Organs	7	3	2	4	1	3	2	4	5	4	2	1	6
Generative Organs	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	2	2	2	—	1	—	2	—	2	2	—	1	—
Skin	3	1	—	—	—	1	1	1	—	—	—	—	—
Malformation	—	3	2	—	—	—	1	—	—	—	—	—	—
Premature Debility	11	13	5	6	7	12	13	13	21	4	7	11	8
Atrophy	—	1	—	—	—	—	2	4	—	—	1	2	1
Age	18	11	12	13	7	9	9	18	6	10	8	3	8
Sudden Deaths	1	—	—	1	—	1	—	—	—	—	1	1	—
Violent Deaths	4	8	4	3	2	7	3	8	12	2	2	14	14
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	9	—	—	1	1	1	6	11	27	2	5	—	—
Scarlatina	—	14	22	29	1	3	4	42	9	13	24	31	3
Diphtheria	—	2	—	1	9	—	1	4	3	—	—	5	—
Hooping Cough	—	15	—	1	6	2	2	4	16	2	5	24	—
Croup	6	1	1	—	5	2	3	1	2	1	3	5	2
Thrush	—	—	—	—	—	—	—	—	—	2	—	—	—
Diarrhoea	8	—	2	2	5	2	4	2	14	8	2	3	6
Dysentery	2	—	1	—	1	1	1	—	—	—	1	2	2
Cholera	—	—	—	—	1	—	—	—	7	—	—	—	—
Influenza	—	—	—	—	—	1	—	—	—	—	2	1	—
Purpura	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	5	1	2	1	3	8	2	3	3	6	10	—
Enteric Fever	7	3	1	1	4	2	5	4	6	2	2	13	2
Relapsing Fever	—	1	—	—	—	—	—	—	—	—	—	—	2
Simple Cont. Fever	—	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	3	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	3	—	—	1	—	—	—	—	—
Erysipelas	—	1	—	—	1	2	1	—	1	1	1	1	4
Pyæmia	—	—	—	—	1	—	—	—	—	1	—	—	—
Syphilis	—	—	1	—	1	1	1	1	1	1	—	—	3
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	2	—	—	—	—	—	—	—
Dropsy	1	—	2	—	1	1	1	—	1	3	7	3	2
Abscess	1	—	—	—	1	1	2	1	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	1	—	1	—	—	—	—	—	—
Mortification	1	1	—	—	—	—	—	1	—	—	—	—	—
Cancer	3	5	3	3	2	2	4	2	3	2	—	1	5
Gout	—	—	—	—	—	—	—	1	—	—	—	—	—
Scrofula	2	3	2	3	2	—	1	5	2	—	2	2	2
Tabes Mesenterica	4	1	1	4	—	1	1	12	4	1	10	9	1
Phthisis	25	24	8	21	16	8	28	31	49	21	25	21	35
Hydrocephalus	5	9	8	8	—	3	5	9	11	9	3	8	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	48	3	3	42	7	8	5	7	9	4
Apoplexy	105	10	11	56	30	15	17	16	14	11
Paralysis	116	12	14	67	26	32	25	14	16	4
Delirium Tremens	8	—	—	7	5	4	4	1	—	—
Chorea	—	1	—	—	—	—	—	—	—	—
Epilepsy	18	2	6	11	2	4	3	—	1	3
Tetanus	—	—	1	2	2	—	—	—	—	—
Insanity	—	1	—	1	—	2	—	—	—	1
Convulsions	162	8	8	47	45	26	9	11	11	2
Brain Disease	95	3	20	56	16	7	5	12	5	6
V. Pericarditis	4	—	—	2	1	—	2	—	—	—
Aneurism	20	—	1	15	3	3	1	1	1	—
Heart Disease	233	18	13	155	69	49	18	47	25	24
VI. Laryngitis	19	2	2	10	2	2	2	1	2	—
Bronchitis	1248	80	67	341	201	88	59	78	84	29
Pleurisy	17	1	2	17	7	3	—	2	—	1
Pneumonia	431	29	23	130	60	29	27	28	29	3
Asthma	23	3	5	9	22	6	1	2	2	2
Lung Disease	60	3	—	22	6	1	1	5	1	—
VII. Teething	127	4	7	27	34	20	19	21	11	3
Quinsey	11	—	1	6	—	2	—	1	—	—
Gastritis	20	1	1	1	1	4	1	2	1	1
Enteritis	93	3	9	17	7	2	27	13	4	2
Peritonitis	21	1	1	15	6	6	1	7	3	1
Ascites	6	1	—	2	—	1	—	1	—	1
Ulceration of Intestines	8	3	—	13	1	2	1	1	1	1
Hernia	8	—	1	4	3	3	—	—	—	—
Ileus	17	1	—	11	6	5	—	3	4	1
Intussusception	3	—	—	3	1	1	—	—	—	—
Stricture of Intestines	2	—	—	1	3	—	—	—	—	1
Stomach Disease	72	3	10	20	6	7	4	9	5	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	11	1	4	8	—	—	3	1	—	—
Jaundice	11	1	—	2	6	2	3	4	—	—
Liver Disease	66	7	1	20	10	9	8	7	5	6
Spleen Disease	2	—	—	1	—	1	—	—	—	—
VIII. Nephritis	12	1	1	4	2	1	5	—	1	—
Nephria	29	5	—	31	8	4	1	3	3	3
Addison's Disease	—	—	—	—	—	1	—	—	—	—
Ischuria	3	—	—	3	2	1	—	—	—	—
Diabetes	4	—	—	4	3	1	—	1	—	1
Stone	5	—	—	1	—	6	—	1	—	1
Cystitis	14	1	1	11	4	7	1	—	2	3
Stricture of Urethra	7	—	—	—	1	1	—	—	—	—
Kidney Disease	30	2	1	7	3	8	2	6	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Arthritis	9	1	—	8	3	2	2	4	1	—
Rheumatism	8	—	1	5	—	—	4	—	—	—
Joint and Bone Disease	16	3	—	23	9	4	1	3	3	1
XI. Carbuncle	1	1	—	2	1	1	2	—	1	1
Phlegmon	3	—	—	1	—	—	—	—	—	—
Skin Disease	3	—	1	4	—	2	1	3	—	—
XVII. Intemperance	11	—	3	7	4	1	—	3	—	1
Privation	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	20	—	1	10	2	5	—	3	—	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—
Poison	7	—	—	3	—	1	1	—	1	1
Poisoned Wounds	1	—	—	1	—	—	—	—	—	—
Burns and Scalds	25	2	1	6	7	1	1	4	3	1
Hanging, etc.	6	—	2	3	2	—	2	—	1	—
Suffocation	10	—	3	11	7	2	—	—	2	1
Drowning	66	10	6	2	16	10	4	13	9	4
Fracture and Contusion	161	8	11	67	31	16	12	15	17	6
Gunshot Wounds	—	—	1	3	—	2	1	—	—	1
Cuts and Stabs	4	—	—	—	1	—	—	1	—	—
Other Violent Causes	12	—	—	5	3	2	—	3	—	3
Not Specified	87	9	9	5	11	2	14	67	6	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
Cephalitis	3	1	—	1	—	1	—	—	1	—	—	1	1
Apoplexy	7	7	3	8	3	—	3	3	7	2	2	5	3
Paralysis	5	4	5	4	3	7	3	4	5	3	2	4	16
Delirium Tremens	—	1	—	—	1	1	—	—	1	—	1	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	1	—	—	—	—	—	1	2	2	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	1	—	—	—	1	—	—	—	—	—
Convulsions	5	4	1	1	1	—	4	1	4	1	3	—	2
Brain Disease	8	4	2	5	2	1	5	2	8	3	1	—	3
Pericarditis	—	1	—	1	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	1	—	—	1	1	—	—	—	—	—
Heart Disease	11	17	8	15	10	6	9	14	16	10	2	10	11
Laryngitis	—	—	—	—	2	1	—	—	—	1	—	—	—
Bronchitis	28	21	11	14	17	11	16	24	40	22	19	28	33
Pleurisy	—	—	—	—	—	1	1	—	1	2	—	2	1
Pneumonia	5	12	3	3	5	3	3	4	6	4	3	9	8
Asthma	5	1	1	1	—	—	—	2	3	—	1	4	—
Lung Disease	—	—	—	—	1	—	1	—	4	1	2	—	—
Teething	5	3	2	2	3	—	4	7	—	1	1	2	1
Quinsey	—	—	—	—	2	—	—	1	—	—	—	1	—
Gastritis	—	—	—	—	—	—	1	2	—	—	2	4	—
Enteritis	2	—	1	—	—	—	2	6	5	1	—	6	1
Peritonitis	—	1	—	1	—	2	—	2	2	—	—	5	—
Ascites	1	—	—	—	—	—	—	1	—	—	—	1	—
Ulceration of Intestines	—	—	1	4	1	—	—	—	1	1	—	—	1
Hernia	—	1	—	—	—	—	—	—	1	—	—	—	—
Ileus	2	—	—	—	—	1	—	1	—	1	1	—	—
Intussusception	—	1	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	2	1	1	1	2	3	1	—	1	1	—	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	1	—	—	—	1	—	1	—	1	—	—	—	1
Liver Disease	2	2	1	1	2	—	1	2	—	3	3	—	1
Spleen Disease	1	—	—	—	—	1	—	—	1	—	—	—	—
Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	1
Nephria	3	1	1	—	—	2	—	—	—	1	—	—	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	1	—	—	—	—	—
Diabetes	—	1	—	1	—	—	1	—	—	—	1	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	1	—	1	—	2	3	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	2
Kidney Disease	—	1	1	2	1	—	1	1	2	3	—	—	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	1	—	2	—	1	—	—	—	1	—	—	—	—
Rheumatism	—	1	—	—	—	—	1	—	—	—	—	1	—
Joint Disease	1	1	—	—	—	—	1	—	1	2	—	—	—
Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	1	1	1	—	—	—	—	—
Intemperance	—	—	—	—	—	1	1	—	1	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	1	—	1	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	1	1	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	1	—	—	—	—	—	1	—	—	1	1
Hanging, etc.	—	—	—	—	—	1	—	—	1	—	—	—	1
Suffocation	—	1	—	—	—	—	—	1	—	—	—	—	1
Drowning	1	3	—	—	1	1	—	1	2	—	—	3	4
Fracture and Contusion	2	3	2	3	1	3	—	4	7	1	2	8	5
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Causes	—	—	1	—	—	—	—	1	—	—	—	1	—
Not Specified	3	1	5	6	2	—	3	9	3	9	4	1	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	7813	551	622	2670	1817	925	756	819	580	343
SPECIFIED CAUSES	7733	544	618	2660	1803	921	748	754	576	342
I. Zymotic Class	2163	161	162	576	551	149	214	228	182	88
II. Diseases of Uncertain Seat	213	23	14	141	62	51	37	32	18	14
III. Tubercular Class	1385	95	115	422	308	169	142	139	80	62
IV. Brain and Nervous System	501	25	52	241	112	91	70	55	45	27
V. Organs of Circulation	200	26	20	164	68	52	14	34	20	22
VI. Respiratory Organs	1759	78	108	513	328	156	96	108	96	43
VII. Organs of Digestion	429	28	48	135	80	69	46	53	48	17
VIII. Urinary Organs	58	8	3	34	13	18	3	6	7	4
IX. Organs of Generation	124	6	8	44	17	20	11	12	7	5
X. Organs of Locomotion	35	4	—	16	2	6	6	3	1	1
XI. Skin, etc.	5	—	—	—	1	4	—	2	—	1
XII. Malformation	9	—	3	10	4	3	—	—	3	2
XIII. Premature Debility	354	24	30	124	91	37	26	29	14	8
XIV. Atrophy	61	7	12	26	15	4	11	6	8	5
XV. Age	272	51	33	159	113	72	63	31	33	32
XVI. Sudden Deaths	21	2	—	1	11	1	1	3	—	6
XVII. Violent Deaths	144	6	10	54	27	19	8	13	14	5
I. Small Pox	—	—	—	—	—	—	4	15	—	—
Measles	283	21	41	53	1	4	14	20	31	—
Scarlatina	425	32	31	96	326	6	38	70	56	56
Diphtheria	56	3	10	14	9	7	2	8	8	1
Hooping Cough	376	25	27	148	32	9	76	28	36	5
Croup	102	8	9	37	14	11	7	11	7	3
Thrush	3	—	1	2	2	4	—	1	—	—
Diarrhœa	143	13	15	73	49	24	16	32	12	11
Dysentery	7	1	—	5	11	1	2	2	2	1
Cholera	10	4	1	9	10	—	2	—	1	—
Influenza	17	—	1	4	3	4	—	—	—	—
Purpura	2	—	—	3	3	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—
Typhus	479	34	12	41	46	32	16	27	8	4
Enteric Fever	123	7	8	41	24	23	13	3	13	3
Relapsing Fever	2	—	—	2	1	—	3	—	—	—
Simple Continued Fever	8	1	1	3	—	—	1	—	1	2
Infantile Remittent	27	2	—	2	3	—	11	3	1	—
Metria	34	1	1	10	5	5	3	4	2	1
Rheumatic Fever	6	1	—	9	3	5	1	1	—	1
Erysipelas	30	2	2	10	5	2	1	1	3	—
Pyæmia	1	—	—	3	—	—	—	—	—	—
Syphilis	28	5	2	8	4	9	4	1	1	—
Noma	—	1	—	3	—	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	10	2	1	2	1	1	1	—	—	1
Dropsy	63	5	4	18	26	7	16	10	2	3
Abscess	10	2	1	9	3	3	2	—	—	—
Ulcer	2	—	—	3	—	1	1	1	—	—
Fistula	—	—	—	1	—	—	—	—	—	—
Mortification	7	1	1	2	—	2	1	2	1	—
Cancer	121	13	7	106	32	37	16	19	15	10
Gout	—	—	—	—	—	—	—	—	—	—
III. Scrofula	52	4	8	24	11	5	4	6	2	5
Tabes Mesenterica	104	9	7	34	21	5	20	5	13	2
Phthisis	1023	77	75	291	236	131	98	104	42	45
Hydrocephalus	206	5	25	73	40	28	20	24	23	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	224	246	149	209	137	123	191	265	330	155	159	250	228
SPECIFIED CAUSES . . .	221	239	148	206	134	119	188	257	329	149	156	250	219
Zymotic Class . . .	37	42	39	39	26	22	46	73	116	33	39	97	23
Uncertain Seat . . .	13	1	5	6	6	9	6	4	6	8	4	7	15
Tubercular Class . . .	28	46	25	46	22	15	35	32	58	27	30	37	46
Brain, etc.	21	25	15	24	11	11	21	17	27	18	8	14	26
Heart, etc.	12	18	12	13	11	18	21	12	16	8	4	4	6
Respiratory Organs . . .	31	48	14	28	30	15	18	33	41	21	23	34	47
Digestive Organs . . .	8	16	7	14	9	7	8	23	20	12	16	18	17
Urinary Organs . . .	3	3	2	3	1	—	—	—	4	1	—	—	4
Generative Organs . . .	5	2	—	1	3	1	1	6	2	—	7	—	2
Locomotive Organs . . .	1	2	—	1	—	1	—	1	3	—	1	1	1
Skin	1	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	1	—	1	—	—	—	—	1	1	—	2
Premature Debility . . .	15	18	5	8	3	5	9	12	15	9	10	14	4
Atrophy	2	1	1	—	1	—	2	1	1	1	1	3	1
Age	42	16	21	21	7	13	18	38	18	9	11	17	24
Sudden Deaths	—	—	—	—	1	1	—	—	1	—	1	—	—
Violent Deaths	2	1	1	2	2	1	3	5	1	1	—	4	1
Small Pox	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	10	—	—	—	—	—	7	11	34	—	1	1	6
Scarlatina	—	10	25	23	2	4	7	37	16	12	17	34	—
Diphtheria	2	1	—	—	6	4	3	6	1	2	3	3	—
Hooping Cough	2	15	—	6	3	1	1	4	24	3	4	32	1
Croup	4	2	1	—	2	2	2	—	3	3	3	6	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	7	3	7	4	3	3	9	3	10	6	4	3	3
Dysentery	—	—	1	—	—	1	1	—	3	—	1	—	1
Cholera	—	—	—	—	—	—	—	—	9	—	—	1	—
Influenza	—	2	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	4	—	1	1	2	7	2	6	3	2	5	—
Enteric Fever	4	2	—	4	6	—	4	6	5	1	4	9	8
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	1
Simple Cont. Fever	—	1	—	—	1	—	2	—	1	—	—	2	—
Infantile Remittent	1	—	—	—	1	2	—	—	2	—	—	—	—
Metria	1	—	2	1	—	3	1	1	2	1	—	—	—
Rheumatic Fever	1	1	—	—	1	—	—	—	—	—	—	1	1
Erysipelas	—	1	1	—	—	—	1	1	—	1	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis	—	—	1	—	—	—	—	2	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	1	—	1	1
Dropsy	3	—	—	—	—	2	2	1	1	2	2	1	5
Abscess	1	—	—	—	—	—	—	—	—	1	—	—	1
Ulcer	—	—	—	—	—	—	1	—	—	—	—	1	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	1	—	1	—	—	—	—	—	—	1
Cancer	8	1	5	5	6	6	3	3	5	4	2	4	6
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	1	—	5	1	1	1	2	1	—	2	2	8
Tabes Mesenterica	1	2	3	2	—	1	5	2	5	—	8	7	2
Phthisis	24	36	18	37	20	12	26	26	43	18	16	22	35
Hydrocephalus	3	7	4	2	1	1	3	2	9	9	4	6	1

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	51	4	3	17	6	7	5	13	5	—
Apoplexy	109	6	10	53	25	22	25	12	11	6
Paralysis	116	7	9	78	35	23	22	16	19	9
Delirium Tremens	2	—	1	1	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	—	—	—	—
Epilepsy	13	—	—	6	6	3	2	1	—	1
Tetanus	3	—	—	4	—	1	—	—	—	1
Insanity	5	—	—	1	—	2	1	—	—	—
Convulsions	131	4	6	44	26	15	7	4	7	5
Brain Disease	69	4	23	37	14	18	8	9	3	5
V. Pericarditis	3	—	1	2	1	—	—	—	—	—
Aneurism	2	1	—	3	1	2	1	—	—	—
Heart Disease	195	25	19	159	66	50	13	34	20	22
VI. Laryngitis	12	1	—	5	5	2	1	1	—	—
Bronchitis	1284	58	73	364	240	118	68	73	68	33
Pleurisy	12	—	1	9	2	4	2	1	1	—
Pneumonia	332	18	28	92	54	23	21	28	23	6
Asthma	48	1	2	13	26	2	4	1	3	4
Lung Disease	71	—	4	30	1	7	1	4	1	—
VII. Teething	105	9	7	18	30	16	12	17	5	6
Quinsey	6	—	1	2	1	—	3	1	—	—
Gastritis	11	—	3	1	4	—	—	3	3	—
Enteritis	78	5	8	11	10	9	14	7	3	3
Peritonitis	32	2	1	19	6	4	2	1	6	—
Ascites	4	—	1	4	1	4	—	1	1	—
Ulceration of Intestines	4	—	2	7	—	6	—	2	3	—
Hernia	8	—	—	3	3	4	—	2	2	—
Ileus	20	1	1	10	4	7	—	3	4	—
Intussusception	5	—	2	—	—	—	1	—	—	—
Stricture of Intestines	2	—	—	3	—	1	—	—	1	—
Stomach Disease	61	4	12	14	10	9	1	6	6	4
Pancreas Disease	—	—	—	—	—	1	—	—	—	—
Hepatitis	10	1	2	2	1	1	1	—	3	—
Jaundice	11	—	1	10	3	1	3	2	1	—
Liver Disease	68	6	7	30	7	6	9	7	8	4
Spleen Disease	4	—	—	1	—	—	—	1	2	—
VIII. Nephritis	8	2	1	2	2	—	1	—	1	—
Nephria	23	3	2	17	7	7	1	1	4	1
Addison's Disease	1	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	1	—	—	—	—	—
Diabetes	8	2	—	2	—	2	1	—	—	3
Stone	—	1	—	—	—	—	—	—	—	—
Cystitis	2	—	—	1	1	2	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—
Kidney Disease	16	—	—	11	2	7	—	4	2	—
IX. Paramenia	2	—	—	2	1	—	1	—	—	—
Ovarian Dropsy	6	—	1	12	1	5	1	—	—	—
Childbirth	97	6	6	26	11	12	7	11	6	4
Organs of Generation	19	—	1	4	4	3	2	1	1	1
X. Arthritis	3	—	—	1	1	5	2	—	1	—
Rheumatism	19	2	—	5	1	1	3	—	—	—
Joint and Bone Disease	13	2	—	10	—	—	1	3	—	1
XI. Carbuncle	—	—	—	—	1	—	—	—	—	1
Phlegmon	4	—	—	—	—	1	—	1	—	—
Skin Disease	1	—	—	—	—	3	—	1	—	—
XVII. Intemperance	16	—	—	13	—	2	1	2	1	—
Privation	1	—	—	2	1	—	—	—	—	—
Want of Breast Milk	28	—	—	5	2	2	—	1	—	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	1	—	—	—	—	—
Poison	—	—	—	—	1	1	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	23	2	—	6	7	3	1	3	4	1
Hanging, etc.	1	—	—	1	3	—	—	1	—	1
Suffocation	11	—	1	10	5	4	1	1	4	1
Drowning	12	1	3	—	1	1	—	1	—	—
Fracture and Contusion	43	3	4	15	5	5	5	3	5	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	1	—	—	—	—	—	—
Other Violent Causes	7	—	2	1	1	1	—	1	—	—
Not Specified	80	7	4	10	14	4	8	65	4	1

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1869.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	4	—	—	1	2	1	2	2	—	—	3	3
Apoplexy	5	6	4	7	3	1	4	1	4	2	1	2	7
Paralysis	7	8	5	7	—	3	8	10	7	9	3	2	9
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	1
Epilepsy	—	—	1	—	2	1	1	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	1	—	1	—
Insanity	3	—	—	—	—	1	—	1	—	—	—	—	—
Convulsions	1	3	1	1	2	1	2	3	2	3	2	3	1
Brain Disease	4	4	4	9	3	2	5	—	11	3	2	4	5
Pericarditis	—	—	1	1	—	—	—	—	1	—	—	1	—
Aneurism	—	—	—	—	—	—	—	—	1	—	—	—	—
Heart Disease	12	18	11	12	11	18	21	12	14	8	4	3	6
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	19	37	12	24	20	12	13	27	37	15	20	25	35
Pleurisy	—	1	—	1	—	—	—	—	—	3	1	—	1
Pneumonia	6	7	2	2	9	2	—	3	3	3	2	7	10
Asthma	5	3	—	—	1	1	2	3	—	—	—	2	1
Lung Disease	1	—	—	1	—	—	3	—	1	—	—	—	—
Teething	1	2	1	—	1	—	1	5	3	2	—	1	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	2	—	—	2	1	1
Enteritis	2	2	1	1	1	—	4	5	3	1	5	4	4
Peritonitis	—	2	—	1	1	—	—	3	4	2	—	3	3
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	1	3	4	—	—	—	—	2	2	1	2	1
Hernia	—	—	—	—	1	—	—	1	—	—	—	—	—
Ileus	1	1	—	1	—	—	—	1	—	—	—	—	3
Intussusception	—	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	1	1	4	2	2	2	5	4	1	2	—	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	—	—	1	1	—	—	—	1	—	1	—
Jaundice	—	3	—	1	1	1	—	1	—	—	1	1	—
Liver Disease	1	3	1	2	—	3	1	—	3	2	5	4	3
Spleen Disease	—	—	—	—	—	—	—	—	1	1	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	1
Nephria	2	1	1	2	—	—	—	—	—	1	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	1	1	1	1	—	—	—	2	—	—	—	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	1	—	—	—	1
Childbirth	5	1	—	—	3	1	1	6	1	—	7	—	1
Organs of Generation	—	1	—	1	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	1	—	1	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	1	1
Joint Disease	—	2	—	—	—	—	—	1	3	—	1	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	1	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	1	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	1	—	—	—	1	—	2	—	—	—	1	—
Hanging, etc. . . .	—	—	—	1	—	—	—	1	1	—	—	—	—
Suffocation	—	—	1	1	—	—	1	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	1	—	—	—	—	1	1
Fracture and Contusion	1	—	—	—	1	—	1	1	—	1	—	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	1	—	—	—	—	—
Not Specified	3	7	1	3	3	4	3	8	1	6	3	—	9

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES	11901	80	84	93	242	151	205	101	173	33	18	76	71	198	31	76	25	201
SPECIFIED CAUSES	11432	73	83	89	201	139	196	99	162	30	18	75	70	148	31	75	25	198
I. Zymotic Class	2690	13	18	24	34	24	44	21	35	2	3	20	4	15	4	5	1	44
II. Diseases of Uncert. Seat	417	2	2	4	6	2	9	3	6	2	-	4	2	11	2	7	1	8
III. Tubercular Class	1994	9	16	14	40	24	34	12	36	3	5	4	17	26	5	11	1	24
IV. Brain and Nervous Syst.	983	4	8	3	13	10	28	12	9	2	-	14	10	11	4	7	1	11
V. Organs of Circulation	511	1	1	5	4	1	19	6	7	3	1	5	3	6	1	6	3	10
VI. Respiratory Organs	1595	6	8	11	28	7	18	12	21	2	3	7	13	23	3	7	2	29
VII. Organs of Digestion	834	3	6	4	12	14	8	6	9	10	2	6	1	11	2	6	4	17
VIII. Urinary Organs	186	1	1	2	3	3	8	4	6	1	1	1	2	5	-	1	2	5
IX. Organs of Generation	82	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
X. Organs of Locomotion	58	-	2	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-
XI. Skin, etc.	16	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
XII. Malformation	40	-	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-	1
XIII. Premature Debility	591	1	2	9	5	12	6	6	5	2	2	2	6	9	1	1	1	12
XIV. Atrophy	94	2	1	-	5	-	1	-	-	-	-	-	1	2	-	2	-	-
XV. Age	973	27	14	10	44	29	16	14	26	2	1	4	10	26	7	19	7	34
XVI. Sudden Deaths	19	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
XVII. Violent Deaths	349	4	3	2	6	9	4	3	1	-	-	4	1	1	2	1	1	3
I. Small Pox	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	270	-	1	-	-	5	12	12	-	-	1	-	1	-	-	-	-	-
Scarlatina	750	-	-	-	-	5	3	-	2	-	-	-	-	-	1	-	-	23
Diphtheria	103	-	5	2	-	-	1	-	3	1	-	-	-	-	-	-	-	2
Whooping Cough	421	-	-	-	14	1	4	5	9	-	-	7	-	1	1	-	-	-
Croup	130	-	1	1	1	-	-	-	4	-	-	-	-	2	-	1	-	3
Thrush	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea	252	-	2	1	1	2	8	1	2	-	1	6	2	3	-	-	-	2
Dysentery	45	3	-	-	1	5	-	-	-	1	1	-	-	1	-	1	1	3
Cholera	23	-	-	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	39	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
Purpura	10	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	195	2	2	6	11	-	1	1	5	-	-	4	-	2	2	1	-	2
Enteric Fever	226	1	3	4	5	1	3	1	4	-	-	1	-	1	-	1	-	2
Relapsing Fever	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	32	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Metria	32	2	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever	28	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Erysipelas	48	1	1	-	-	-	5	1	1	-	-	-	-	1	-	-	-	4
Pyæmia	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis	37	1	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	1
Noma	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	16	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Dropsy	115	-	2	1	2	-	-	1	-	-	-	1	-	3	-	3	-	2
Abscess	20	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-
Ulcer	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	15	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Cancer	243	2	-	3	4	2	8	1	6	1	-	2	2	4	2	4	-	6
Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	104	1	1	-	3	-	-	-	6	-	-	-	-	2	-	-	-	1
Tabes Mesenterica	165	-	-	-	1	3	-	1	1	1	-	1	1	4	-	-	-	1
Phthisis	1405	7	14	11	31	20	28	10	29	1	4	2	16	17	3	10	1	20
Hydrocephalus	820	1	1	3	5	1	6	1	-	1	1	1	-	3	2	1	-	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	Kirriemuir.	Monifeth.	Blairgowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	168	120	123	93	54	163	166	150	216	95	73	131	314	183	262	208	261	183	134	203	215
SPECIFIED CAUSES . . .	164	116	120	89	52	155	159	148	204	87	70	124	307	173	245	201	244	176	134	195	200
Zymotic Class . . .	58	35	29	11	16	20	34	30	43	15	10	20	125	57	126	22	58	39	19	55	54
Uncertain Seat . . .	10	2	3	2	5	4	10	5	10	—	3	2	7	8	8	12	13	3	5	12	8
Tubercular Class . . .	15	13	28	18	6	20	24	21	28	20	18	25	36	19	26	63	68	40	22	30	36
Brain, etc.	14	13	19	12	2	16	15	18	23	11	15	15	12	7	8	26	15	9	13	10	19
Heart, etc.	12	3	6	7	2	15	10	12	15	5	2	5	9	7	5	6	13	7	7	7	8
Respiratory Organs . . .	19	15	11	13	3	20	17	23	30	12	5	22	38	25	26	12	29	25	12	20	27
Digestive Organs . . .	8	9	5	5	2	11	12	9	6	7	2	14	23	10	12	18	11	16	12	14	16
Urinary Organs . . .	2	1	2	—	3	3	4	4	—	1	—	1	10	1	3	—	4	—	—	2	4
Generative Organs . . .	—	2	2	1	—	4	—	1	3	—	—	—	1	2	1	6	2	4	1	1	1
Locomotive Organs . . .	—	—	—	2	—	—	1	1	—	—	1	1	1	—	—	2	—	—	1	—	3
Skin	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malformation	2	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
Premature Debility . . .	8	7	5	2	2	5	5	1	15	4	4	4	19	16	7	11	11	14	16	13	6
Atrophy	—	—	—	2	—	3	1	1	3	—	1	—	2	—	4	3	1	2	—	—	1
Age	12	14	7	12	5	29	19	17	24	11	4	12	18	13	13	17	4	13	23	19	12
Sudden Deaths . . .	—	—	—	—	—	1	—	1	—	1	—	2	—	2	—	1	—	2	—	—	—
Violent Deaths . . .	4	1	3	1	6	3	7	4	2	—	5	1	5	6	5	2	15	2	3	12	5
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	1	—	1	—	6	—	—	6	—	17	—	4	7	1	14	16
Scarlatina	46	19	15	—	5	3	6	3	21	1	3	8	93	31	66	6	7	5	2	26	12
Diphtheria	—	2	3	—	—	—	1	1	—	—	—	2	1	2	—	2	3	—	—	—	1
Hooping Cough	—	—	—	7	3	—	4	22	—	3	—	2	1	1	27	1	10	3	1	2	12
Croup	—	1	3	—	1	3	3	1	5	1	1	—	4	5	1	1	2	2	3	2	2
Thrush	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	3	—	1	3	2	6	1	6	—	2	—	3	1	4	3	7	4	2	6	2
Dysentery	2	—	3	—	—	1	—	—	—	1	1	2	—	1	—	—	3	—	—	—	1
Cholera	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	4	—	—	1	—
Purpura	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Typhus	1	1	—	1	2	1	2	—	4	—	—	1	8	6	4	2	10	7	2	1	1
Enteric Fever	4	6	4	1	—	4	6	—	2	2	1	3	1	4	5	3	3	7	5	3	3
Relapsing Fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Cont. Fever	3	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	1	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	2	1	—	1	1	—	1	2	1	1	1	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	1	—	1	—	—	1	—	1	2	—	—	1	—	1	—	—
Erysipelas	1	—	—	—	—	—	—	—	2	—	—	—	1	2	—	3	—	1	1	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—	2	3	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	2	—	—	1	—
Dropsy	2	—	—	—	4	—	7	1	5	—	—	2	1	3	4	3	5	2	1	1	—
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	6	2	3	1	1	2	2	1	3	—	3	—	6	5	2	8	5	1	3	10	8
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	1	1	1	—	1	2	1	1	—	2	2	1	4	1	1	1	1	4	1	2
Tabes Mesenterica	3	—	1	—	—	—	3	—	1	1	3	3	3	2	1	—	5	6	—	—	8
Phthisis	11	12	21	12	5	18	15	15	21	11	9	17	29	6	16	46	43	33	15	25	23
Hydrocephalus	—	—	5	5	1	1	4	5	5	8	4	3	3	7	8	16	19	—	3	4	3

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	114	194	376	67	122	290	132	89	55	184	277	118	108	237	105	186	114	79	131	92	112
SPECIFIED CAUSES . . .	114	193	369	63	120	284	116	82	55	181	269	117	104	234	104	183	107	78	129	89	107
Zymotic Class . . .	17	40	107	13	16	91	32	29	8	62	85	19	19	54	34	78	20	15	62	19	19
Uncertain Seat . . .	1	9	11	3	2	6	2	3	2	10	7	3	5	16	3	3	3	3	4	2	5
Tubercular Class . . .	19	47	75	9	19	40	19	11	14	46	51	34	18	36	26	31	20	10	14	19	17
Brain, etc.	9	9	18	8	5	14	12	7	5	12	15	15	12	24	8	11	2	12	8	7	6
Heart, etc.	6	6	8	3	6	6	3	5	1	7	15	4	4	4	1	9	3	4	2	6	9
Respiratory Organs . . .	22	25	88	10	29	59	15	8	5	13	47	12	14	28	15	14	21	11	10	9	24
Digestive Organs . . .	17	26	16	4	19	27	9	5	4	8	16	6	12	14	7	14	8	8	5	14	10
Urinary Organs . . .	2	1	5	—	4	2	—	—	—	—	3	—	1	—	1	6	3	1	—	1	2
Generative Organs . . .	—	—	4	—	—	—	1	—	—	2	2	3	—	2	1	—	—	1	—	2	—
Locomotive Organs . . .	2	1	4	—	2	—	—	—	2	1	1	—	—	1	—	—	2	—	1	1	2
Skin	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	2	—	—	2	—	1	1	—	—	1	—	1	—	—	—	1	1	2	—
Premature Debility . . .	9	15	13	5	6	12	8	4	3	2	6	8	3	10	3	4	6	5	5	1	4
Atrophy	1	6	4	—	—	1	—	—	—	—	3	—	2	—	—	1	—	1	2	—	—
Age	4	7	8	6	10	12	11	9	6	13	8	4	11	37	3	3	13	3	8	5	7
Sudden Deaths	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Violent Deaths	5	1	5	2	1	10	3	—	4	4	10	8	2	7	2	9	5	3	7	1	2
Small Pox	—	—	2	—	—	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Measles	—	8	9	—	—	15	9	4	2	7	16	—	—	3	1	1	—	2	31	—	—
Scarlatina	3	17	46	7	2	11	—	9	—	22	21	—	—	—	4	46	1	3	7	3	1
Diphtheria	7	1	4	—	1	1	1	4	—	5	5	—	—	2	—	5	1	—	1	—	3
Hooping Cough	3	5	12	4	6	29	14	7	2	14	23	1	3	19	17	10	7	1	10	5	—
Croup	—	2	7	—	—	5	1	—	1	2	1	3	—	2	1	4	1	1	2	—	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	2	8	—	3	6	1	1	—	4	10	2	8	6	8	6	2	3	6	5	2
Dysentery	1	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	2	2	—	—	3	—	—	—	—	—	—	—	1	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—	1	—	—	—	2
Purpura	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Typhus	2	—	1	1	2	17	1	—	1	4	—	4	2	8	—	1	1	1	2	1	4
Enteric Fever	—	—	8	—	1	2	1	1	2	1	1	2	1	8	—	2	3	3	—	4	1
Relapsing Fever	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	—	—	4	—	—	—	1	—	—	1	1	—	—	3	—	1	1	—	—	—	—
Infantile Remittent	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—
Metria	—	1	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	1
Rheumatic Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Erysipelas	—	1	3	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1
Pyæmia	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1
Syphilis	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Dropsy	1	3	5	1	2	1	—	—	—	9	2	3	2	3	1	—	1	2	1	1	2
Abscess	—	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
Ulcer	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	4	4	2	—	5	2	2	2	1	4	—	2	12	1	2	2	1	3	1	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	2	1	1	—	1	—	1	—	3	1	3	—	1	1	2	—	2	3	—	—
Tabes Mesenterica	2	4	10	1	—	2	1	1	3	1	4	10	—	6	—	7	1	4	1	2	1
Phthisis	15	36	54	7	15	25	14	8	9	35	38	15	16	23	18	18	17	4	9	16	14
Hydrocephalus	2	5	10	—	4	12	4	1	2	7	8	6	2	6	7	4	2	—	1	1	2

CAUSES OF DEATH in the SMALL TOWN DISTRICTS OF SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armada.	Borrowstouness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	346	161	224	272	67	136	93	120	129	172	131	253	111	159	118	84	210	114	111	102	102	131
SPECIFIED CAUSES .	333	155	222	266	67	134	91	119	120	165	129	253	98	156	118	84	209	112	111	102	87	128
Zymotic Class . . .	90	53	50	40	16	20	21	55	26	31	17	47	14	40	30	8	27	12	14	14	8	31
Uncertain Seat . . .	9	3	8	9	4	7	5	—	6	4	2	8	6	8	2	6	7	4	1	1	3	8
Tubercular Class . . .	51	25	49	62	12	17	7	14	20	38	16	44	16	13	28	18	43	15	24	15	16	19
Brain, etc.	20	6	17	16	6	9	4	8	6	13	26	29	14	25	13	6	48	13	17	11	9	9
Heart, etc.	2	6	10	5	3	7	6	4	4	17	5	24	3	10	4	5	10	4	14	1	8	2
Respiratory Organs .	57	25	27	46	6	30	19	16	20	19	32	44	13	17	17	19	29	21	11	11	10	23
Digestive Organs . .	33	12	24	12	9	14	6	4	5	7	10	26	4	6	3	10	16	1	9	12	11	8
Urinary Organs . . .	7	4	3	3	1	2	1	2	4	5	2	5	3	2	1	2	5	1	—	3	—	7
Generative Organs .	5	1	1	3	1	2	2	—	1	—	—	2	2	1	1	—	—	1	1	3	1	—
Locomotive Organs .	2	—	—	3	1	—	2	—	1	—	2	—	1	—	—	—	3	—	—	1	2	—
Skin	—	1	1	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Malformation . . .	—	—	—	1	—	—	1	1	—	1	2	1	—	2	—	1	—	1	3	—	1	1
Premature Debility .	19	8	14	29	4	11	13	6	4	5	6	11	5	8	12	6	11	7	4	12	5	2
Atrophy	3	—	4	10	—	2	—	4	—	3	—	—	—	2	—	—	—	5	1	1	—	—
Age	13	8	14	11	2	7	1	1	13	19	5	6	7	17	4	—	10	23	8	6	12	10
Sudden Deaths . . .	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	22	3	—	15	1	4	2	4	10	3	4	6	10	4	3	3	—	4	4	11	1	7
Small Pox	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	15	30	2	—	—	3	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—
Scarlatina	48	11	8	10	8	—	—	2	2	2	2	4	—	11	8	3	7	3	—	1	1	4
Diphtheria	4	—	—	2	—	5	1	5	1	—	—	2	1	3	—	—	2	—	—	—	—	4
Hooping Cough . . .	6	9	—	1	—	4	9	13	2	—	1	10	6	16	1	1	1	3	1	1	—	3
Croup	4	4	1	1	1	1	—	—	2	2	1	1	4	4	1	—	6	—	1	—	2	5
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	6	3	2	5	2	—	—	9	6	6	7	12	2	2	3	2	1	2	5	2	2	1
Dysentery	—	1	—	—	1	—	—	—	3	1	1	—	—	—	1	—	—	—	—	—	—	—
Cholera	—	—	1	1	—	1	—	—	—	1	—	2	1	—	—	—	—	—	1	—	—	—
Influenza	—	2	—	—	1	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	7	3	2	10	—	2	3	1	3	8	—	2	—	2	2	—	3	—	—	—	—	1
Enteric Fever	8	1	3	6	1	—	2	22	4	6	1	7	—	—	8	—	2	1	—	6	2	11
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	1	—	—	1	—	—	—
Infantile Remittent . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Metria	—	1	—	1	—	2	—	1	—	2	1	—	—	—	—	—	—	—	—	—	1	—
Rheumatic Fever . . .	—	2	—	—	—	—	—	—	—	1	—	3	—	1	1	—	—	—	1	1	—	—
Erysipelas	1	—	3	—	—	1	—	—	—	—	—	2	—	—	2	—	1	1	3	1	—	—
Pyæmia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	—	—	—	—	—	3	1	—	—	—	1	—	—	2	—	1	1	—	1	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dropsy	—	2	3	2	2	—	1	—	—	—	—	1	4	1	—	—	2	—	—	—	—	1
Abscess	—	—	—	—	1	1	1	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
Cancer	8	—	5	5	—	5	3	—	6	3	2	5	1	6	1	4	4	3	1	1	3	6
Gout	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scrofula	1	2	7	1	3	2	—	2	2	1	—	2	1	—	3	3	1	1	—	1	3	3
Tabes Mesenterica . .	9	2	2	3	—	2	1	1	1	5	2	3	1	—	1	4	5	1	2	2	3	—
Phthisis	31	20	31	39	9	8	2	9	15	25	10	31	13	12	18	9	29	10	19	9	9	14
Hydrocephalus	10	1	9	19	—	5	4	2	2	7	4	8	1	1	6	2	8	3	3	3	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis	82	-	1	-	1	-	2	-	1	-	-	2	-	3	-	-	-	1
Apoplexy	235	2	1	1	4	3	5	2	3	2	-	4	5	2	-	1	-	3
Paralysis	339	-	4	2	4	3	8	5	4	-	-	1	-	2	2	4	-	5
Delirium Tremens	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	31	-	-	-	-	-	2	-	-	-	-	1	2	1	1	-	-	-
Tetanus	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Insanity	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Convulsions	132	-	2	-	4	3	6	3	1	-	-	5	1	-	-	-	1	1
Brain Disease	142	2	-	-	-	1	5	1	-	-	-	1	1	2	1	2	-	1
V. Pericarditis	12	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Aneurism	12	-	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-
Heart Disease	487	1	1	4	4	1	19	5	6	3	1	5	3	5	-	5	3	10
VI. Laryngitis	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis	1018	5	7	8	21	5	11	5	6	2	2	2	11	16	1	3	1	14
Pleurisy	41	-	-	-	1	-	1	1	-	-	-	-	-	-	-	2	-	6
Pneumonia	406	-	1	3	4	2	5	4	13	-	-	5	2	4	2	2	1	6
Asthma	56	-	-	-	2	-	1	2	1	-	1	-	-	2	-	-	-	1
Lung Disease	62	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
VII. Teething	163	-	-	-	1	8	-	2	2	2	-	-	-	3	-	-	2	5
Quinsey	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	169	-	-	-	2	2	2	-	1	5	1	2	-	1	-	1	-	3
Peritonitis	40	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Ascites	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ulceration of Intestines	30	-	1	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-
Hernia	21	-	1	1	2	-	-	-	1	-	-	-	-	1	-	1	-	-
Ileus	32	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1
Intussusception	7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Stricture of Intestines	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	120	1	-	1	2	-	1	1	1	-	-	2	-	2	1	2	2	7
Pancreas Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	44	-	1	1	3	1	-	1	-	1	1	-	1	-	-	-	-	-
Liver Disease	126	-	-	1	1	1	3	1	2	2	-	1	-	2	-	1	-	1
Spleen Disease	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis	20	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1
Nephria	42	-	-	1	-	1	2	1	1	-	-	-	-	2	-	-	-	1
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	13	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	14	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Stone	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cystitis	40	1	-	-	-	1	3	1	3	-	-	1	1	-	-	1	-	1
Stricture of Urethra	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	51	-	1	-	1	1	-	2	1	1	-	-	1	2	-	-	2	1
IX. Paramenia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	58	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Organs of Generation	13	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Arthritis	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Rheumatism	24	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Joint and Bone Disease	21	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
XI. Carbuncle	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	12	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
XVII. Intemperance	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	34	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1
Hanging, etc.	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	25	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Drowning	84	1	-	-	1	6	-	-	-	-	-	2	-	1	-	-	-	1
Fracture and Contusion	150	-	1	2	3	1	4	1	-	-	-	1	1	-	2	1	1	-
Gunshot Wounds	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Violent Causes	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	469	7	1	4	41	12	9	2	11	3	-	1	1	50	-	1	-	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairstown.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	„ (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis	—	1	—	2	—	1	3	2	2	3	2	—	6	1	3	—	—	—	—	—	—
Apoplexy	1	3	4	6	—	2	1	7	6	2	5	4	2	3	1	12	6	3	4	3	9
Paralysis	6	6	10	2	1	5	6	5	5	5	2	5	4	—	2	7	2	5	2	3	6
Delirium Tremens	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	—	—	1	1	—	3	—	—	3	—	—	1	—	—	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	2	1	—	—	—	1	—	1	1	3	1	—	3	2	3	3	—	4	3	1
Brain Disease	2	1	3	1	1	3	2	4	2	—	3	3	—	—	—	4	3	—	3	1	3
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Aneurism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Heart Disease	12	3	6	7	2	15	10	11	15	5	2	5	9	7	4	6	12	6	7	7	8
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Bronchitis	11	8	7	10	2	10	11	15	22	6	3	7	18	15	12	7	20	21	7	15	16
Pleurisy	1	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	6	7	3	—	1	9	4	8	7	6	2	5	9	6	8	2	9	4	4	4	10
Asthma	1	—	—	2	—	—	—	—	—	—	—	3	1	2	2	—	—	—	—	—	—
Lung Disease	—	—	1	—	—	1	—	—	—	—	—	7	10	—	4	3	—	—	1	—	—
Teething	3	4	2	—	—	1	6	—	1	1	—	—	7	—	2	2	5	3	5	1	1
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Gastritis	—	—	—	—	—	—	—	—	1	—	—	2	—	1	1	1	—	—	—	2	1
Enteritis	1	2	—	4	—	2	1	3	1	3	—	2	3	2	1	4	1	2	—	3	3
Peritonitis	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	2	—	1	1	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—
Ulceration of Intestines	1	—	1	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	1	—
Hernia	—	1	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	2
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	1	2	—	—	2	—	2	1	1	1	4	4	4	3	4	1	1	2	3	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	1	—
Jaundice	—	—	—	—	—	3	1	—	—	—	—	—	1	—	1	—	1	2	—	—	2
Liver Disease	2	1	—	1	1	2	2	3	1	—	—	3	7	—	3	3	2	4	3	1	4
Spleen Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephritis	1	—	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
Nephria	1	—	1	—	1	1	—	1	—	—	—	—	4	—	—	—	2	—	—	—	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	2	2	—	—	—	1	—	—	1	—	1	—	—	2	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	1	—	1	1	1	1	—	1	—	—	3	—	1	—	—	—	—	—	1
Paramenia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ovarian Dropsy	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	—	1	2	1	—	1	—	—	2	—	—	—	1	2	—	5	1	3	1	1	1
Organs of Generation	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—
Arthritis	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	3
Rheumatism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	2	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Intemperance	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Neglect	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Poison	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Hanging, etc.	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	—
Drowning	—	—	—	—	—	—	2	2	—	—	—	—	2	1	—	—	2	—	—	—	—
Fracture and Contusion	3	—	2	—	1	2	2	2	1	—	1	1	3	4	3	1	7	2	—	4	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Other Violent Causes	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1
Not Specified	4	4	3	4	2	8	7	2	12	8	3	7	7	10	17	7	17	7	—	8	15

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	1	1	2	1	1	1	3	1	1	1	1	3	1	2	1	1	1	1	1	1	1
Apoplexy	3	2	6	2	1	4	2	1	4	1	4	3	6	8	1	3	1	2	1	4	1
Paralysis	3	2	1	3	2	3	3	3	1	6	7	4	5	10	1	4	1	1	4	1	3
Delirium Tremens	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chorea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tetanus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Insanity	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Convulsions	1	3	2	1	1	2	1	1	1	1	1	2	1	1	3	1	1	3	2	1	2
Brain Disease	2	1	5	3	1	3	2	1	1	3	2	1	1	1	2	2	1	6	1	2	1
Pericarditis	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Aneurism	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Heart Disease	6	6	8	3	5	5	3	5	1	5	14	4	4	4	1	8	2	4	2	6	9
Laryngitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis	13	17	66	9	22	22	9	5	3	9	31	6	8	23	13	9	19	9	8	7	8
Pleurisy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia	7	6	18	1	5	35	5	1	2	1	2	4	4	2	1	2	2	1	2	2	14
Asthma	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lung Disease	1	1	3	1	1	1	1	1	1	3	5	1	1	1	1	1	1	1	1	1	1
Teething	3	9	6	1	2	12	2	1	1	3	1	1	3	4	1	4	1	1	1	1	1
Quinsey	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Gastritis	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteritis	5	9	5	1	7	4	1	1	2	1	3	2	4	1	2	4	3	2	1	4	1
Peritonitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ascites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ulceration of Intestines	1	1	3	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Hernia	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Ileus	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Intussusception	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Intestines	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stomach Disease	2	3	1	1	3	3	2	1	1	1	1	1	1	5	1	2	1	2	1	2	2
Pancreas Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hepatitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Jaundice	2	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1
Liver Disease	5	2	1	1	2	3	1	1	1	1	4	1	1	1	1	4	1	1	2	1	1
Spleen Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephritis	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephria	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Addison's Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischuria	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Diabetes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stone	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cystitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Urethra	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Kidney Disease	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	4	2	1	1	1	1
Paramenia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ovarian Dropsy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth	1	1	3	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	2	1	1
Organs of Generation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Arthritis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Rheumatism	2	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Joint Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Carbuncle	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Phlegmon	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Skin Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Intemperance	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Privation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Want of Breast Milk	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Neglect	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cold	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poison	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poisoned Wounds	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Burns and Scalds	1	1	1	1	1	1	1	1	1	1	2	2	1	2	1	1	1	1	1	1	1
Hanging, etc.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suffocation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Drowning	2	1	1	1	1	5	2	1	1	1	1	6	1	2	1	1	3	1	1	1	1
Fracture and Contusion	2	1	1	1	1	4	1	1	3	7	6	1	3	1	6	1	1	4	1	1	1
Gunshot Wounds	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cuts and Stabs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Causes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Not Specified	1	1	7	4	2	6	16	7	1	3	8	1	4	3	1	3	7	1	2	3	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	5	—	—	—	—	2	—	—	2	2	—	—	1	1	1	—	3	4	4	2	1	—
Apoplexy . . .	2	—	—	3	3	3	1	2	3	2	5	3	2	1	2	3	6	4	5	2	2	2
Paralysis . . .	5	2	10	4	2	3	2	3	1	6	10	17	9	13	4	3	24	3	5	3	6	4
Delirium Tremens .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	—	—	—	—	—	—	—	—	—	2	4	—	1	—	—	1	—	—	—	—	—
Tetanus . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	4	3	5	5	—	—	—	—	—	3	4	3	1	2	1	—	7	1	3	1	—	—
Brain Disease . . .	3	1	2	4	1	1	1	3	—	—	4	1	1	7	5	—	7	—	3	3	—	3
Pericarditis . . .	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Heart Disease . . .	1	6	10	5	3	7	6	3	2	16	5	24	3	9	4	5	10	3	14	1	8	2
Laryngitis . . .	—	2	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
Bronchitis . . .	44	17	17	29	4	19	14	9	15	13	24	35	5	14	13	10	14	13	6	7	3	14
Pleurisy . . .	—	1	—	—	—	1	1	—	—	1	2	1	—	—	—	3	2	1	—	—	—	1
Pneumonia . . .	7	3	9	7	2	8	3	7	4	3	3	5	5	2	4	6	10	6	4	4	6	7
Asthma . . .	4	2	—	8	—	—	—	—	—	1	2	1	2	1	—	—	3	—	—	—	1	—
Lung Disease . . .	2	—	1	1	—	2	1	—	—	1	1	2	—	—	—	—	—	1	—	—	—	1
Teething . . .	10	—	3	5	3	1	4	—	—	—	—	3	1	1	1	3	—	—	—	2	5	—
Quinsey . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1
Enteritis . . .	7	6	10	2	2	7	—	—	—	1	—	2	—	—	—	2	6	—	1	—	3	—
Peritonitis . . .	2	—	1	—	2	3	—	1	—	1	—	5	—	1	—	1	—	—	1	2	—	1
Ascites . . .	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1
Ulcer. of Intestines	—	1	—	—	—	—	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—
Hernia . . .	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—
Ileus . . .	1	2	—	2	—	1	—	—	1	1	—	—	1	1	—	—	1	—	1	—	—	2
Intussusception . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Strict. of Intestines	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . .	4	—	2	1	2	—	—	—	—	—	2	7	—	1	1	—	1	—	2	4	2	—
Pancreas Disease . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	—	—	—	—	—	—	1	—	2	2	—	—	1	—	1	—	—	—	1	—	—
Jaundice . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	2	—	—	1
Liver Disease . . .	4	1	4	1	—	2	1	1	2	1	4	5	—	—	—	1	5	1	2	1	1	1
Spleen Disease . . .	—	1	1	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Nephria . . .	1	1	1	3	—	—	—	1	2	—	—	—	2	—	—	1	1	—	—	1	—	—
Addison's Disease .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	1	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1
Diabetes . . .	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Stone . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cystitis . . .	2	—	—	—	1	—	—	—	1	2	—	1	—	2	—	—	3	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	—	1	—	—	—	—	1	—	2	1	3	—	—	—	1	1	—	—	1	—	5
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Childbirth . . .	4	1	—	3	—	2	1	—	1	—	—	2	—	1	1	—	—	1	1	1	—	—
Organs of Generation	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—
Arthritis . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—
Rheumatism . . .	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	2	—
Joint Disease . . .	1	—	—	2	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease . . .	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Intemperance . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	5	—	—	—	1	2	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—
Hanging, etc. . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Suffocation . . .	—	1	—	—	—	—	—	—	1	1	—	—	—	1	1	1	—	—	—	—	—	—
Drowning . . .	2	—	—	3	—	—	—	1	4	—	2	4	10	—	1	1	—	1	1	3	—	1
Fracture & Contusion	12	2	—	10	—	1	2	3	2	—	1	1	—	—	—	1	—	3	2	6	1	3
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Causes	—	—	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Not Specified . . .	13	6	2	6	—	2	2	1	9	7	2	—	13	3	—	—	1	2	—	—	15	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES	6021	27	47	54	119	75	101	48	82	20	11	47	36	95	16	35	11	95
SPECIFIED CAUSES	5777	26	46	51	103	71	96	46	75	17	11	46	35	67	16	35	11	94
I. Zymotic Class	1362	4	10	15	11	10	20	9	22	1	1	16	2	7	2	2	1	26
II. Diseases of Uncert. Seat	161	1	1	2	3	2	3	1	1	2	—	2	1	6	2	2	1	3
III. Tubercular Class	1004	5	9	7	27	14	17	6	16	2	4	2	11	14	2	7	1	7
IV. Brain and Nervous Syst.	498	1	5	1	5	6	18	7	4	—	—	9	5	8	1	1	1	6
V. Organs of Circulation	267	1	1	2	4	1	7	4	3	1	1	3	2	3	—	3	1	6
VI. Respiratory Organs	849	3	5	8	9	4	9	7	12	2	1	2	6	4	3	4	—	13
VII. Organs of Digestion	450	1	5	3	9	5	5	2	3	6	2	4	—	6	1	3	2	8
VIII. Urinary Organs	121	1	—	—	3	1	6	2	6	1	—	1	2	3	—	—	1	5
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	29	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
XI. Skin, etc.	11	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—
XII. Malformation	17	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	323	1	1	7	4	8	3	5	—	1	1	—	2	5	1	—	—	6
XIV. Atrophy	42	—	1	—	3	—	—	—	—	—	—	—	—	1	—	1	—	—
XV. Age	362	6	5	4	19	9	4	2	7	—	1	2	4	8	4	10	2	14
XVI. Sudden Deaths	6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
XVII. Violent Deaths	275	2	2	1	6	8	3	1	1	—	—	3	—	1	—	1	1	—
I. Small Pox	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	137	—	1	—	—	2	3	4	—	—	1	—	—	—	—	—	—	—
Scarlatina	416	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	14
Diphtheria	51	—	2	—	—	—	1	—	1	1	—	—	—	—	—	—	—	2
Hooping Cough	179	—	—	—	5	1	2	2	5	—	—	6	—	1	—	—	—	—
Croup	70	—	—	1	—	—	—	—	3	—	—	—	—	2	—	—	—	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	138	—	1	1	—	1	5	—	2	—	—	5	2	2	—	—	—	1
Dysentery	20	1	—	—	1	2	—	—	—	—	—	—	—	1	—	—	1	1
Cholera	13	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	20	—	—	7	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Purpura	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	106	1	—	3	5	—	—	1	2	—	—	3	—	—	2	1	—	1
Enteric Fever	104	1	3	3	—	—	1	1	4	—	—	1	—	—	—	1	—	1
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	19	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	14	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—
Erysipelas	27	—	1	—	—	—	3	1	1	—	—	—	—	1	—	—	—	3
Pyæmia	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	20	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	10	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Dropsy	50	—	1	—	1	—	—	—	—	—	—	—	—	2	—	2	—	2
Abscess	11	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	1	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	80	1	—	2	2	2	3	—	1	1	—	1	1	1	2	—	—	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	64	—	1	—	2	—	—	—	4	—	—	—	—	1	—	—	—	—
Tabes Mesenterica	95	—	—	—	1	2	—	—	—	1	—	1	1	3	—	—	—	—
Phthisis	675	4	7	5	20	11	16	5	12	—	3	1	10	8	2	7	1	7
Hydrocephalus	170	1	1	2	4	1	1	1	—	1	1	—	—	2	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES	85	65	59	51	27	77	79	64	99	52	36	70	186	101	133	98	145	87	53	104	108
SPECIFIED CAUSES	83	62	58	49	27	73	76	63	92	46	33	66	181	94	123	96	133	82	53	101	102
Zymotic Class	29	16	10	7	10	9	20	12	19	7	7	7	71	25	66	8	33	19	11	27	25
Uncertain Seat	4	—	2	1	1	1	3	2	2	—	1	2	3	3	5	6	5	—	—	5	4
Tubercular Class	6	4	13	12	4	10	11	12	15	11	7	15	19	14	10	33	31	19	9	10	15
Brain, etc.	6	9	8	6	2	11	6	8	16	7	8	8	9	4	3	13	8	3	2	4	10
Heart, etc.	7	2	3	3	1	8	3	4	8	1	1	2	6	3	3	3	8	5	2	2	3
Respiratory Organs	13	9	8	8	1	9	11	10	14	8	3	11	25	20	19	4	16	14	5	14	20
Digestive Organs	6	6	4	4	1	5	5	5	3	5	—	6	12	3	3	11	5	10	5	8	7
Urinary Organs	1	—	—	—	2	1	3	2	—	—	—	1	9	1	2	—	1	—	—	2	2
Generative Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	1	—	—	—	—	2
Skin	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	1	5	4	2	—	4	3	1	8	3	2	2	11	10	1	8	7	6	10	9	4
Atrophy	—	—	—	1	—	—	—	1	1	—	—	—	1	—	2	1	1	1	—	—	—
Age	5	9	3	4	2	12	6	3	5	4	—	8	10	4	6	6	4	4	7	11	5
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
Violent Deaths	4	1	3	1	3	3	5	2	1	—	3	1	4	6	3	2	14	1	2	9	5
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	4	—	—	3	—	10	—	2	6	—	5	7
Scarlatina	24	11	5	—	4	1	4	3	10	1	2	2	57	13	36	4	5	2	—	13	7
Diphtheria	—	1	1	—	—	—	—	1	—	—	—	2	—	—	—	2	1	—	—	—	—
Hooping Cough	—	—	—	4	—	—	4	8	—	1	—	—	—	—	10	—	4	—	1	1	5
Croup	—	1	1	—	1	2	2	—	2	1	1	—	1	1	1	—	2	1	2	2	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	2	—	1	2	2	4	—	4	—	1	—	1	1	2	—	3	2	1	4	2
Dysentery	2	—	1	—	1	1	—	—	—	—	1	—	—	1	—	—	2	—	—	—	—
Cholera	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—
Purpura	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	1	1	1	2	—	3	—	—	1	6	3	3	1	6	5	2	1	1
Enteric Fever	1	—	1	—	—	1	1	—	—	—	—	1	1	2	4	—	3	2	3	1	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—
Dropsy	1	—	—	—	1	—	3	—	1	—	—	2	1	—	4	2	4	—	—	—	—
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	2	1	—	—	—	—	—	—	1	—	2	3	—	3	—	—	—	5	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	1	1	—	—	1	2	1	1	—	1	—	1	4	1	—	1	—	3	—	1
Tabes Mesenterica	2	—	1	—	—	—	2	—	—	1	1	1	2	2	1	—	1	—	—	—	2
Phthisis	4	3	7	7	3	9	4	9	11	4	4	12	15	2	5	27	20	14	3	8	11
Hydrocephalus	—	—	4	5	1	—	3	2	3	6	1	2	1	6	3	6	9	—	3	2	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	57	104	198	35	50	133	66	38	31	88	141	64	55	106	51	99	54	39	63	46	55
SPECIFIED CAUSES . . .	57	103	194	33	49	130	57	36	31	87	139	64	53	106	51	99	50	38	61	43	53
Zymotic Class . . .	8	22	52	8	5	44	15	15	3	31	36	7	8	34	13	40	11	10	32	11	13
Uncertain Seat . . .	1	4	5	1	—	1	1	—	—	5	3	2	1	2	1	1	—	1	—	—	3
Tubercular Class . . .	6	23	40	4	8	15	10	6	11	17	23	18	11	22	14	18	8	2	8	8	8
Brain, etc.	5	7	13	3	1	5	4	5	3	7	5	8	5	11	4	5	—	6	3	2	4
Heart, etc.	2	5	4	1	3	1	2	1	—	5	12	3	3	1	—	5	—	2	—	4	5
Respiratory Organs . . .	13	15	49	4	12	27	7	4	2	7	31	9	8	12	9	8	9	5	3	3	9
Digestive Organs . . .	9	11	8	3	11	13	7	1	1	2	11	5	7	7	5	7	2	5	4	7	5
Urinary Organs . . .	1	1	4	—	1	2	—	—	—	—	1	—	—	—	1	3	3	1	—	1	2
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	1	3	—	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	1
Skin	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1	2	—
Premature Debility . . .	6	11	5	3	3	8	4	1	2	2	4	4	2	3	1	3	5	2	1	1	1
Atrophy	1	1	3	—	—	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—
Age	1	2	3	4	2	5	5	3	4	7	3	1	6	6	1	1	6	1	3	4	1
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	3	—	3	2	1	8	2	—	3	3	8	7	1	6	2	7	5	2	6	—	1
Small Pox	—	—	2	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Measles	—	2	3	—	—	4	7	1	1	4	9	—	—	—	1	1	—	1	18	—	—
Scarlatina	2	9	29	5	1	6	—	6	—	12	9	—	—	—	2	23	—	3	2	2	1
Diphtheria	3	—	1	—	—	1	—	3	—	3	1	—	—	2	—	2	1	—	1	—	1
Hooping Cough	1	4	4	2	1	15	4	3	1	7	7	—	2	12	6	5	4	1	3	2	—
Croup	—	2	2	—	—	3	1	—	—	1	—	1	—	2	—	1	—	1	1	—	2
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	1	2	5	—	2	2	1	—	—	1	5	—	4	4	4	4	2	1	3	4	1
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—	1	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Typhus	1	—	—	1	1	9	—	—	1	1	—	3	—	3	—	—	1	—	1	1	4
Enteric Fever	—	—	4	—	—	1	1	—	—	1	1	—	—	6	—	2	1	2	—	2	—
Relapsing Fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . .	—	—	2	—	—	—	—	—	—	1	—	—	—	3	—	1	1	—	—	—	—
Infantile Remittent	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Syphilis	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Dropsy	1	2	3	1	—	—	—	—	—	5	—	2	—	1	1	—	—	1	—	—	1
Abscess	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	1	—	—	—	1	1	—	—	—	2	—	1	1	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	2	—	1	—	—	—	—	—	—	1	2	—	1	—	2	—	—	2	—	—
Tabes Mesenterica	1	2	7	—	—	1	1	—	3	1	3	7	—	5	—	7	—	2	—	—	—
Ththisis	4	16	29	3	6	9	7	5	7	14	14	8	10	13	8	7	8	—	6	8	8
Hydrocephalus	1	—	4	—	2	5	2	1	1	2	5	1	1	3	6	2	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armada.	Borrowstouness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	200	89	113	138	44	81	50	61	65	94	68	103	55	84	60	41	121	53	52	59	51	68
SPECIFIED CAUSES . . .	193	86	112	134	44	79	49	60	60	89	68	103	50	82	60	41	120	52	52	59	45	66
Zymotic Class . . .	60	28	25	18	11	14	9	19	11	15	9	20	5	21	15	7	16	6	6	8	5	19
Uncertain Seat . . .	3	2	3	2	1	2	3	—	4	1	—	4	2	5	1	2	5	3	—	—	1	2
Tubercular Class . . .	30	13	25	29	8	9	5	10	12	20	6	15	8	5	14	7	25	4	16	11	9	12
Brain, etc.	10	1	7	9	6	7	1	3	2	6	17	10	7	13	6	5	26	6	6	7	2	6
Heart, etc.	1	4	8	1	3	6	5	2	3	10	4	8	2	8	2	1	6	2	5	1	4	1
Respiratory Organs . . .	30	14	15	27	4	15	11	12	8	11	19	20	7	9	9	8	14	10	7	6	4	9
Digestive Organs . . .	17	10	13	8	6	9	4	3	4	4	2	14	4	3	2	5	9	1	4	7	7	4
Urinary Organs . . .	6	2	1	1	1	2	1	2	4	4	1	3	1	2	—	1	4	1	—	2	—	2
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	—	—	1	—	2	—	—	—	2	—	—	—	—	—	1	—	—	—	2	—
Skin	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Malformation	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3	—	1	1
Premature Debility . . .	10	4	7	17	2	7	5	4	2	—	3	4	3	3	8	4	8	5	1	5	3	—
Atrophy	2	—	2	6	—	1	—	1	—	1	—	—	—	2	—	—	—	2	—	—	—	—
Age	4	4	6	3	—	1	—	—	3	15	1	—	1	7	2	—	6	8	1	3	6	3
Sudden Deaths	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	20	3	—	12	1	4	2	4	7	2	4	5	10	2	1	1	—	4	3	9	1	7
Small Pox	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	10	20	—	—	—	3	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Scarlatina	32	6	4	6	7	—	—	2	1	—	2	2	—	4	5	3	3	2	—	—	1	2
Diphtheria	3	—	—	1	—	4	—	2	1	—	—	1	1	2	—	—	1	—	—	—	—	1
Hooping Cough	3	3	—	—	—	2	3	5	—	—	1	4	2	8	—	—	—	—	—	1	—	3
Croup	3	1	—	1	1	1	—	—	1	1	—	—	2	2	—	—	5	—	—	—	1	4
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	4	2	—	4	2	—	—	2	3	4	3	6	—	2	—	2	—	1	2	1	2	—
Dysentery	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	6	2	—	2	—	1	1	—	1	6	—	—	—	2	1	—	1	—	—	—	—	—
Enteric Fever	4	1	—	2	—	—	1	8	2	2	1	5	—	—	4	—	2	1	—	4	1	7
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Cont. Fever	—	—	—	—	—	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Infantile Remittent	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—
Erysipelas	1	—	1	—	—	1	—	—	—	—	—	1	—	—	2	—	1	1	2	—	—	—
Pyæmia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dropsy	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	3	—	2	1	—	2	2	—	4	—	—	2	—	4	1	2	3	2	—	—	1	2
Gout	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scrofula	1	—	3	—	3	2	—	1	1	1	—	1	1	—	2	2	1	—	—	1	3	3
Tabes Mesenterica	6	1	1	1	—	1	—	1	1	3	1	1	1	—	1	—	—	—	1	2	3	—
Phthisis	14	11	14	18	5	4	2	6	9	14	3	10	6	4	8	4	19	4	14	3	3	7
Hydrocephalus	9	1	7	10	—	2	3	2	1	2	2	3	—	1	3	1	5	—	1	3	—	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis	49	—	1	—	—	—	2	—	—	—	—	2	—	1	—	—	—	1
Apoplexy	115	1	1	—	2	1	3	1	2	—	—	1	3	2	—	—	—	1
Paralysis	154	—	3	1	—	1	6	2	1	—	—	—	—	1	—	—	—	3
Delirium Tremens . . .	6	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	18	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Tetanus	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Convulsions	71	—	—	—	3	3	3	2	1	—	—	4	—	—	—	—	1	—
Brain Disease	77	—	—	—	—	1	4	1	—	—	—	1	—	2	—	—	—	1
V. Pericarditis	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	8	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Heart Disease	253	1	1	2	4	1	7	4	2	1	1	3	2	2	—	3	1	6
VI. Laryngitis	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	508	2	4	5	5	3	6	2	3	2	—	—	5	4	1	1	—	6
Pleurisy	24	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	4
Pneumonia	235	—	1	3	2	1	2	2	7	—	—	2	1	—	2	2	—	3
Asthma	33	—	—	—	1	—	1	2	1	—	1	—	—	—	—	—	—	—
Lung Disease	44	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	90	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	1	3
Quinsey	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	99	—	—	—	2	1	2	—	—	4	1	1	—	—	—	1	—	—
Peritonitis	24	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	16	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	11	—	1	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—
Ileus	22	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Intussusception	5	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Intestines .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	52	—	—	1	2	—	1	—	—	—	—	2	—	1	—	2	1	4
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	25	—	1	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Liver Disease	65	—	—	—	—	1	1	1	2	—	—	1	—	2	—	—	—	1
Spleen Disease	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	17	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
Nephria	19	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	10	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Stone	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis	35	1	—	—	—	1	3	1	3	—	—	1	1	—	—	—	—	1
Stricture of Urethra . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	30	—	—	—	1	—	—	1	1	1	—	—	1	2	—	—	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Rheumatism	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease .	11	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	8	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
XVII. Intemperance . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	20	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Hanging, etc. . . .	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	13	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	73	1	—	—	1	6	—	—	—	—	—	2	—	1	—	—	—	—
Fracture and Contusion .	126	—	1	1	3	1	3	—	—	—	—	—	—	—	—	1	1	—
Gunshot Wounds	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes . .	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	244	1	1	3	16	4	5	2	7	3	—	1	1	28	—	—	—	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blaigowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward)	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis	1	1	1	1	1	1	2	1	2	3	1	1	5	1	1	1	1	1	1	1	1
Apoplexy	1	2	3	3	1	1	1	3	3	1	2	3	1	2	1	5	4	1	1	2	6
Paralysis	2	4	2	2	1	2	2	3	2	3	1	3	3	1	3	1	1	2	1	1	1
Delirium Tremens	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chorea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy	1	1	1	1	1	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Tetanus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Insanity	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Convulsions	3	2	1	1	1	1	1	1	1	1	2	1	1	1	2	2	2	1	1	1	1
Brain Disease	1	1	3	1	1	3	1	2	2	1	2	1	1	1	1	3	1	1	1	1	3
Pericarditis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Aneurism	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Heart Disease	7	2	3	3	1	8	3	4	8	1	1	2	6	3	2	3	7	4	2	2	3
Laryngitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis	8	3	6	7	1	5	7	4	12	4	2	4	13	11	8	3	9	10	1	9	12
Pleurisy	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1
Pneumonia	4	6	2	1	1	3	2	6	2	4	1	2	3	5	7	1	7	4	3	4	7
Asthma	1	1	1	1	1	1	1	1	1	1	1	3	1	2	1	1	1	1	1	1	1
Lung Disease	1	1	1	1	1	1	1	1	1	1	1	2	9	1	4	1	1	1	1	1	1
Teething	2	4	2	1	1	3	1	1	1	1	1	1	4	1	1	1	1	3	2	1	1
Quinsey	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Gastritis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteritis	1	2	1	3	1	1	1	2	1	2	1	2	1	1	3	1	2	1	3	1	1
Peritonitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ascites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ulceration of Intestines	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
Hernia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ileus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Intussusception	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Intestines	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stomach Disease	1	1	2	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1
Pancreas Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hepatitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Jaundice	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Liver Disease	2	1	1	1	1	1	1	2	1	1	1	2	3	1	1	3	1	2	2	1	2
Spleen Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephritis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephria	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	2
Addison's Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischuria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stone	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Cystitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Urethra	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
Kidney Disease	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
Paramenia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ovarian Dropsy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Organs of Generation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Arthritis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Rheumatism	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Joint Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Carbuncle	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Phlegmon	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Skin Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Intemperance	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Privation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Want of Breast Milk	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Neglect	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cold	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poison	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poisoned Wounds	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Burns and Scalds	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hanging, etc.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suffocation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Drowning	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fracture and Contusion	3	1	2	1	1	2	2	1	1	1	1	1	3	4	1	1	7	1	1	1	1
Gunshot Wounds	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cuts and Stabs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Causes	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Not Specified	2	3	1	2	1	4	2	1	7	6	3	4	5	7	10	2	12	5	1	3	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	-	-	1	-	-	1	1	1	-	1	-	2	-	1	-	1	-	-	-	-	-
Apoplexy	1	2	4	2	-	-	-	-	2	1	1	2	2	5	-	1	-	-	-	1	-
Paralysis	1	1	1	1	-	1	1	2	-	3	4	3	2	4	-	3	-	-	1	-	2
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	3	2	-	-	1	-	-	1	1	-	-	1	1	2	-	-	1	1	-	1
Brain Disease	2	1	4	-	1	2	1	1	-	1	-	-	-	-	2	-	-	5	1	1	1
Pericarditis	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Heart Disease	2	5	4	1	3	1	2	1	-	3	11	3	3	1	-	4	-	2	-	4	5
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	7	9	33	3	9	8	3	3	1	5	17	4	5	10	8	5	9	4	3	3	2
Pleurisy	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1
Pneumonia	5	5	13	1	2	18	4	1	1	1	6	4	2	1	-	1	-	-	-	-	5
Asthma	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Lung Disease	1	-	3	-	1	-	-	-	-	1	5	-	-	-	1	-	-	1	-	-	1
Teething	1	6	2	-	-	8	2	-	-	1	-	-	2	3	-	1	-	-	1	-	-
Quinsey	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Gastritis	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	3	-
Enteritis	1	1	2	-	5	-	-	-	1	1	2	1	3	1	2	3	1	2	-	2	1
Peritonitis	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	3	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Ileus	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-
Intussusception	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	2	1	-	-	3	1	2	-	-	-	-	-	-	1	-	1	-	1	-	-	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1
Jaundice	2	-	-	1	1	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
Liver Disease	3	1	-	-	1	1	-	-	-	-	2	-	-	1	-	2	-	1	2	1	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatism	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Joint Disease	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	-	-
Hanging, etc.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Drowning	1	-	-	1	-	4	1	-	1	-	-	-	1	2	1	1	3	-	-	-	-
Fracture and Contusion	1	-	1	-	-	3	-	-	-	3	7	6	-	3	1	5	1	-	4	-	1
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	-	1	4	2	1	3	9	2	-	1	2	-	2	-	-	-	4	1	2	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Arncliffe.	Borrowstouness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	3	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	3	4	1	1	-	-
Apoplexy . . .	-	-	-	2	3	2	1	-	2	4	1	1	1	1	1	2	3	1	2	1	1	1
Paralysis . . .	3	-	6	3	2	3	-	1	1	2	4	5	4	8	2	3	12	1	1	1	1	3
Delirium Tremens .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-
Tetanus . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions . . .	1	-	1	3	-	-	-	-	-	1	4	2	1	-	-	-	4	-	2	1	-	-
Brain Disease . . .	2	1	-	1	1	-	-	2	-	-	2	-	-	3	3	-	3	-	-	2	-	2
Pericarditis . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Aneurism . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Heart Disease . . .	1	4	8	1	3	6	5	1	1	10	4	8	2	7	2	1	6	1	5	1	4	1
Laryngitis . . .	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Bronchitis . . .	22	11	11	14	2	8	8	8	6	7	12	12	4	8	9	5	7	5	3	3	-	4
Pleurisy . . .	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	1
Pneumonia . . .	3	2	4	5	2	5	2	4	2	3	3	4	-	1	-	3	5	3	3	3	4	4
Asthma . . .	3	-	-	6	-	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-
Lung Disease . . .	2	-	-	1	-	2	1	-	-	1	1	2	-	-	-	-	-	1	-	-	-	-
Teething . . .	6	-	3	3	3	-	3	-	-	-	-	3	1	1	-	1	-	-	-	2	4	-
Quinsey . . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1
Enteritis . . .	5	4	5	2	1	7	-	-	-	1	-	1	-	-	-	2	4	-	-	-	2	-
Peritonitis . . .	1	-	1	-	-	2	-	1	-	-	-	3	-	1	-	1	-	-	-	2	-	1
Ascites . . .	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer. of Intestines	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia . . .	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Ileus . . .	1	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1
Intussusception . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Strict. of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . .	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	1	-
Pancreas Disease . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Jaundice . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-
Liver Disease . . .	1	1	2	1	-	-	1	-	2	-	-	4	-	-	-	-	2	1	1	-	-	1
Spleen Disease . . .	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Nephria . . .	1	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Addison's Disease .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Diabetes . . .	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	1	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	3	1	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	1	-	1	-	-	-	-	1	-	1	-	2	-	-	-	1	1	-	-	1	-	1
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Rheumatism . . .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
Joint Disease . . .	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . .	4	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hanging, etc. . .	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Suffocation . . .	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1
Drowning . . .	2	-	-	2	-	-	-	1	4	-	2	3	10	-	1	1	-	-	-	2	-	-
Fracture & Contusion	12	2	-	9	-	1	2	3	2	-	1	1	-	-	-	-	-	3	2	5	1	3
Gunshot Wounds . .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cuts and Stabs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Not Specified . . .	7	3	1	4	-	2	1	1	5	5	-	-	5	2	-	-	1	1	-	-	6	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nain.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES	5880	53	37	39	123	76	104	53	91	13	7	29	35	103	15	41	14	106
SPECIFIED CAUSES	5655	47	37	38	98	68	100	53	87	13	7	29	35	81	15	40	14	104
I. Zymotic Class	1328	9	8	9	23	14	24	12	13	1	2	4	2	8	2	3	-	18
II. Diseases of Uncert. Seat	256	1	1	2	3	-	6	2	5	-	-	2	1	5	-	5	-	5
III. Tubercular Class	990	4	7	7	13	10	17	6	20	1	1	2	6	12	3	4	-	17
IV. Brain and Nervous Syst.	485	3	3	2	8	4	10	5	5	2	-	5	5	3	3	6	-	5
V. Organs of Circulation	244	-	-	3	-	-	12	2	4	2	-	2	1	3	1	3	2	4
VI. Respiratory Organs	746	3	3	3	19	3	9	5	9	-	2	5	7	19	-	3	2	16
VII. Organs of Digestion	384	2	1	1	3	9	3	4	6	4	-	2	1	5	1	3	2	9
VIII. Urinary Organs	65	-	1	2	-	2	2	2	-	-	1	-	-	2	-	1	1	-
IX. Organs of Generation	82	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
X. Organs of Locomotion	29	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
XI. Skin, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. Malformation	23	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1
XIII. Premature Debility	268	-	1	2	1	4	3	1	5	1	1	2	4	4	-	1	1	6
XIV. Atrophy	52	2	-	-	2	-	1	-	-	-	-	-	1	1	-	1	-	-
XV. Age	611	21	9	6	25	20	12	12	19	2	-	2	6	18	3	9	5	20
XVI. Sudden Deaths	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	74	2	1	1	-	1	1	2	-	-	-	1	1	-	2	-	-	3
I. Small Pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	133	-	-	-	-	3	9	8	-	-	-	-	1	-	-	-	-	-
Scarlatina	334	-	-	-	-	4	1	-	1	-	-	-	-	-	1	-	-	9
Diphtheria	52	-	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Hooping Cough	242	-	-	-	9	-	2	3	4	-	-	1	-	-	1	-	-	-
Croup	60	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	2
Thrush	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea	114	-	1	-	1	1	3	1	-	-	1	1	-	1	-	-	-	1
Dysentery	25	2	-	-	-	3	-	-	-	1	1	-	-	-	-	1	-	2
Cholera	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	19	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Purpura	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	89	1	2	3	6	-	1	-	3	-	-	1	-	2	-	-	-	1
Enteric Fever	122	-	-	1	5	1	2	-	-	-	-	-	-	1	-	-	-	1
Relapsing Fever	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	13	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Metria	32	2	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	21	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Pyæmia	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis	17	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Noma	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dropsy	65	-	1	1	1	-	-	1	-	-	-	1	-	1	-	1	-	-
Abscess	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	163	1	-	1	2	-	5	1	5	-	-	1	1	3	-	4	-	5
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	40	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	1
Tabes Mesenterica	70	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	1
Phthisis	730	3	7	6	11	9	12	5	17	1	1	1	6	9	1	3	-	13
Hydrocephalus	150	-	-	1	1	-	5	-	-	-	-	1	-	1	2	1	-	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairstown.	Crieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgb).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	83	55	64	42	27	86	87	86	117	43	37	61	128	82	129	110	116	96	81	99	107
SPECIFIED CAUSES . . .	81	54	62	40	25	82	83	85	112	41	37	58	126	79	122	105	111	94	81	94	98
Zymotic Class . . .	29	19	19	4	6	11	14	18	24	8	3	13	54	32	60	14	25	20	8	28	29
Uncertain Seat . . .	6	2	1	1	4	3	7	3	8	—	2	—	4	5	3	6	8	3	5	7	4
Tubercular Class . . .	9	9	15	6	2	10	13	9	13	9	11	10	17	5	16	30	37	21	13	20	21
Brain, etc.	8	4	11	6	—	5	9	10	7	4	7	7	3	3	5	13	7	6	11	6	9
Heart, etc.	5	1	3	4	1	7	7	8	7	4	1	3	3	4	2	3	5	2	5	5	5
Respiratory Organs . . .	6	6	3	5	2	11	6	13	16	4	2	11	13	5	7	8	13	11	7	6	7
Digestive Organs . . .	2	3	1	1	1	6	7	4	3	2	2	8	11	7	9	7	6	6	7	6	9
Urinary Organs . . .	1	1	2	—	1	2	1	2	—	1	—	—	1	—	1	—	3	—	—	—	2
Generative Organs . . .	—	2	2	1	—	4	—	1	3	—	—	—	1	2	1	6	2	4	1	1	1
Locomotive Organs . . .	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	1
Skin	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malformation	1	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
Premature Debility . . .	7	2	1	—	2	1	2	—	7	1	2	2	8	6	6	3	4	8	6	4	2
Atrophy	—	—	—	1	—	3	1	—	2	—	1	—	1	—	2	2	—	1	—	—	1
Age	7	5	4	8	3	17	13	14	19	7	4	4	8	9	7	11	—	9	16	8	7
Sudden Deaths	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	2	—	—	—
Violent Deaths	—	—	—	—	3	—	2	2	1	—	2	—	1	—	2	—	1	1	1	3	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	1	—	1	—	2	—	—	3	—	7	—	2	1	1	9	9
Scarlatina	22	8	10	—	1	2	2	—	11	—	1	6	36	18	30	2	2	3	2	13	5
Diphtheria	—	1	2	—	—	—	—	1	—	—	—	—	1	2	—	2	—	—	—	—	1
Hooping Cough	—	—	—	3	3	—	—	14	—	2	—	2	1	1	17	1	6	3	—	1	7
Croup	—	—	2	—	—	1	1	1	3	—	—	—	3	4	—	1	—	1	1	—	—
Thrush	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	1	—	—	1	—	2	1	2	—	1	—	2	—	2	3	4	2	1	2	—
Dysentery	—	—	2	—	—	—	—	—	—	1	—	2	—	—	—	—	1	—	—	—	1
Cholera	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Purpura	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	1	1	—	—	1	—	—	—	1	—	—	—	2	3	1	1	4	2	—	—	—
Enteric Fever	3	6	3	1	—	3	5	—	2	2	1	2	—	2	1	3	—	5	2	2	2
Relapsing Fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	2	1	—	1	—	—	1	2	1	1	1	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	—	1	—	1	—	—
Erysipelas	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	2	—	1	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Dropsy	1	—	—	—	3	—	4	1	4	—	—	—	—	3	—	1	1	2	1	1	—
Abscess	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	4	2	1	—	1	2	2	1	3	—	2	—	4	2	2	5	5	1	3	5	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	—	—	1	—	—	—	—	—	—	1	2	—	—	—	1	—	1	1	1	1
Tabes Mesenterica	1	—	—	—	—	—	1	—	1	—	—	2	2	1	—	—	4	1	—	—	6
Phthisis	7	9	14	5	2	9	11	6	10	7	5	5	14	4	11	19	23	19	12	17	12
Hydrocephalus	—	—	1	—	—	1	1	3	2	2	3	1	2	1	5	10	10	—	—	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	57	90	178	32	72	157	66	51	24	96	136	54	53	131	54	87	60	40	68	46	57
SPECIFIED CAUSES . . .	57	90	175	30	71	154	59	46	24	94	130	53	51	128	53	84	57	40	68	46	54
Zymotic Class . . .	9	18	55	5	11	47	17	14	5	31	49	12	11	20	21	38	9	5	30	8	6
Uncertain Seat . . .	—	5	6	2	2	5	1	3	2	5	4	1	4	14	2	2	3	2	4	2	2
Tubercular Class . . .	13	24	35	5	11	25	9	5	3	29	28	16	7	14	12	13	12	8	6	11	9
Brain, etc.	4	2	5	5	4	9	8	2	2	5	10	7	7	13	4	6	2	6	5	5	2
Heart, etc.	4	1	4	2	3	5	1	4	1	2	3	1	1	3	1	4	3	2	2	2	4
Respiratory Organs . . .	9	10	39	6	17	32	8	4	3	6	16	3	6	16	6	6	12	6	7	6	15
Digestive Organs . . .	8	15	8	1	8	14	2	4	3	6	5	1	5	7	2	7	6	3	1	7	5
Urinary Organs . . .	1	—	1	—	3	—	—	—	—	—	2	—	1	—	—	3	—	—	—	—	—
Generative Organs . . .	—	—	4	—	—	—	1	—	—	2	2	3	—	2	1	—	—	1	—	2	—
Locomotive Organs . . .	1	—	1	—	1	—	—	—	1	1	1	—	—	—	—	—	1	—	1	1	1
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	1	—	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Premature Debility . . .	3	4	8	2	3	4	4	3	1	—	2	4	1	7	2	1	1	3	4	—	3
Atrophy	—	5	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	2	—	—
Age	3	5	5	2	8	7	6	6	2	6	5	3	5	31	2	2	7	2	5	1	6
Sudden Deaths	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Violent Deaths	2	1	2	—	—	2	1	—	1	1	2	1	1	1	—	2	—	1	1	1	1
Small Pox	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	6	6	—	—	11	2	3	1	3	7	—	—	3	—	—	—	—	—	—	—
Scarlatina	1	8	17	2	1	5	—	3	—	10	12	—	—	—	2	23	1	—	5	1	—
Diphtheria	4	1	3	—	1	—	1	1	—	2	4	—	—	—	—	3	—	—	—	—	2
Whooping Cough	2	1	8	2	5	14	10	4	1	7	16	1	1	7	11	5	3	—	7	3	—
Croup	—	—	5	—	—	2	—	—	1	1	1	2	—	—	1	3	1	—	1	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	3	—	1	4	—	1	—	3	5	2	4	2	4	2	—	2	3	1	1
Dysentery	1	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	—	1	—	1	8	1	—	—	3	—	1	2	5	—	1	—	1	1	—	—
Enteric Fever	—	—	4	—	1	1	—	1	2	—	—	2	1	2	—	—	2	1	—	2	1
Relapsing Fever	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Metria	—	1	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	1
Rheumatic Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Erysipelas	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Pyæmia	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	1	2	—	2	1	—	—	—	4	2	1	2	2	—	—	1	1	1	1	1
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Ulcer	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	3	4	2	—	4	1	2	2	1	2	—	1	11	1	2	2	1	3	1	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	1	—	—	1	—	1	—	3	—	1	—	—	1	—	—	2	1	—	—
Tabes Mesenterica	1	2	3	1	—	1	—	1	—	—	1	3	—	1	—	—	1	2	1	2	1
Phthisis	11	20	25	4	9	16	7	3	2	21	24	7	6	10	10	11	9	4	3	8	6
Hydrocephalus	1	2	6	—	2	7	2	—	1	5	3	5	1	3	1	2	2	—	1	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	146	72	111	134	23	55	43	59	64	78	63	150	56	75	58	43	89	61	59	43	51	63
SPECIFIED CAUSES .	140	69	110	132	23	55	42	59	60	76	61	150	48	74	58	43	89	60	59	43	42	62
Zymotic Class . . .	30	25	25	22	5	6	12	36	15	16	8	27	9	19	15	1	11	6	8	6	3	12
Uncertain Seat . . .	6	1	5	7	3	5	2	—	2	3	2	4	4	3	1	4	2	1	1	1	2	6
Tubercular Class . . .	21	12	24	33	4	8	2	4	8	18	10	29	8	8	14	11	18	11	8	4	7	7
Brain, etc.	10	5	10	7	—	2	3	5	4	7	9	19	7	12	7	1	22	7	11	4	7	3
Heart, etc.	1	2	2	4	—	1	1	2	1	7	1	16	1	2	2	4	4	2	9	—	4	1
Respiratory Organs .	27	11	12	19	2	15	8	4	12	8	13	24	6	8	8	11	15	11	4	5	6	14
Digestive Organs . .	16	2	11	4	3	5	2	1	1	3	8	12	—	3	1	5	7	—	5	5	4	4
Urinary Organs . . .	1	2	2	2	—	—	—	—	—	1	1	2	2	—	1	1	1	—	—	1	—	5
Generative Organs .	5	1	1	3	1	2	2	—	1	—	—	2	2	1	1	—	—	1	1	3	1	—
Locomotive Organs .	2	—	—	3	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	1	—	—
Skin	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Malformation . . .	—	—	—	—	—	—	1	1	—	1	2	1	—	1	—	1	—	1	—	—	—	—
Premature Debility .	9	4	7	12	2	4	8	2	2	5	3	7	2	5	4	2	3	2	3	7	2	2
Atrophy	1	—	2	4	—	1	—	3	—	2	—	—	—	—	—	—	—	3	1	1	—	—
Age	9	4	8	8	2	6	1	1	10	4	4	6	6	10	2	—	4	15	7	3	6	7
Sudden Deaths . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . .	2	—	—	3	—	—	—	—	3	1	—	1	—	2	2	2	—	—	1	2	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	1	5	10	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Scarlatina	16	5	4	4	1	—	—	—	1	2	—	2	—	7	3	—	4	1	—	1	—	2
Diphtheria	1	—	—	1	—	1	1	3	—	—	—	1	—	1	—	1	—	—	—	—	—	3
Whooping Cough . .	3	6	—	1	—	2	6	8	2	—	—	6	4	8	1	1	1	3	1	—	1	1
Croup	1	3	1	—	—	—	—	—	1	1	1	1	2	2	1	—	1	—	1	—	1	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	2	1	2	1	—	—	—	7	3	2	4	6	2	—	3	—	1	1	3	1	—	1
Dysentery	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Cholera	—	—	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—	—
Influenza	—	2	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	1	2	8	—	1	2	1	2	2	—	2	—	—	1	—	2	—	—	—	—	1
Enteric Fever	4	—	3	4	1	—	1	14	2	4	—	2	—	—	4	—	—	—	—	2	1	4
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—
Infantile Remittent .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	1	—	1	—	2	—	1	—	2	1	—	—	—	—	—	—	—	—	—	1	—
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Pyæmia	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	—	—	—	2	1	—	—	—	1	—	—	1	—	—	1	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dropsy	—	1	2	2	2	—	—	—	—	—	—	—	1	3	1	—	1	—	—	—	—	1
Abscess	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Cancer	5	—	3	4	—	3	1	—	2	3	2	3	1	2	—	2	1	1	1	1	2	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	2	4	1	—	—	—	1	1	—	—	1	—	—	1	1	—	1	—	—	—	—
Tabes Mesenterica . .	3	1	1	2	—	1	1	—	—	2	1	2	—	—	—	4	5	1	1	—	—	—
Phthisis	17	9	17	21	4	4	—	3	6	11	7	21	7	8	10	5	10	6	5	4	6	7
Hydrocephalus	1	—	2	9	—	3	1	—	1	5	2	5	1	—	3	1	3	3	2	—	1	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnotar.	Fettersso.	Cookney.	Brechin.
IV. Cephalitis	33	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-
Apoplexy	120	1	-	1	2	2	2	1	1	2	-	3	2	-	1	3	-	2
Paralysis	185	-	1	1	4	2	2	3	3	-	-	1	-	1	-	-	-	-
Delirium Tremens . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	13	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	61	-	2	-	1	-	3	1	-	-	-	1	1	-	-	-	-	1
Brain Disease	65	2	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
V. Pericarditis	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Aneurism	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Heart Disease	234	-	-	2	-	-	12	1	4	2	-	2	1	3	-	2	2	4
VI. Laryngitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	510	3	3	3	16	2	5	3	3	-	2	2	6	12	-	2	1	8
Pleurisy	17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2
Pneumonia	171	-	-	-	2	1	3	2	6	-	-	3	1	4	-	-	1	3
Asthma	23	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1
Lung Disease	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
VII. Teething	73	-	-	-	1	7	-	2	2	1	-	-	-	1	-	-	1	2
Quinsey	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	70	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	3
Peritonitis	16	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ascites	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ulceration of Intestines	14	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Hernia	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Ileus	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Intussusception . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . .	68	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	3
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	19	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Liver Disease	61	-	-	1	1	-	2	-	-	2	-	-	-	-	-	1	-	-
Spleen Disease	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Nephria	23	-	-	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-
Addison's Disease . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diabetes	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Stricture of Urethra .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	21	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
IX. Paraménia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	58	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Organs of Generation .	13	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Arthritis	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	14	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Joint and Bone Disease	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	14	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Hanging, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	12	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Drowning	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Fracture and Contusion	24	-	-	1	-	-	1	1	-	-	-	1	1	-	2	-	-	-
Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	225	6	-	1	25	8	4	-	4	-	-	-	-	22	-	1	-	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	„ (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis	—	1	—	2	—	—	1	2	—	—	1	—	1	—	2	—	—	—	—	—	—
Apoplexy	—	1	1	3	—	1	—	4	3	2	3	1	1	1	1	7	2	2	4	1	3
Paralysis	4	2	8	—	—	3	4	2	3	2	1	2	1	—	2	4	1	3	1	2	5
Delirium Tremens	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	2	—	1	—	—	—	—	—	—	—	1	1	—	2	—	1	1	—	4	2	1
Brain Disease	2	—	—	1	—	—	2	2	—	—	1	3	—	—	—	1	2	—	2	1	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	5	1	3	4	1	7	7	7	7	4	1	3	3	4	2	3	5	2	5	5	5
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	3	5	1	3	1	5	4	11	10	2	1	3	5	4	4	4	11	11	6	6	4
Pleurisy	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	2	1	1	—	1	6	2	2	5	2	1	3	6	1	1	2	2	—	1	—	3
Asthma	1	—	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—
Lung Disease	—	—	1	—	—	—	—	—	—	—	—	5	1	—	—	2	—	—	—	—	—
Teething	1	—	—	—	—	—	3	—	1	—	—	—	3	—	1	1	4	—	3	1	1
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Gastritis	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	2	—
Enteritis	1	—	—	1	—	1	—	1	1	1	—	1	1	2	1	1	—	—	—	—	2
Peritonitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—
Hernia	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	1	—	—	—	2	—	1	—	—	1	3	1	3	3	3	—	—	2	2	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
Jaundice	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	1	—	—	2
Liver Disease	—	1	—	—	—	2	2	1	—	—	—	1	4	—	2	—	1	2	1	—	2
Spleen Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	1	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1
Paramenia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ovarian Dropsy	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	—	1	2	1	—	1	—	—	2	—	—	—	1	2	—	5	1	3	1	1	1
Organs of Generation	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—
Arthritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Rheumatism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—
Drowning	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	—	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	3	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	2	1	2	2	2	4	4	1	5	2	—	3	2	3	7	5	5	2	—	5	9

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	1	1	1	-	-	-	2	-	-	-	1	1	-	1	1	-	-	-	-	-	-
Apoplexy	2	-	2	-	1	4	2	-	2	-	3	1	4	3	1	2	-	2	1	3	-
Paralysis	2	1	-	2	2	2	2	1	-	3	3	1	3	6	1	1	1	1	3	1	1
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions	-	-	-	-	1	1	-	-	-	-	1	2	-	-	1	1	1	2	1	-	1
Brain Disease	-	-	1	3	-	1	1	-	-	2	2	1	-	1	-	2	-	1	-	1	-
Pericarditis	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	4	1	4	2	2	4	1	4	1	2	3	1	1	3	1	4	2	2	2	2	4
Laryngitis	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	6	8	33	6	13	14	6	2	2	4	14	2	3	13	5	4	10	5	5	4	6
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Pneumonia	2	1	5	-	3	17	1	-	1	-	2	-	2	1	1	1	2	1	2	2	9
Asthma	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Teething	2	3	4	-	2	4	-	1	1	2	-	-	1	1	-	3	-	-	-	1	-
Quinsey	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2
Enteritis	4	8	3	-	2	4	1	1	1	-	1	1	1	-	-	1	2	-	1	2	-
Peritonitis	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Ulceration of Intestines	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Hernia	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ileus	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	-	2	-	-	-	2	-	1	-	-	-	-	1	4	-	1	1	1	-	2	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Jaundice	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	1
Liver Disease	2	1	-	1	1	2	-	-	1	2	-	-	-	-	1	2	1	-	-	-	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth	-	-	3	-	-	-	1	-	-	2	2	2	-	1	-	-	-	1	-	2	-
Organs of Generation	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
Joint Disease	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	1	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Drowning	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fracture and Contusion	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	-	-	3	2	1	3	7	5	-	2	6	1	2	3	1	3	3	-	-	-	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1869.
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Arncliffe.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	2	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
Apoplexy . . .	2	-	-	1	-	1	-	2	3	-	1	2	1	-	1	1	3	3	3	1	1	1
Paralysis . . .	2	2	4	1	-	-	2	2	-	4	6	12	5	5	2	-	12	3	3	-	1	1
Delirium Tremens .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tetanus . . .	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Insanity . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions . . .	3	3	4	2	-	-	-	-	-	2	-	1	-	2	1	-	3	1	1	-	-	-
Brain Disease . .	1	-	2	3	-	1	1	1	-	-	2	1	1	4	2	-	4	-	-	1	-	1
Pericarditis . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease . .	-	2	2	4	-	1	1	2	1	6	1	16	1	2	2	4	4	2	9	-	4	1
Laryngitis . . .	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis . . .	22	6	6	15	2	11	6	1	9	6	12	23	1	6	4	5	7	8	3	4	3	10
Pleurisy . . .	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	3	2	-	-	-	-	-
Pneumonia . . .	4	1	5	2	-	3	1	3	2	-	-	1	5	1	4	3	5	3	1	1	2	3
Asthma . . .	1	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-
Lung Disease . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Teething . . .	4	-	-	2	-	1	1	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-
Quinsey . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis . . .	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	2	2	5	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-
Peritonitis . . .	1	-	-	-	2	1	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-
Ascites . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ulceration of Intest.	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Hernia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus . . .	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1
Intussusception .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Stricture of Intest.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease .	3	-	2	1	-	-	-	-	-	-	2	6	-	1	-	-	-	-	1	2	1	-
Pancreas Disease .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hepatitis . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-
Jaundice . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1
Liver Disease . .	3	-	2	-	-	2	-	1	-	1	4	1	-	-	-	1	3	-	1	1	1	-
Spleen Disease . .	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria . . .	-	1	1	2	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-
Addison's Disease .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diabetes . . .	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Stone . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cystitis . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . .	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	4
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . .	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Childbirth . . .	4	1	-	3	-	2	1	-	1	-	-	2	-	1	1	-	-	1	1	1	-	-
Organs of Generation	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Arthritis . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Rheumatism . . .	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Joint Disease . .	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon . . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Intemperance . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . .	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Hanging, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
Drowning . . .	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Fracture & Contusion .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Gunshot Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified . .	6	3	1	2	-	-	1	-	4	2	2	-	8	1	-	-	-	1	-	-	9	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	75875	6970	2569	5115	6713	3473	2430	1771	4105	1855	2374	2600	2564
SPECIFIED CAUSES	73247	6218	2348	4932	6505	3366	2355	1713	4007	1794	2307	2545	2501
I. Zymotic Class	17354	772	563	1623	2831	1812	1500	1095	2327	616	469	447	410
II. Diseases of Uncertain Seat	2506	38	7	20	25	19	20	24	54	30	38	43	52
III. Tubercular Class	12079	160	294	686	984	487	315	250	747	581	1148	1326	1198
IV. Brain and Nervous System	5937	403	198	258	311	141	83	63	226	119	110	102	115
V. Organs of Circulation	3420	11	4	10	3	9	4	5	33	53	89	89	101
VI. Respiratory Organs	11883	889	671	1493	1529	607	294	169	287	107	121	173	175
VII. Organs of Digestion	4888	529	270	579	589	124	46	27	91	78	86	84	121
VIII. Urinary Organs	1096	6	5	3	12	14	12	16	44	29	37	37	52
IX. Organs of Generation	571	—	—	—	—	—	—	—	—	—	22	57	85
X. Organs of Locomotion	422	2	—	2	7	2	4	6	45	50	42	23	22
XI. Skin, etc.	101	11	13	11	4	6	1	3	5	—	1	1	1
XII. Malformation	221	188	12	10	4	1	1	—	3	2	—	—	—
XIII. Premature Debility	3463	3026	246	191	—	—	—	—	—	—	—	—	—
XIV. Atrophy	518	—	—	—	145	56	31	9	32	12	9	8	10
XV. Age	6278	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	197	14	12	9	4	3	—	1	3	2	2	5	7
XVII. Violent Deaths	2313	169	53	37	57	85	44	45	110	115	133	150	152
I. Small Pox	64	5	7	5	7	3	3	3	6	3	2	5	6
Measles	1670	17	40	268	614	300	179	92	113	21	5	4	4
Scarlatina	4680	21	42	270	591	659	688	562	1433	272	52	32	19
Diphtheria	663	18	13	51	109	103	90	80	122	24	9	6	5
Hooping Cough	2461	132	153	533	795	373	211	129	129	5	—	1	—
Croup	976	49	28	108	273	176	151	97	93	1	—	—	—
Thrush	34	21	4	1	5	3	—	—	—	—	—	—	—
Diarrhœa	1614	271	157	251	241	57	31	13	34	12	8	9	21
Dysentery	233	9	4	16	16	8	3	2	7	—	3	6	7
Cholera	142	16	20	20	26	5	4	4	6	—	1	4	—
Influenza	191	11	3	5	12	2	2	—	4	1	2	2	1
Purpura	41	4	2	1	—	—	2	1	3	2	4	5	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	18	—	—	—	1	3	5	2	4	3	—	—	—
Typhus	2059	4	17	16	30	30	26	28	111	97	174	191	182
Enteric Fever	1335	13	6	18	45	53	63	61	180	134	151	116	85
Relapsing Fever	29	—	—	—	—	—	1	—	3	8	1	2	2
Simple Continued Fever	121	—	2	2	11	3	9	2	18	8	8	10	9
Infantile Remittent	157	10	10	16	29	24	22	12	33	1	—	—	—
Metria	153	—	—	—	—	—	—	—	—	—	5	24	43
Rheumatic Fever	159	—	—	—	—	—	—	1	18	11	33	20	13
Erysipelas	284	74	10	10	12	6	6	3	2	9	7	7	7
Pyæmia	38	7	—	1	2	—	1	1	3	3	1	1	2
Syphilis	215	88	45	31	10	3	2	1	1	1	2	2	3
Noma	16	2	—	—	2	1	1	1	4	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	91	11	1	3	—	—	—	1	5	2	3	6	3
Dropsy	673	5	—	—	10	11	16	19	37	13	18	13	15
Abscess	140	12	4	15	9	4	2	1	8	10	6	8	6
Ulcer	41	2	—	1	1	1	—	—	—	—	2	—	1
Fistula	18	—	—	—	—	—	—	—	—	—	1	—	2
Mortification	100	6	—	—	4	2	—	1	1	—	1	1	4
Cancer	1426	2	2	1	1	1	2	2	3	5	7	15	19
Gout	17	—	—	—	—	—	—	—	—	—	—	—	2
III. Scrofula	668	18	19	49	63	33	25	24	89	65	69	39	31
Tabes Mesenterica	973	61	82	114	275	115	61	37	105	42	17	12	8
Phthisis	8525	22	42	80	183	124	80	72	310	419	1053	1271	1159
Hydrocephalus	1913	59	151	443	463	215	149	117	243	55	9	4	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	2252	2326	2387	2408	2677	2644	3261	3471	3643	3405	2638	1425	544	162	24	69	
SPECIFIED CAUSES	2192	2264	2326	2310	2574	2547	3120	3451	3640	3405	2638	1425	544	162	24	34	
Zymotic Class	319	325	317	288	281	258	255	232	247	187	118	40	18	1	—	3	
Uncertain Seat	62	95	141	196	248	237	292	290	227	175	112	46	9	4	—	2	
Tubercular Class	881	730	615	510	405	261	246	151	62	22	15	2	—	—	—	3	
Brain, etc.	150	171	189	222	302	340	449	553	512	502	278	103	27	5	—	5	
Heart, etc.	128	174	213	212	259	317	393	428	406	288	127	52	10	1	—	1	
Respiratory Organs	193	260	347	412	542	551	714	707	678	507	294	124	27	9	—	3	
Digestive Organs	118	150	162	194	232	263	287	301	245	193	83	30	4	—	—	2	
Urinary Organs	38	59	61	61	63	80	81	103	109	108	42	20	2	1	—	1	
Generative Organs	108	133	75	20	17	22	8	10	11	3	—	—	—	—	—	—	
Locomotive Organs	19	8	16	22	19	22	35	28	15	21	7	4	1	—	—	—	
Skin	3	—	3	3	3	6	6	7	4	4	2	3	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	15	14	24	20	53	78	—	—	—	—	—	—	—	—	—	2	
Age	—	—	—	—	—	—	223	550	1030	1341	1533	991	442	140	24	4	
Sudden Deaths	8	5	18	11	18	12	21	14	20	8	—	—	—	—	—	—	
Violent Deaths	150	140	145	139	132	100	110	77	74	46	27	10	4	1	—	8	
Small Pox	5	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Measles	4	4	—	—	—	2	—	1	2	—	—	—	—	—	—	—	
Scarlatina	18	13	1	1	1	1	1	1	1	—	—	—	—	—	—	1	
Diphtheria	6	3	3	5	5	2	1	3	3	—	2	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	11	17	20	25	33	41	57	62	90	69	53	21	9	1	—	—	
Dysentery	3	9	7	5	14	14	13	14	22	27	19	5	—	—	—	—	
Cholera	1	—	5	7	2	6	1	5	3	2	3	—	1	—	—	—	
Influenza	3	2	4	9	2	12	13	25	30	17	16	8	5	—	—	—	
Purpura	2	—	3	1	3	3	3	—	1	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	157	163	179	180	142	111	92	63	40	19	3	2	1	—	—	1	
Enteric Fever	37	63	57	37	47	37	33	31	29	29	9	1	—	—	—	—	
Relapsing Fever	2	—	—	1	1	—	2	4	—	1	1	—	—	—	—	—	
Simple Cont. Fever	5	3	1	1	4	1	9	3	8	—	4	—	—	—	—	—	
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	47	21	13	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	9	11	9	2	5	9	6	5	3	2	1	1	—	—	—	—	
Erysipelas	2	9	8	6	15	16	18	13	13	19	7	2	2	—	—	1	
Pyæmia	1	3	3	5	1	1	1	—	—	1	—	—	—	—	—	—	
Syphilis	6	3	3	2	5	2	2	1	2	—	—	—	—	—	—	—	
Noma	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	6	5	5	12	3	6	8	4	1	4	1	1	—	—	—	—	
Dropsy	20	23	33	23	46	44	72	87	71	46	31	14	4	2	—	—	
Abscess	7	3	2	5	7	5	8	5	4	5	4	—	—	—	—	—	
Ulcer	—	2	1	1	3	3	9	3	4	5	1	1	—	—	—	—	
Fistula	3	—	1	3	3	1	2	1	1	—	—	—	—	—	—	—	
Mortification	1	2	2	2	1	2	10	13	10	15	11	9	2	—	—	—	
Cancer	25	59	96	149	183	174	179	177	134	98	64	21	3	2	—	2	
Gout	—	1	1	1	2	2	4	—	2	2	—	—	—	—	—	—	
Scrofula	31	26	20	12	14	8	3	14	8	3	3	1	—	—	—	1	
Tabes Mesenterica	8	12	4	6	6	2	2	2	—	—	2	—	—	—	—	—	
Phthisis	841	689	590	492	385	251	241	135	54	19	10	1	—	—	—	2	
Hydrocephalus	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Contd.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	510	9	17	59	76	31	21	21	76	42	25	19	17
Apoplexy	1854	22	15	26	31	14	14	9	27	13	15	17	29
Paralysis	1825	—	—	4	9	1	1	2	6	4	6	8	15
Delirium Tremens	63	—	—	—	—	—	—	—	—	—	—	1	6
Chorea	11	—	—	—	1	—	—	—	—	2	2	—	—
Epilepsy	217	—	—	—	—	—	—	—	2	17	23	27	16
Tetanus	44	15	—	2	1	—	—	—	5	5	1	1	3
Insanity	42	—	—	—	—	—	—	—	—	1	1	1	2
Convulsions	959	348	148	141	156	67	32	19	47	1	—	—	—
Brain Disease	912	9	18	26	37	28	15	12	63	34	37	28	27
V. Pericarditis	66	1	—	1	—	—	—	—	5	4	6	4	3
Aneurism	93	—	—	—	—	—	—	—	—	1	—	1	2
Heart Disease	3261	10	4	9	3	9	4	5	28	48	83	84	96
VI. Laryngitis	125	6	8	18	19	11	4	5	6	4	2	3	3
Bronchitis	8030	684	553	1167	1176	447	209	111	162	35	29	55	59
Pleurisy	248	11	2	7	7	5	3	—	14	10	10	15	17
Pneumonia	2630	173	100	292	302	135	72	53	89	45	69	79	74
Asthma	462	1	—	—	—	—	1	—	—	—	1	2	1
Lung Disease	388	14	8	9	25	9	5	—	16	13	10	19	21
VII. Teething	914	2	53	377	429	43	9	1	—	—	—	—	—
Quinsey	76	11	5	8	13	4	10	4	3	3	—	2	1
Gastritis	157	16	5	12	7	4	3	2	4	1	4	5	2
Enteritis	891	266	119	112	76	32	6	4	28	15	18	11	19
Peritonitis	338	20	11	16	8	5	—	6	17	19	13	25	29
Ascites	66	—	—	—	1	3	1	—	5	2	2	—	—
Ulceration of Intestines	212	4	—	5	—	1	1	—	2	3	6	6	9
Hernia	112	6	4	—	—	3	—	—	—	—	2	2	—
Ileus	249	31	8	3	1	1	3	—	7	4	11	6	11
Intussusception	59	2	9	6	1	—	—	—	2	1	6	2	1
Stricture of Intestines	27	—	—	—	—	—	—	—	—	1	—	—	—
Stomach Disease	703	78	44	34	37	16	6	4	9	10	12	10	18
Pancreas Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	131	5	4	1	1	—	1	1	2	4	—	1	6
Jaundice	193	66	3	2	2	7	3	—	1	1	1	1	3
Liver Disease	717	22	5	3	11	4	3	5	11	13	10	10	19
Spleen Disease	38	—	—	—	2	1	—	—	—	1	1	3	3
VIII. Nephritis	100	—	2	1	5	9	3	3	12	4	7	2	3
Nephria	308	—	—	1	5	3	6	7	19	11	16	17	21
Addison's Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	61	3	1	—	—	1	—	—	2	2	—	—	2
Diabetes	84	—	—	—	—	—	1	—	—	5	3	6	11
Stone	57	1	—	—	—	—	—	—	—	2	1	—	—
Cystitis	204	—	—	—	—	—	—	1	—	—	3	2	1
Stricture of Urethra	15	—	—	—	—	—	—	—	—	—	—	1	1
Kidney Disease	263	2	2	1	2	1	2	5	11	5	7	9	13
IX. Paramenia	19	—	—	—	—	—	—	—	—	—	5	3	3
Ovarian Dropsy	69	—	—	—	—	—	—	—	—	—	2	2	4
Childbirth	410	—	—	—	—	—	—	—	—	—	13	49	70
Organs of Generation	73	—	—	—	—	—	—	—	—	—	2	3	8
X. Arthritis	100	1	—	—	3	1	2	1	15	13	13	8	6
Rheumatism	162	—	—	—	—	—	—	—	—	6	10	4	6
Joint and Bone Disease	160	1	—	2	4	1	2	5	30	31	19	11	10
XI. Carbuncle	24	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	13	—	—	1	—	1	—	—	—	—	—	—	1
Skin Disease	64	11	13	8	4	5	1	3	5	—	1	1	—
XVII. Intemperance	101	—	—	—	—	—	—	—	—	—	1	4	4
Privation	6	—	—	—	1	—	—	—	—	—	—	1	—
Want of Breast Milk	101	63	27	11	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	27	—	1	—	—	—	—	—	1	—	1	—	—
Poison	35	4	1	3	2	3	2	—	1	—	2	1	3
Poisoned Wounds	3	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	217	1	1	14	28	39	21	13	28	8	8	2	—
Hanging, etc.	56	—	—	—	—	—	—	—	—	2	1	1	1
Suffocation	137	67	20	4	3	—	1	1	3	1	4	2	—
Drowning	546	3	—	1	11	19	7	8	25	35	41	52	60
Fracture and Contusion	950	4	3	4	11	21	11	22	50	63	69	77	77
Gunshot Wounds	25	—	—	—	—	—	—	—	2	—	3	3	2
Cuts and Stabs	25	—	—	—	—	—	1	—	—	—	1	—	2
Other Violent Causes	83	26	—	—	1	3	1	1	—	6	2	7	3
Not Specified	2628	752	221	183	208	107	75	58	98	61	67	55	63

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	14	19	12	14	7	9	5	9	3	3	1	—	—	—	—	1
Apoplexy	34	33	45	60	108	123	157	157	144	146	80	26	8	1	—	—
Paralysis	31	38	55	72	106	135	206	286	293	285	172	67	18	4	—	1
Delirium Tremens	11	18	12	7	3	2	—	1	—	1	—	—	—	—	—	1
Chorea	—	1	—	—	1	2	—	—	2	—	—	—	—	—	—	—
Epilepsy	18	19	14	16	12	6	13	16	5	7	2	4	—	—	—	—
Tetanus	—	—	4	—	2	2	—	—	1	1	—	—	—	—	—	1
Insanity	1	7	4	5	2	3	5	4	4	1	1	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	41	36	43	48	61	58	63	80	60	58	22	6	1	—	—	1
Pericarditis	1	3	4	2	5	5	6	4	6	3	2	1	—	—	—	—
Aneurism	11	16	12	11	11	9	6	7	2	2	—	—	—	—	—	—
Heart Disease	116	155	197	199	243	303	381	417	398	283	123	51	10	1	—	1
Laryngitis	6	3	5	7	3	3	1	2	5	1	—	—	—	—	—	—
Bronchitis	72	117	162	219	311	338	454	463	470	365	236	105	22	7	—	2
Pleurisy	16	9	11	8	14	15	21	21	16	6	7	1	1	—	—	1
Pneumonia	77	89	113	107	129	119	146	122	105	86	33	15	4	2	—	—
Asthma	9	20	25	40	58	53	61	68	64	38	17	3	—	—	—	—
Lung Disease	13	22	31	31	27	23	31	31	18	11	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	3	1	1	3	2	—	1	1	—	—	—	—	—
Gastritis	6	5	6	8	13	9	10	12	8	10	3	2	—	—	—	—
Enteritis	16	17	15	14	18	15	23	21	19	17	6	4	—	—	—	—
Peritonitis	19	19	20	12	12	19	13	17	18	9	8	2	1	—	—	—
Ascites	3	3	3	6	3	7	5	5	6	7	4	—	—	—	—	—
Ulceration of Intestines	9	16	14	15	21	19	23	19	20	9	5	—	—	—	—	—
Hernia	3	2	2	11	4	12	14	14	14	9	7	2	—	—	—	1
Ileus	2	6	10	10	15	19	25	27	20	15	9	4	1	—	—	—
Intussusception	—	2	—	1	3	6	8	5	—	4	—	—	—	—	—	—
Stricture of Intestines	—	—	2	4	4	2	5	2	6	1	—	—	—	—	—	—
Stomach Disease	18	22	29	40	50	43	40	68	53	39	18	4	1	—	—	—
Pancreas Disease	—	—	—	1	—	1	—	—	2	1	—	—	—	—	—	—
Hepatitis	5	9	10	8	11	16	22	10	4	10	—	—	—	—	—	—
Jaundice	7	4	6	1	8	8	11	13	12	21	9	3	—	—	—	—
Liver Disease	25	44	42	57	68	83	77	81	62	39	13	8	1	—	—	1
Spleen Disease	5	1	3	3	1	3	3	5	1	1	—	1	—	—	—	—
Nephritis	2	8	4	4	5	3	6	5	7	4	—	—	—	1	—	—
Nephria	15	24	23	22	20	27	17	24	14	13	2	1	—	—	—	—
Addison's Disease	—	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—
Ischuria	1	1	5	—	5	2	6	6	12	5	3	4	—	—	—	—
Diabetes	7	8	7	9	2	8	4	4	6	2	1	—	—	—	—	—
Stone	—	—	—	1	3	4	7	4	10	13	10	1	—	—	—	—
Cystitis	3	3	4	6	11	11	20	34	32	44	16	11	2	—	—	—
Stricture of Urethra	1	1	—	3	2	—	2	2	1	1	—	—	—	—	—	—
Kidney Disease	9	14	16	16	14	25	19	24	26	26	10	3	—	—	—	1
Paramenia	1	3	3	—	—	1	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	6	5	7	5	7	12	6	6	7	—	—	—	—	—	—	—
Childbirth	97	117	56	7	1	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	4	8	9	8	9	9	2	4	4	3	—	—	—	—	—	—
Arthritis	5	2	7	3	7	2	5	4	1	1	—	—	—	—	—	—
Rheumatism	5	3	8	15	6	15	22	20	12	19	6	4	1	—	—	—
Joint Disease	9	3	1	4	6	5	8	4	2	1	1	—	—	—	—	—
Carbuncle	1	—	—	2	—	4	2	3	4	3	2	1	—	—	—	—
Phlegmon	2	—	2	—	—	1	2	2	—	1	—	—	—	—	—	—
Skin Disease	—	—	1	1	3	1	2	2	—	—	—	2	—	—	—	—
Intemperance	10	13	14	13	15	9	11	2	2	1	1	1	—	—	—	—
Privation	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	2	2	2	2	3	2	3	3	2	1	—	—	—	—	1
Poison	1	—	4	1	3	2	—	2	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	4	3	5	3	6	4	8	5	7	6	2	—	—	1	—	—
Hanging, etc.	4	1	8	—	10	7	10	3	8	—	—	—	—	—	—	—
Suffocation	1	3	4	4	2	3	6	1	3	2	2	—	—	—	—	—
Drowning	53	42	38	35	34	18	25	13	8	8	3	—	1	—	—	6
Fracture and Contusion	70	56	60	70	57	47	41	44	40	25	17	8	3	—	—	—
Gunshot Wounds	2	5	1	3	—	1	1	—	—	—	1	1	—	—	—	—
Cuts and Stabs	3	6	3	2	—	3	2	1	—	1	—	—	—	—	—	—
Other Violent Causes	1	9	5	5	2	2	3	3	1	1	—	—	—	—	—	1
Not Specified	60	62	61	98	103	97	141	20	3	—	—	—	—	—	—	35

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37868	3922	1410	2788	3477	1774	1214	862	2111	925	1120	1369	1284
SPECIFIED CAUSES	36466	3495	1291	2689	3370	1711	1171	831	2061	889	1085	1335	1248
I. Zymotic Class	8550	432	300	853	1412	901	725	517	1163	278	211	215	193
II. Diseases of Uncertain Seat	962	18	3	12	12	9	13	12	34	13	27	23	25
III. Tubercular Class	5959	93	165	381	555	263	164	123	401	264	480	674	582
IV. Brain and Nervous System	3098	218	111	151	183	77	47	37	115	66	58	58	61
V. Organs of Circulation	1794	6	2	3	2	3	2	3	13	25	40	46	51
VI. Respiratory Organs	6102	541	377	824	764	309	150	78	135	51	51	95	93
VII. Organs of Digestion	2528	312	152	320	327	63	14	15	46	42	47	41	51
VIII. Urinary Organs	741	6	1	1	6	10	7	14	36	15	21	21	27
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	222	2	—	1	4	1	2	4	27	24	23	15	15
XI. Skin, etc.	61	4	11	9	1	2	1	—	3	—	1	—	—
XII. Malformation	114	98	5	5	2	—	1	—	1	2	—	—	—
XIII. Premature Debility	1899	1665	133	101	—	—	—	—	—	—	—	—	—
XIV. Atrophy	225	—	—	—	68	24	14	3	19	6	8	7	4
XV. Age	2383	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	99	4	4	7	1	2	—	1	1	1	2	2	4
XVII. Violent Deaths	1729	96	27	21	33	47	31	24	67	102	116	138	142
I. Small Pox	40	3	6	4	4	2	1	—	2	—	1	4	5
Measles	860	11	20	150	304	157	91	43	62	13	2	1	1
Scarlatina	2416	12	29	157	303	346	352	286	743	133	21	12	8
Diphtheria	303	10	8	20	57	50	38	33	52	11	5	3	3
Hooping Cough	1094	59	77	253	367	158	80	47	49	3	—	1	—
Croup	525	33	18	62	147	91	77	48	49	—	—	—	—
Thrush	14	12	1	—	—	1	—	—	—	—	—	—	—
Diarrhoea	806	156	76	141	131	27	18	6	21	5	5	5	9
Dysentery	108	5	2	7	10	3	2	2	4	—	2	2	4
Cholera	76	7	10	10	16	1	1	3	4	—	1	3	—
Influenza	77	6	1	4	7	2	2	—	3	1	1	1	—
Purpura	21	3	—	—	—	—	—	1	1	1	3	3	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	8	—	—	—	1	2	1	1	1	2	—	—	—
Typhus	1072	4	11	9	14	19	15	8	47	39	82	103	100
Enteric Fever	608	6	5	8	20	29	25	33	83	55	66	55	44
Relapsing Fever	14	—	—	—	—	—	1	—	1	2	—	—	1
Simple Continued Fever	63	—	2	—	6	1	6	—	10	2	3	5	4
Infantile Remittent	71	5	6	5	15	7	10	4	18	1	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	75	—	—	—	—	—	—	1	11	3	12	10	7
Erysipelas	150	41	5	2	5	4	3	—	1	5	4	5	4
Pyæmia	20	4	—	1	—	—	1	—	1	2	1	1	—
Syphilis	123	55	23	20	5	—	1	1	—	—	1	1	2
Noma	5	—	—	—	—	1	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	48	7	1	1	—	—	—	—	4	—	1	1	1
Dropsy	288	—	—	—	6	5	11	11	24	4	16	10	7
Abscess	82	5	1	10	6	1	1	—	5	5	3	6	2
Ulcer	19	1	—	—	—	1	—	—	—	—	1	—	1
Fistula	14	—	—	—	—	—	—	—	—	—	1	—	1
Mortification	48	3	—	—	—	1	—	—	—	—	1	1	1
Cancer	452	2	1	1	—	1	1	1	1	4	4	5	10
Gout	11	—	—	—	—	—	—	—	—	—	—	—	2
III. Scrofula	385	6	9	33	28	17	14	11	62	46	38	27	19
Tabes Mesenterica	525	37	48	72	143	60	25	14	59	25	10	6	5
Phthisis	3980	13	21	39	100	71	44	35	153	164	428	639	558
Hydrocephalus	1069	37	87	237	284	115	81	63	127	29	4	2	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	280	5	13	36	46	18	8	12	34	21	12	11	10
Apoplexy	679	15	4	13	15	7	9	6	17	7	4	9	16
Paralysis	882	—	—	2	6	1	1	1	3	3	4	4	6
Delirium Tremens	55	—	—	—	—	—	—	—	—	—	—	—	6
Chorea	3	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	122	—	—	—	—	—	—	—	1	11	16	16	7
Tetanus	22	6	—	—	—	—	—	—	5	3	—	1	1
Insanity	16	—	—	—	—	—	—	—	—	1	1	—	1
Convulsions	541	188	85	81	97	37	19	11	22	1	—	—	—
Brain Disease	498	4	9	19	19	14	10	7	33	19	21	17	14
V. Pericarditis	32	1	—	—	—	—	—	—	2	2	1	2	1
Aneurism	75	—	—	—	—	—	—	—	—	1	—	1	2
Heart Disease	1687	5	2	3	2	3	2	3	11	22	39	43	48
VI. Laryngitis	70	4	6	11	9	6	1	2	2	2	1	2	2
Bronchitis	3956	425	304	654	592	225	113	48	72	14	8	17	30
Pleurisy	152	5	2	2	4	4	2	—	9	5	6	12	9
Pneumonia	1486	101	61	153	149	68	31	28	43	22	33	50	44
Asthma	220	—	—	—	—	—	1	—	—	—	1	1	1
Lung Disease	218	6	4	4	10	6	2	—	9	8	2	13	7
VII. Teething	495	2	27	206	237	19	3	1	—	—	—	—	—
Quinsey	41	7	4	5	8	3	4	—	1	2	—	1	1
Gastritis	80	10	3	5	4	2	—	2	1	—	—	2	2
Enteritis	499	155	64	65	45	20	1	2	14	8	12	7	10
Peritonitis	168	11	10	11	3	3	—	2	10	13	6	6	10
Ascites	27	—	—	—	1	1	—	—	3	1	2	—	—
Ulceration of Intestines	106	1	—	2	—	—	1	—	1	1	4	4	5
Hernia	52	4	4	—	—	3	—	—	—	—	2	2	—
Ileus	134	17	5	3	1	1	1	—	4	2	4	5	7
Intussusception	37	1	5	4	1	—	—	—	2	—	5	1	1
Stricture of Intestines	13	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	340	47	24	18	20	6	1	3	4	4	7	6	6
Pancreas Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	73	2	1	—	—	—	—	1	—	3	—	—	4
Jaundice	89	44	1	—	2	3	1	—	—	—	—	—	—
Liver Disease	356	11	4	1	5	2	2	4	6	8	5	5	5
Spleen Disease	14	—	—	—	—	—	—	—	—	—	—	2	—
VIII. Nephritis	66	—	—	—	4	5	2	2	11	1	5	1	3
Nephria	168	—	—	—	1	3	2	7	15	6	7	10	8
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	53	3	1	—	—	1	—	—	2	1	—	—	1
Diabetes	49	—	—	—	—	—	1	—	—	2	1	3	5
Stone	52	1	—	—	—	—	—	—	—	2	1	—	—
Cystitis	183	—	—	—	—	—	—	1	—	—	3	1	1
Stricture of Urethra	14	—	—	—	—	—	—	—	—	—	—	1	1
Kidney Disease	155	2	—	1	1	1	2	4	8	3	4	5	8
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	62	1	—	—	1	—	1	1	9	9	7	6	5
Rheumatism	68	—	—	—	—	—	—	—	—	1	4	2	2
Joint and Bone Disease	92	1	—	1	3	1	1	3	18	14	12	7	8
XI. Carbuncle	19	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	38	4	11	6	1	2	1	—	3	—	1	—	—
XVII. Intemperance	57	—	—	—	—	—	—	—	—	—	1	3	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	58	41	13	4	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	18	—	1	—	—	—	—	—	—	—	—	—	—
Poison	28	4	1	3	2	3	2	—	1	—	1	1	3
Poisoned Wounds	3	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	114	—	1	10	18	21	16	6	8	6	4	2	—
Hanging, etc.	39	—	—	—	—	—	—	—	—	2	1	1	1
Suffocation	67	28	9	2	1	—	—	—	2	—	4	1	—
Drowning	471	1	—	—	6	12	5	6	21	30	37	50	58
Fracture and Contusion	776	2	2	2	5	10	7	12	33	60	63	72	73
Gunshot Wounds	24	—	—	—	—	—	—	—	2	—	3	3	2
Cuts and Stabs	17	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	57	20	—	—	1	1	1	—	—	4	2	5	3
Not Specified	1402	427	119	99	107	63	43	31	50	36	35	34	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	11	7	9	5	3	4	3	1	1	—	—	—	—	—	1
Apoplexy	19	13	22	28	50	61	83	81	65	80	38	13	4	—	—	—
Paralysis	18	20	23	38	48	70	105	141	142	134	74	26	10	2	—	—
Delirium Tremens	11	13	12	6	3	2	—	1	—	1	—	—	—	—	—	—
Chorea	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—
Epilepsy	10	10	9	10	5	3	8	8	3	4	—	1	—	—	—	—
Tetanus	—	—	—	—	2	1	—	—	1	1	—	—	—	—	—	1
Insanity	—	3	—	1	2	2	2	2	1	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	24	17	18	27	31	31	36	51	29	33	11	2	1	—	—	1
Pericarditis	—	3	3	1	2	2	4	1	4	2	1	—	—	—	—	—
Aneurism	10	14	10	10	8	7	5	6	—	1	—	—	—	—	—	—
Heart Disease	65	87	101	102	123	154	178	235	211	150	66	26	5	1	—	—
Laryngitis	3	2	3	6	—	2	1	2	3	—	—	—	—	—	—	—
Bronchitis	30	48	71	115	143	171	193	219	190	151	84	32	7	—	—	—
Pleurisy	10	4	8	3	6	8	12	16	11	5	6	1	1	—	—	1
Pneumonia	52	58	83	72	86	78	86	69	54	38	15	10	1	1	—	—
Asthma	7	13	14	20	30	24	24	34	25	18	5	2	—	—	—	—
Lung Disease	9	15	19	16	13	14	22	23	8	7	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—
Gastritis	4	4	1	6	7	6	7	5	3	5	1	—	—	—	—	—
Enteritis	8	10	5	8	9	8	17	13	3	9	5	1	—	—	—	—
Peritonitis	2	7	11	7	8	14	8	7	6	6	4	2	1	—	—	—
Ascites	2	—	3	2	1	1	4	2	3	—	1	—	—	—	—	—
Ulceration of Intestines	4	6	5	11	9	11	12	9	14	4	2	—	—	—	—	—
Hernia	1	—	2	2	1	5	4	5	8	2	5	1	—	—	—	1
Ileus	1	5	6	4	5	13	15	17	7	5	3	2	1	—	—	—
Intussusception	—	2	—	1	1	4	4	2	—	3	—	—	—	—	—	—
Stricture of Intestines	—	—	2	2	3	1	4	—	1	—	—	—	—	—	—	—
Stomach Disease	9	9	10	19	22	21	21	31	26	16	8	1	1	—	—	—
Pancreas Disease	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—
Hepatitis	4	7	5	7	7	9	12	5	2	4	—	—	—	—	—	—
Jaundice	2	3	3	—	3	2	2	5	3	10	3	2	—	—	—	—
Liver Disease	13	22	22	33	25	42	40	42	31	17	6	4	1	—	—	—
Spleen Disease	—	1	2	2	—	1	2	3	1	—	—	—	—	—	—	—
Nephritis	1	2	2	2	4	1	6	5	5	3	—	—	—	1	—	—
Nephria	9	10	12	11	14	18	10	10	9	4	2	—	—	—	—	—
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	4	—	4	2	5	4	12	5	3	4	—	—	—	—
Diabetes	3	4	6	6	2	4	3	2	4	2	1	—	—	—	—	—
Stone	—	—	—	1	1	3	5	4	10	13	10	1	—	—	—	—
Cystitis	2	3	3	4	9	10	19	31	30	38	16	10	2	—	—	—
Stricture of Urethra	1	1	—	3	2	—	2	1	1	1	—	—	—	—	—	—
Kidney Disease	7	8	10	11	7	10	13	12	12	17	7	1	—	—	—	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	2	2	4	2	3	1	5	3	—	—	—	—	—	—	—	—
Rheumatism	2	2	2	8	1	7	7	10	8	8	2	1	1	—	—	—
Joint Disease	6	1	1	3	3	1	4	1	1	1	1	—	—	—	—	—
Carbuncle	1	—	—	2	—	2	1	3	3	2	2	1	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Skin Disease	—	—	1	1	1	1	2	2	—	—	—	1	—	—	—	—
Intemperance	7	7	6	8	9	3	8	1	1	—	—	1	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	2	2	1	2	3	2	1	1	2	—	—	—	—	—	1
Poison	—	—	2	—	2	1	—	2	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	2	2	5	2	2	1	2	3	1	1	—	—	—	1	—	—
Hanging, etc.	2	—	5	—	8	4	8	2	5	—	—	—	—	—	—	—
Suffocation	1	2	3	3	1	—	4	1	3	1	1	—	—	—	—	—
Drowning	49	38	34	27	29	16	21	10	7	6	2	—	—	—	—	6
Fracture and Contusion	62	53	56	63	50	40	27	30	27	16	7	3	1	—	—	—
Gunshot Wounds	2	4	1	3	—	1	1	—	—	—	1	1	—	—	—	—
Cuts and Stabs	3	5	2	2	—	2	1	1	—	1	—	—	—	—	—	—
Other Violent Causes	1	5	2	4	—	—	3	3	1	—	—	—	—	—	—	1
Not Specified	29	37	32	50	48	42	57	8	1	—	—	—	—	—	—	18

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	38007	3048	1159	2327	3236	1699	1216	909	1994	930	1254	1231	1280
SPECIFIED CAUSES	36781	2723	1057	2243	3135	1655	1184	882	1946	905	1222	1210	1253
I. Zymotic Class	8804	340	263	770	1419	911	775	578	1164	338	258	232	217
II. Diseases of Uncertain Seat	1544	20	4	8	13	10	7	12	20	17	11	20	27
III. Tubercular Class	6120	67	129	305	429	224	151	127	346	317	668	652	616
IV. Brain and Nervous System	2839	185	87	107	128	64	36	26	111	53	52	44	54
V. Organs of Circulation	1626	5	2	7	1	6	2	2	20	28	49	43	50
VI. Respiratory Organs	5781	348	294	669	765	298	144	91	152	56	70	78	82
VII. Organs of Digestion	2360	217	118	259	262	61	32	12	45	36	39	43	70
VIII. Urinary Organs	355	—	4	2	6	4	5	2	8	14	16	16	25
IX. Organs of Generation	571	—	—	—	—	—	—	—	—	—	22	57	85
X. Organs of Locomotion	200	—	—	1	3	1	2	2	18	26	19	8	7
XI. Skin, etc.	40	7	2	2	3	4	—	3	2	—	—	1	1
XII. Malformation	107	90	7	5	2	1	—	—	2	—	—	—	—
XIII. Premature Debility	1564	1361	113	90	—	—	—	—	—	—	—	—	—
XIV. Atrophy	293	—	—	—	77	32	17	6	13	6	1	1	6
XV. Age	3895	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	98	10	8	2	3	1	—	—	2	1	—	3	3
XVII. Violent Deaths	584	73	26	16	24	38	13	21	43	13	17	12	10
I. Small Pox	24	2	1	1	3	1	2	3	4	3	1	1	1
Measles	810	6	20	118	310	143	88	49	51	8	3	3	3
Scarlatina	2264	9	13	113	288	313	336	276	690	139	31	20	11
Diphtheria	360	8	5	31	52	53	52	47	70	13	4	3	2
Hooping Cough	1367	73	76	280	428	215	131	82	80	2	—	—	—
Croup	451	16	10	46	126	85	74	49	44	1	—	—	—
Thrush	20	9	3	1	5	2	—	—	—	—	—	—	—
Diarrhoea	808	115	81	110	110	30	13	7	13	7	3	4	12
Dysentery	125	4	2	9	6	5	1	—	3	—	1	4	3
Cholera	66	9	10	10	10	4	3	1	2	—	—	1	—
Influenza	114	5	2	1	5	—	—	—	1	—	1	1	1
Purpura	20	1	2	1	—	—	2	—	2	1	1	2	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	10	—	—	—	—	1	4	1	3	1	—	—	—
Typhus	987	—	6	7	16	11	11	20	64	58	92	88	82
Enteric Fever	727	7	1	10	25	24	38	28	97	79	85	61	41
Relapsing Fever	15	—	—	—	—	—	—	—	2	6	1	2	1
Simple Continued Fever	58	—	—	2	5	2	3	2	8	6	5	5	5
Infantile Remittent	86	5	4	11	14	17	12	8	15	—	—	—	—
Metria	153	—	—	—	—	—	—	—	—	—	5	24	43
Rheumatic Fever	84	—	—	—	—	—	—	—	7	8	21	10	6
Erysipelas	134	33	5	8	7	2	3	3	1	4	3	2	3
Pyæmia	18	3	—	—	2	—	—	1	2	1	—	—	2
Syphilis	92	33	22	11	5	3	1	—	1	1	1	1	1
Noma	11	2	—	—	2	—	1	1	4	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	43	4	—	2	—	—	—	1	1	2	2	5	2
Dropsy	385	5	—	—	4	6	5	8	13	9	2	3	8
Abscess	58	7	3	5	3	3	1	1	3	5	3	2	4
Ulcer	22	1	—	1	1	—	—	—	—	—	1	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	52	3	—	—	4	1	—	1	1	—	—	—	3
Cancer	974	—	1	—	1	—	1	1	2	1	3	10	9
Gout	6	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	283	12	10	16	35	16	11	13	27	19	31	12	12
Tabes Mesenterica	448	24	34	42	132	55	36	23	46	17	7	6	3
Phthisis	4545	9	21	41	83	53	36	37	157	255	625	632	601
Hydrocephalus	844	22	64	206	179	100	68	54	116	26	5	2	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	230	4	4	23	30	13	13	9	42	21	13	8	7
Apoplexy	675	7	11	13	16	7	5	3	10	6	11	8	13
Paralysis	943	—	—	2	3	—	—	1	3	1	2	4	9
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	8	—	—	—	1	—	—	—	—	2	2	—	—
Epilepsy	95	—	—	—	—	—	—	—	1	6	7	11	9
Tetanus	22	9	—	2	1	—	—	—	—	2	1	—	2
Insanity	26	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	418	160	63	60	59	30	13	8	25	—	—	—	—
Brain Disease	414	5	9	7	18	14	5	5	30	15	16	11	13
V. Pericarditis	34	—	—	1	—	—	—	—	3	2	5	2	2
Aneurism	18	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	1574	5	2	6	1	6	2	2	17	26	44	41	48
VI. Laryngitis	55	2	2	7	10	5	3	3	4	2	1	1	1
Bronchitis	4074	259	249	513	584	222	96	63	90	21	21	38	29
Pleurisy	96	6	—	5	3	1	1	—	5	5	4	3	8
Pneumonia	1144	72	39	139	153	67	41	25	46	23	36	29	30
Asthma	242	1	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	170	8	4	5	15	3	3	—	7	5	8	6	14
VII. Teething	419	—	26	171	192	24	6	—	—	—	—	—	—
Quinsey	35	4	1	3	5	1	6	4	2	1	—	1	—
Gastritis	77	6	2	7	3	2	3	—	3	1	4	3	—
Enteritis	392	111	55	47	31	12	5	2	14	7	6	4	9
Peritonitis	170	9	1	5	5	2	—	4	7	6	7	19	19
Ascites	39	—	—	—	—	2	1	—	2	1	—	—	—
Ulceration of Intestines	106	3	—	3	—	1	—	—	1	2	2	2	4
Hernia	60	2	—	—	—	—	—	—	—	—	—	—	—
Ileus	115	14	3	—	—	—	2	—	3	2	7	1	4
Intussusception	22	1	4	2	—	—	—	—	—	1	1	1	—
Stricture of Intestines	14	—	—	—	—	—	—	—	—	1	—	—	—
Stomach Disease	363	31	20	16	17	10	5	1	5	6	5	4	12
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	58	3	3	1	1	—	1	—	2	1	—	1	2
Jaundice	104	22	2	2	—	4	2	—	1	1	1	1	3
Liver Disease	361	11	1	2	6	2	1	1	5	5	5	5	14
Spleen Disease	24	—	—	—	2	1	—	—	—	1	1	1	3
VIII. Nephritis	34	—	2	1	1	4	1	1	1	3	2	1	—
Nephria	140	—	—	1	4	—	4	—	4	5	9	7	13
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	8	—	—	—	—	—	—	—	—	1	—	—	1
Diabetes	35	—	—	—	—	—	—	—	—	3	2	3	6
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	21	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	108	1	2	—	1	—	—	1	3	2	3	4	5
IX. Paramenia	19	—	—	—	—	—	—	—	—	—	5	3	3
Ovarian Dropsy	69	—	—	—	—	—	—	—	—	—	2	2	4
Childbirth	410	—	—	—	—	—	—	—	—	—	13	49	70
Organs of Generation	73	—	—	—	—	—	—	—	—	—	2	3	8
X. Arthritis	38	—	—	—	2	1	1	—	6	4	6	2	1
Rheumatism	94	—	—	—	—	—	—	—	—	5	6	2	4
Joint and Bone Disease	68	—	—	1	1	—	1	2	12	17	7	4	2
XI. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	9	—	—	—	—	1	—	—	—	—	—	—	1
Skin Disease	26	7	2	2	3	3	—	3	2	—	—	1	—
XVII. Intemperance	44	—	—	—	—	—	—	—	—	—	—	1	2
Privation	6	—	—	—	1	—	—	—	—	—	—	1	—
Want of Breast Milk	43	22	14	7	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	9	—	—	—	—	—	—	—	1	—	1	—	—
Poison	7	—	—	—	—	—	—	—	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	103	1	—	4	10	18	5	7	20	2	4	—	—
Hanging, etc.	17	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	70	39	11	2	2	—	1	1	1	1	—	1	—
Drowning	75	2	—	1	5	7	2	2	4	5	4	2	2
Fracture and Contusion	174	2	1	2	6	11	4	10	17	3	6	5	4
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	8	—	—	—	—	—	1	—	—	—	1	—	2
Other Violent Causes	26	6	—	—	—	2	—	1	—	2	—	2	—
Not Specified	1226	325	102	84	101	44	32	27	48	25	32	21	27

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	5	8	5	5	2	6	1	6	2	2	1	—	—	—	—	—	
Apoplexy	15	20	23	32	58	62	74	76	79	66	42	13	4	1	—	—	
Paralysis	13	18	32	34	58	65	101	145	151	151	98	41	8	2	—	1	
Delirium Tremens	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—	1	
Chorea	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Epilepsy	8	9	5	6	7	3	5	8	2	3	2	3	—	—	—	—	
Tetanus	—	—	4	—	—	1	—	—	—	—	—	—	—	—	—	—	
Insanity	1	4	4	4	—	1	3	2	3	1	1	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	17	19	25	21	30	27	27	29	31	25	11	4	—	—	—	—	
Pericarditis	1	—	1	1	3	3	2	3	2	1	1	1	—	—	—	—	
Aneurism	1	2	2	1	3	2	1	1	2	1	2	—	—	—	—	—	
Heart Disease	51	68	96	97	120	149	203	182	187	133	57	25	5	—	—	1	
Laryngitis	3	1	2	1	3	1	—	—	2	1	—	—	—	—	—	—	
Bronchitis	42	69	91	104	168	167	261	244	280	214	152	73	15	7	—	2	
Pleurisy	6	5	3	5	8	7	9	5	5	1	1	—	—	—	—	—	
Pneumonia	25	31	30	35	43	41	60	53	51	48	18	5	3	1	—	—	
Asthma	2	7	11	20	28	29	37	34	39	20	12	1	—	—	—	—	
Lung Disease	4	7	12	15	14	9	9	8	10	4	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	2	—	1	1	1	—	1	1	—	—	—	—	—	
Gastritis	2	1	5	2	6	3	3	7	5	5	2	2	—	—	—	—	
Enteritis	8	7	10	6	9	7	6	8	16	8	1	3	—	—	—	—	
Peritonitis	17	12	9	5	4	5	5	10	12	3	4	—	—	—	—	—	
Ascites	1	3	—	4	2	6	1	3	3	7	3	—	—	—	—	—	
Ulceration of Intestines	5	10	9	4	12	8	16	10	6	5	3	—	—	—	—	—	
Hernia	2	2	—	9	3	7	10	9	6	7	2	1	—	—	—	—	
Ileus	1	1	4	6	10	6	10	10	13	10	6	2	—	—	—	—	
Intussusception	—	—	—	—	2	2	4	3	—	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	2	1	1	1	2	5	1	—	—	—	—	—	—	
Stomach Disease	9	13	19	21	28	22	19	37	27	23	10	3	—	—	—	—	
Pancreas Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	2	5	1	4	7	10	5	2	6	—	—	—	—	—	—	
Jaundice	5	1	3	1	5	6	9	8	9	11	6	1	—	—	—	—	
Liver Disease	12	22	20	24	43	41	37	39	31	22	7	4	—	—	—	1	
Spleen Disease	5	—	1	1	1	2	1	2	—	1	—	1	—	—	—	—	
Nephritis	1	6	2	2	1	2	—	—	2	1	—	—	—	—	—	—	
Nephria	6	14	11	11	6	9	7	14	5	9	—	1	—	—	—	—	
Addison's Disease	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	
Ischuria	1	—	1	—	1	—	1	2	—	—	—	—	—	—	—	—	
Diabetes	4	4	1	3	—	4	1	2	2	—	—	—	—	—	—	—	
Stone	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	
Cystitis	1	—	1	2	2	1	1	3	2	6	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Kidney Disease	2	6	6	5	7	15	6	12	14	9	3	2	—	—	—	—	
Paramenia	1	3	3	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	6	5	7	5	7	12	6	6	7	—	—	—	—	—	—	—	
Childbirth	97	117	56	7	1	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	4	8	9	8	9	9	2	4	4	3	—	—	—	—	—	—	
Arthritis	3	—	3	1	4	1	—	1	1	1	—	—	—	—	—	—	
Rheumatism	3	1	6	7	5	8	15	10	4	11	4	3	—	—	—	—	
Joint Disease	3	2	—	1	3	4	4	3	1	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	2	1	—	1	1	—	—	—	—	—	—	
Phlegmon	1	—	2	—	—	1	2	—	—	1	—	—	—	—	—	—	
Skin Disease	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	
Intemperance	3	6	8	5	6	6	3	1	1	1	1	—	—	—	—	—	
Privation	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	—	1	—	—	—	2	2	—	1	—	—	—	—	—	
Poison	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	2	1	—	1	4	3	6	2	6	5	2	—	—	—	—	—	
Hanging, etc.	2	1	3	—	2	3	2	1	3	—	—	—	—	—	—	—	
Suffocation	—	1	1	1	1	3	2	—	—	1	1	—	—	—	—	—	
Drowning	4	4	4	8	5	2	4	3	1	2	1	—	1	—	—	—	
Fracture and Contusion	8	3	4	7	7	7	14	14	13	9	10	5	2	—	—	—	
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	4	3	1	2	2	—	—	—	1	—	—	—	—	—	—	
Not Specified	31	25	29	48	55	55	84	12	2	—	—	—	—	—	—	17	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2784	201	56	82	125	75	44	32	78	68	90	89	94
SPECIFIED CAUSES	2369	90	41	59	86	55	33	25	63	53	78	80	79
I. Zymotic Class	372	22	18	28	46	41	23	19	28	16	17	13	6
II. Diseases of Uncertain Seat	104	—	—	1	1	—	—	—	—	—	—	2	4
III. Tubercular Class	321	1	1	10	15	7	2	—	13	13	35	40	40
IV. Brain and Nervous System	168	5	4	5	6	1	1	—	4	7	6	4	6
V. Organs of Circulation	85	—	—	—	—	—	—	—	—	3	—	4	3
VI. Respiratory Organs	229	9	8	9	8	3	3	2	8	6	4	7	6
VII. Organs of Digestion	143	7	4	4	6	2	1	1	1	2	3	3	3
VIII. Urinary Organs	40	1	1	—	—	—	—	—	2	—	1	—	—
IX. Organs of Generation	23	—	—	—	—	—	—	—	—	—	—	1	5
X. Organs of Locomotion	29	—	—	—	—	—	1	—	2	1	1	1	—
XI. Skin, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	46	40	5	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	15	—	—	—	2	1	1	—	1	1	1	—	1
XV. Age	688	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	100	4	—	—	2	—	1	3	4	4	10	5	5
I. Small Pox	1	—	—	—	1	—	—	—	—	—	—	—	—
Measles	63	2	5	7	14	12	3	3	4	2	2	2	—
Scarlatina	19	—	—	1	—	5	—	3	6	3	—	—	—
Diphtheria	21	2	3	4	—	3	1	3	3	1	—	1	—
Hooping Cough	56	4	3	10	15	11	7	2	4	—	—	—	—
Croup	58	8	4	2	13	6	10	8	7	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	23	2	2	—	—	1	—	—	—	1	—	1	1
Dysentery	6	—	—	—	—	—	—	—	1	—	1	1	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	22	—	1	2	2	—	—	—	—	—	1	1	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	55	—	—	1	1	—	1	—	—	4	7	5	2
Enteric Fever	14	—	—	1	—	1	1	—	—	3	2	2	1
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	4	—	—	—	—	—	—	—	—	—	1	—	1
Infantile Remittent	1	—	—	—	—	—	—	—	1	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	7	—	—	—	—	—	—	—	1	—	2	—	—
Erysipelas	7	2	—	—	—	1	—	—	—	1	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis	2	1	—	—	—	1	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	45	—	—	—	—	—	—	—	—	—	—	—	2
Abscess	4	—	—	—	1	—	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	46	—	—	1	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	18	—	—	1	—	—	—	—	3	3	—	—	1
Tabes Mesenterica	17	—	1	1	8	—	2	—	—	2	1	2	—
Phthisis	269	1	—	4	5	2	—	—	5	8	34	38	39
Hydrocephalus	17	—	—	4	2	5	—	—	5	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	—	1	2	1	—	—	—	1	1	3	2	1
Apoplexy	34	—	—	—	1	—	—	—	1	2	1	—	2
Paralysis	78	—	—	1	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	1	2	2	2	—
Tetanus	3	3	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	10	2	3	1	3	—	1	—	—	—	—	—	—
Brain Disease	14	—	—	1	1	1	—	—	1	2	—	—	2
V. Pericarditis	8	—	—	—	—	—	—	—	—	1	—	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	77	—	—	—	—	—	—	—	—	2	—	3	3
VI. Laryngitis	3	—	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	102	2	4	5	5	1	1	2	3	1	1	3	1
Pleurisy	23	6	1	—	1	2	1	—	2	2	2	—	—
Pneumonia	49	1	2	2	2	—	1	—	3	3	—	—	3
Asthma	39	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	13	—	1	—	—	—	—	—	—	—	1	4	1
VII. Teething	9	—	—	4	4	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	1	—
Gastritis	6	—	—	—	—	—	—	—	1	—	—	—	—
Enteritis	15	2	3	—	—	—	—	—	—	—	—	—	1
Peritonitis	5	—	—	—	—	—	—	—	—	—	1	—	—
Ascites	4	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	8	—	—	—	—	—	—	—	—	—	1	1	—
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	14	3	—	—	—	—	—	—	—	—	1	—	—
Intussusception	5	1	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	31	—	1	—	1	1	1	1	—	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	9	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	25	—	—	—	1	—	—	—	—	1	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	1	—	—	—	—	—	—	—	—	—	—
Nephria	8	—	—	—	—	—	—	—	1	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	14	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	8	—	—	—	—	—	—	—	1	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	19	—	—	—	—	—	—	—	—	—	—	1	4
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	6	—	—	—	—	—	1	—	2	1	—	—	—
Rheumatism	23	—	—	—	—	—	—	—	—	—	1	1	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	5	—	—	—	—	—	—	—	1	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	—	2	—	1	2	1	1	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	1	—	—
Suffocation	1	—	—	—	—	—	—	—	1	—	—	—	—
Drowning	64	—	—	—	—	—	—	1	—	1	9	5	5
Fracture and Contusion	11	—	—	—	—	—	—	—	1	2	—	—	—
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	2	—	—	—	—	—	—	—	—	—	—	—
Not Specified	415	111	15	23	39	20	11	7	15	15	12	9	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Apoplexy	1	—	1	2	2	3	4	3	3	5	3	—	—	—	—	—
Paralysis	1	2	2	1	2	4	9	6	15	12	14	4	3	1	—	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	1	—	—	2	—	—	1	—	—	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	—	—	1	1	1	—	—	2	1	—	—	—	—	—
Pericarditis	—	—	—	—	1	2	—	1	1	—	1	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	1	2	8	4	8	7	6	11	10	9	1	1	1	—	—	—
Laryngitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2	2	1	3	2	5	8	13	14	11	6	5	—	—	—	1
Pleurisy	—	1	—	—	—	1	1	1	1	—	1	—	—	—	—	—
Pneumonia	5	—	—	4	4	3	3	6	3	3	1	—	—	—	—	—
Asthma	—	—	2	2	1	5	4	8	7	7	2	—	—	—	—	—
Lung Disease	1	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	1	—	—	—	—	1	1	1	1	—	—	—	—	—	—
Enteritis	—	—	1	2	1	—	—	3	2	—	—	—	—	—	—	—
Peritonitis	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—
Ulceration of Intestines	—	1	—	2	1	—	1	1	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	—
Ileus	—	1	—	—	3	—	—	2	2	1	1	—	—	—	—	—
Intussusception	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease	1	3	—	3	3	3	3	4	4	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
Jaundice	—	1	—	—	—	1	1	2	—	1	1	1	—	—	—	—
Liver Disease	1	1	3	2	2	3	3	3	1	2	1	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	—	—	1	—	—	1	—	1	1	2	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diabetes	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	1	2	—	3	5	2	—	—	—	—	—
Cystitis	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease	—	—	1	1	—	—	2	—	2	1	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth	6	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	2	2	1	6	1	5	2	—	1	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	9	6	7	6	6	—	5	2	1	1	—	—	—	—	—	—
Fracture and Contusion	—	—	1	2	—	1	1	1	1	—	1	—	—	—	—	—
Gunshot Wounds	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Not specified	11	9	10	13	11	15	35	4	—	—	—	—	—	—	—	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1364	132	31	45	60	38	20	18	41	36	46	53	52
SPECIFIED CAUSES	1148	54	24	36	43	29	14	13	32	26	40	49	47
I. Zymotic Class	187	14	13	17	21	24	11	9	11	6	9	7	4
II. Diseases of Uncertain Seat	39	—	—	1	—	—	—	—	—	—	—	2	2
III. Tubercular Class	159	—	—	3	8	3	1	—	8	5	12	23	24
IV. Brain and Nervous System	87	2	2	3	3	—	1	—	4	3	5	2	5
V. Organs of Circulation	51	—	—	—	—	—	—	—	—	1	—	4	3
VI. Respiratory Organs	118	5	6	8	4	2	—	2	4	5	1	5	3
VII. Organs of Digestion	79	5	1	3	4	—	—	—	—	1	2	1	1
VIII. Urinary Organs	29	1	—	—	—	—	—	—	2	—	1	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	15	—	—	—	—	—	—	—	1	1	—	1	—
XI. Skin, etc.	1	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	24	22	2	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	1	—	—	—	1	1	1	—	—
XV. Age	269	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	82	4	—	—	2	—	1	2	1	3	9	4	5
I. Small Pox	1	—	—	—	1	—	—	—	—	—	—	—	—
Measles	31	—	5	4	4	7	2	1	2	1	—	1	—
Scarlatina	10	—	—	1	—	2	—	2	3	2	—	—	—
Diphtheria	13	2	3	3	—	3	1	1	—	—	—	—	—
Hooping Cough	23	3	—	3	5	6	3	2	1	—	—	—	—
Croup	33	5	2	2	9	4	5	3	3	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	12	1	2	—	—	—	—	—	—	1	—	1	1
Dysentery	2	—	—	—	—	—	—	—	1	—	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	9	—	1	2	1	—	—	—	—	—	1	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	32	—	—	1	1	—	—	—	—	—	5	4	1
Enteric Fever	7	—	—	1	—	1	—	—	—	1	1	1	1
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Freve	2	—	—	—	—	—	—	—	—	—	—	—	1
Infantile Remittent	1	—	—	—	—	—	—	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	1	—	—	—	1	—	—	—	1	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	11	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	3	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	20	—	—	1	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	10	—	—	1	—	—	—	—	2	2	—	—	1
Tabes Mesenterica	5	—	—	—	2	—	1	—	—	1	1	—	—
Phthisis	135	—	—	1	4	1	—	—	3	2	11	23	23
Hydrocephalus	9	—	—	1	2	2	—	—	3	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	38	33	43	44	44	44	78	83	97	114	89	45	24	8	3	5
SPECIFIED CAUSES .	32	29	38	39	39	38	63	82	97	114	89	45	24	8	3	1
Zymotic Class . .	1	2	3	3	3	3	5	5	8	6	2	—	—	—	—	—
Uncertain Seat . .	1	—	2	2	3	4	5	7	4	4	1	1	—	—	—	—
Tubercular Class . .	15	10	8	10	9	7	9	3	1	—	—	—	—	—	—	—
Brain, etc. . . .	1	1	2	3	3	4	9	3	8	11	10	—	1	1	—	—
Heart, etc. . . .	1	2	6	1	7	4	3	8	6	4	1	—	—	—	—	—
Respiratory Organs .	4	2	1	4	3	7	10	18	12	9	2	1	—	—	—	—
Digestive Organs . .	1	4	4	7	4	5	8	11	10	5	1	1	—	—	—	—
Urinary Organs . .	—	—	2	1	—	1	2	1	3	13	2	—	—	—	—	—
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	1	—	—	2	1	1	1	4	1	—	1	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	3	22	44	58	68	42	22	7	3	—
Sudden Deaths . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Violent Deaths . .	8	8	8	8	7	—	7	3	—	—	1	—	—	—	—	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	—	—	1	—	—	—	—	3	1	1	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—
Purpura	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	1	1	2	2	2	3	4	2	2	—	—	—	—	—	—
Enteric Fever . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Simple Cont. Fever .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhenmatic Fever . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	1	1	—	—	1	2	3	2	1	—	—	—	—	—
Abscess	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	—	—	—	1	3	3	4	5	1	1	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	14	7	7	10	9	7	9	3	1	—	—	—	—	—	—	—
Hydrocephalus . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	12	—	1	2	1	—	—	—	1	1	2	2	1
Apoplexy	20	—	—	—	—	—	—	—	1	—	1	—	2
Paralysis	34	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	—	—	—	—	—	—	1	1	2	—	—
Tetanus	2	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	4	—	1	—	2	—	1	—	—	—	—	—	—
Brain Disease	7	—	—	1	—	—	—	—	1	1	—	—	1
V. Pericarditis	5	—	—	—	—	—	—	—	—	1	—	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	46	—	—	—	—	—	—	—	—	—	—	3	3
VI. Laryngitis	2	—	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	49	1	3	5	2	—	—	2	2	1	1	2	—
Pleurisy	14	3	1	—	1	2	—	—	—	2	—	—	—
Pneumonia	27	1	1	1	1	—	—	—	2	2	—	—	1
Asthma	19	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	7	—	1	—	—	—	—	—	—	—	—	3	1
VII. Teething	6	—	—	3	3	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	11	2	1	—	—	—	—	—	—	—	—	—	1
Peritonitis	2	—	—	—	—	—	—	—	—	—	1	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	6	—	—	—	—	—	—	—	—	—	1	1	—
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	4	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	11	—	—	—	—	—	—	—	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	1	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	12	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	1	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	4	—	—	—	—	—	—	—	1	1	—	—	—
Rheumatism	11	—	—	—	—	—	—	—	—	—	—	1	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	2	—	1	1	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	1	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	58	—	—	—	—	—	—	1	—	1	8	4	5
Fracture and Contusion	8	—	—	—	—	—	—	—	1	2	—	—	—
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	2	—	—	—	—	—	—	—	—	—	—	—
Not Specified	216	78	7	9	17	9	6	5	9	10	6	4	5

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	1	2	—	2	3	2	1	3	2	—	—	—	—	—	
Paralysis	1	—	1	1	1	—	5	1	7	7	8	—	1	1	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	2	6	1	7	3	3	8	5	4	—	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	2	—	1	—	3	4	7	6	5	—	1	—	—	—	—	
Pleurisy	—	—	—	—	—	1	1	1	1	—	1	—	—	—	—	—	
Pneumonia	2	—	—	2	3	1	2	5	1	1	1	—	—	—	—	—	
Asthma	—	—	1	1	—	2	3	5	3	3	—	—	—	—	—	—	
Lung Disease	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Enteritis	—	—	1	1	1	—	—	3	1	—	—	—	—	—	—	—	
Peritonitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	
Ileus	—	1	—	—	1	—	—	2	2	1	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	—	3	1	2	2	2	4	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Jaundice	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	
Liver Disease	1	—	2	1	—	1	1	1	1	1	1	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Nephria	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Diabetes	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	1	—	3	5	2	—	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Kidney Disease	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	2	—	1	1	4	1	—	1	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	8	6	7	6	6	—	4	2	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	
Gunshot Wounds	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	6	4	5	5	5	6	15	1	—	—	—	—	—	—	—	4	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	1420	69	25	37	65	37	24	14	37	32	44	36	42
SPECIFIED CAUSES	1221	36	17	23	43	26	19	12	31	27	38	31	32
I. Zymotic Class	185	8	5	11	25	17	12	10	17	10	8	6	2
II. Diseases of Uncertain Seat	65	—	—	—	1	—	—	—	—	—	—	—	2
III. Tubercular Class	162	1	1	7	7	4	1	—	5	8	23	17	16
IV. Brain and Nervous System	81	3	2	2	3	1	—	—	—	4	1	2	1
V. Organs of Circulation	34	—	—	—	—	—	—	—	—	2	—	—	—
VI. Respiratory Organs	111	4	2	1	4	1	3	—	4	1	3	2	3
VII. Organs of Digestion	64	2	3	1	2	2	1	1	1	1	1	2	2
VIII. Urinary Organs	11	—	1	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	23	—	—	—	—	—	—	—	—	—	—	1	5
X. Organs of Locomotion	14	—	—	—	—	—	1	—	1	—	1	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	22	18	3	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	1	1	1	—	—	—	—	—	1
XV. Age	419	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	18	—	—	—	—	—	—	1	3	1	1	1	—
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	32	2	—	3	10	5	1	2	2	1	2	1	—
Scarlatina	9	—	—	—	—	3	—	1	3	1	—	—	—
Diphtheria	8	—	—	1	—	—	—	2	3	1	—	1	—
Hooping Cough	33	1	3	7	10	5	4	—	3	—	—	—	—
Croup	25	3	2	—	4	2	5	5	4	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	1	—	—	—	1	—	—	—	—	—	—	—
Dysentery	4	—	—	—	—	—	—	—	—	—	—	1	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	13	—	—	—	1	—	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	1	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	23	—	—	—	—	—	1	—	—	4	2	1	1
Enteric Fever	7	—	—	—	—	—	1	—	—	2	1	1	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	1	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	2	—	—
Erysipelas	3	1	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis	1	—	—	—	—	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	34	—	—	—	—	—	—	—	—	—	—	—	2
Abscess	1	—	—	—	1	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	26	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	—	—	—	—	—	—	1	1	—	—	—
Tabes Mesenterica	12	—	1	1	6	—	1	—	—	1	—	2	—
Phthisis	134	1	—	3	1	1	—	—	2	6	23	15	16
Hydrocephalus	8	—	—	3	—	3	—	—	2	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	—	—	—	—	—	—	—	1	—	—
Apoplexy	14	—	—	—	1	—	—	—	—	2	—	—	—
Paralysis	44	—	—	1	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	1	—	2	—
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	6	2	2	1	1	—	—	—	—	—	—	—	—
Brain Disease	7	—	—	—	1	1	—	—	—	1	—	—	1
V. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	31	—	—	—	—	—	—	—	—	2	—	—	—
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	53	1	1	—	3	1	1	—	1	—	—	1	1
Pleurisy	9	3	—	—	—	—	1	—	2	—	2	—	—
Pneumonia	22	—	1	1	1	—	1	—	1	1	—	—	2
Asthma	20	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	—	—	—	—	—	—	—	—	—	1	1	—
VII. Teething	3	—	—	1	1	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	1	—
Gastritis	3	—	—	—	—	—	—	—	1	—	—	—	—
Enteritis	4	—	2	—	—	—	—	—	—	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	2	—	—	—	—	—	—	—	—	1	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	15	—	1	—	—	1	1	1	—	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	4	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	14	—	—	—	1	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	1	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	19	—	—	—	—	—	—	—	—	—	—	1	4
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	1	—	1	—	—	—	—
Rheumatism	12	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Δ VII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	1	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	—	—	1	1	1	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	—	—	1	—	—	—	—
Drowning	6	—	—	—	—	—	—	—	—	—	1	1	—
Fracture and Contusion	3	—	—	—	—	—	—	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	199	33	8	14	22	11	5	2	6	5	6	5	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Apoplexy	1	—	—	—	2	1	1	1	2	2	1	—	—	—	—	—	
Paralysis	—	2	1	—	1	4	4	5	8	5	6	4	2	—	—	1	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	
Pericarditis	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	—	—	2	3	1	4	3	3	5	5	1	1	1	—	—	—	
Laryngitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	—	1	2	2	2	4	6	8	6	6	4	—	—	—	1	
Pleurisy	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia	3	—	—	2	1	2	1	1	2	2	—	—	—	—	—	—	
Asthma	—	—	1	1	1	3	1	3	4	4	2	—	—	—	—	—	
Lung Disease	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Enteritis	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Peritonitis	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	
Ulceration of Intestines	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Ileus	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stomach Disease	1	2	—	—	2	1	1	2	—	—	—	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Liver Disease	—	1	1	1	2	2	2	2	—	1	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Childbirth	6	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	1	2	—	1	5	—	1	1	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Not Specified	5	5	5	8	6	9	20	3	—	—	—	—	—	—	—	11	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34138	3208	1023	1896	2389	1265	905	694	1736	918	1126	1160	1077
SPECIFIED CAUSES	32444	2707	884	1775	2261	1206	856	649	1675	882	1081	1121	1038
I. Zymotic Class	6859	318	185	603	1012	692	568	447	1009	327	224	161	125
II. Diseases of Uncertain Seat	1263	21	2	8	8	5	6	5	22	12	19	18	20
III. Tubercular Class	5202	70	118	271	348	166	111	84	300	268	541	623	536
IV. Brain and Nervous System	2708	138	73	92	99	47	24	25	81	67	43	43	46
V. Organs of Circulation	1711	4	3	4	2	3	2	2	20	22	40	39	40
VI. Respiratory Organs	4265	334	227	445	440	150	84	47	102	45	47	70	62
VII. Organs of Digestion	2435	263	130	246	246	57	25	11	45	39	47	42	51
VIII. Urinary Organs	572	4	2	—	6	7	3	8	13	15	18	12	26
IX. Organs of Generation	264	—	—	—	—	—	—	—	—	—	10	22	33
X. Organs of Locomotion	182	1	—	—	1	—	1	—	15	20	17	11	7
XI. Skin, etc.	51	6	10	3	2	3	—	2	5	—	—	1	1
XII. Malformation	127	104	7	8	2	1	1	—	2	2	—	—	—
XIII. Premature Debility	1570	1384	103	83	—	—	—	—	—	—	—	—	—
XIV. Atrophy	205	—	—	—	59	27	10	—	14	3	4	4	8
XV. Age	3860	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	80	8	4	1	3	—	—	1	2	1	—	4	1
XVII. Violent Deaths	1090	52	20	11	33	48	21	17	45	61	71	71	82
I. Small Pox	17	3	2	1	2	—	—	—	—	1	—	1	5
Measles	507	8	12	79	188	70	49	32	46	13	3	1	2
Scarlatina	1907	7	16	112	228	265	268	233	583	125	27	17	7
Diphtheria	374	8	2	28	57	52	46	46	76	20	6	3	2
Hooping Cough	831	70	45	184	240	136	62	45	46	3	—	—	—
Croup	443	19	13	51	108	91	72	38	50	1	—	—	—
Thrush	13	8	—	1	2	2	—	—	—	—	—	—	—
Diarrhœa	670	89	50	89	106	24	13	4	15	4	3	4	5
Dysentery	147	4	2	12	7	6	2	1	5	—	2	2	2
Cholera	49	4	5	4	9	2	2	1	1	—	1	—	—
Influenza	114	10	2	1	6	1	1	—	3	1	—	—	—
Purpura	24	2	1	—	—	—	1	1	—	2	2	4	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	12	—	—	—	1	2	3	2	3	1	—	—	—
Typhus	456	1	8	6	9	7	12	6	40	42	56	35	32
Enteric Fever	744	6	5	9	21	21	26	28	98	93	90	62	35
Relapsing Fever	14	—	—	—	—	—	—	—	2	4	—	1	1
Simple Continued Fever	77	—	2	2	4	1	4	1	12	5	5	8	6
Infantile Remittent	65	8	6	7	13	8	4	6	13	—	—	—	—
Metria	69	—	—	—	—	—	—	—	—	—	1	9	18
Rheumatic Fever	94	—	—	—	—	—	—	1	12	6	23	10	5
Erysipelas	135	39	4	6	6	2	2	2	2	5	4	3	1
Pyæmia	26	7	—	1	2	—	—	—	1	—	1	1	—
Syphilis	61	24	10	10	2	1	—	—	—	1	—	—	3
Noma	9	1	—	—	1	1	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	43	6	—	1	—	—	—	1	2	1	1	—	1
Dropsy	305	1	—	—	3	3	4	4	13	5	10	9	5
Abscess	58	6	2	6	4	1	—	—	4	4	5	1	1
Ulcer	18	1	—	1	—	—	—	—	—	—	—	—	—
Fistula	5	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	51	5	—	—	—	1	—	—	—	—	—	1	3
Cancer	769	2	—	—	1	—	2	—	3	2	2	7	9
Gout	11	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	307	7	8	15	21	15	7	12	33	31	37	22	21
Tabes Mesenterica	394	29	35	48	96	42	21	12	36	26	12	6	5
Phthisis	3759	6	15	31	65	44	29	15	123	181	487	592	510
Hydrocephalus	742	28	60	177	166	65	54	45	108	30	5	3	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	220	2	8	22	28	9	7	9	33	25	6	9	9
Apoplexy	658	6	7	9	13	5	4	5	6	8	8	9	9
Paralysis	944	—	—	3	3	—	1	1	3	1	1	2	5
Delirium Tremens	24	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	7	—	—	—	1	—	—	—	—	2	1	—	—
Epilepsy	109	—	—	—	—	—	—	—	1	9	9	14	9
Tetanus	25	6	—	1	—	—	—	—	4	4	1	1	—
Insanity	19	—	—	—	—	—	—	—	—	1	1	—	—
Convulsions	319	119	53	48	44	23	9	7	16	—	—	—	—
Brain Disease	383	5	5	9	10	10	3	3	18	17	16	8	13
V. Pericarditis	36	—	—	1	—	—	—	—	2	1	5	2	2
Aneurism	34	—	—	—	—	—	—	—	—	1	—	1	1
Heart Disease	1641	4	3	3	2	3	2	2	18	20	35	36	37
VI. Laryngitis	49	2	2	4	8	2	3	3	4	2	2	1	—
Bronchitis	2694	256	187	347	342	107	59	30	58	10	10	19	20
Pleurisy	129	4	1	4	5	1	1	—	5	8	4	6	10
Pneumonia	1043	67	36	87	81	39	19	14	33	20	31	33	26
Asthma	208	—	—	—	—	—	1	—	—	—	—	1	—
Lung Disease	142	5	1	3	4	1	1	—	2	5	—	10	6
VII. Teething	359	—	24	144	165	18	7	1	—	—	—	—	—
Quinsey	34	4	1	4	7	1	3	2	1	2	—	1	—
Gastritis	78	6	2	4	5	2	3	—	2	—	4	2	1
Enteritis	494	139	71	61	40	17	2	3	14	10	11	6	9
Peritonitis	166	12	5	11	5	4	—	3	9	7	3	11	9
Ascites	31	—	—	—	—	2	—	—	2	1	1	—	—
Ulceration of Intestines	123	—	—	1	—	1	1	—	—	3	2	4	1
Hernia	61	4	1	—	—	2	—	—	—	—	1	—	—
Ileus	124	8	3	2	—	1	1	—	3	1	8	3	4
Intussusception	35	1	5	3	1	—	—	—	2	1	5	1	—
Stricture of Intestines	11	—	—	—	—	—	—	—	—	1	—	—	—
Stomach Disease	358	37	12	13	12	3	3	—	5	3	7	5	14
Pancreas Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	72	3	1	—	1	—	1	1	1	1	—	—	3
Jaundice	109	37	3	1	1	4	2	—	1	—	—	—	2
Liver Disease	355	12	2	2	8	1	2	1	5	8	5	6	7
Spleen Disease	21	—	—	—	1	1	—	—	—	1	—	3	1
VIII. Nephritis	51	—	—	—	3	3	1	1	5	4	4	2	1
Nephria	129	—	—	—	2	2	1	5	5	5	7	7	5
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	46	3	1	—	—	1	—	—	1	1	—	—	2
Diabetes	44	—	—	—	—	—	1	—	—	2	—	2	10
Stone	28	—	—	—	—	—	—	—	—	1	—	—	—
Cystitis	138	—	—	—	—	—	—	1	—	—	3	—	1
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	131	1	1	—	1	1	—	1	2	2	4	1	6
IX. Paramenia	12	—	—	—	—	—	—	—	—	—	4	1	1
Ovarian Dropsy	39	—	—	—	—	—	—	—	—	—	2	1	3
Childbirth	179	—	—	—	—	—	—	—	—	—	3	18	24
Organs of Generation	34	—	—	—	—	—	—	—	—	—	1	2	5
X. Arthritis	44	1	—	—	—	—	1	—	5	7	3	5	2
Rheumatism	84	—	—	—	—	—	—	—	—	3	7	2	2
Joint and Bone Disease	54	—	—	—	1	—	—	—	10	10	7	4	3
XI. Carbuncle	11	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	37	6	10	3	2	3	—	2	5	—	—	1	—
XVII. Intemperance	30	—	—	—	—	—	—	—	—	—	—	1	1
Privation	2	—	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	16	10	5	1	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	21	—	1	—	—	—	—	—	—	—	1	—	—
Poison	14	1	1	2	2	1	—	—	—	—	1	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	96	—	1	4	15	19	10	4	10	4	2	1	—
Hanging, etc.	26	—	—	—	—	—	—	—	—	1	—	1	—
Suffocation	56	26	10	1	1	—	1	1	1	—	2	—	—
Drowning	304	2	—	1	10	18	6	4	11	21	24	26	38
Fracture and Contusion	459	2	2	2	5	9	4	8	21	33	38	37	41
Gunshot Wounds	14	—	—	—	—	—	—	—	2	—	2	—	—
Cuts and Stabs	15	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	35	10	—	—	—	1	—	—	—	2	—	3	1
Not Specified	1694	501	139	121	128	59	49	45	61	36	45	39	39

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	8	13	6	11	2	3	3	3	1	2	1	—	—	—	—	—	
Apoplexy	14	14	15	21	46	54	81	80	74	91	52	21	6	—	—	—	
Paralysis	13	11	14	29	45	55	92	149	165	178	111	47	12	3	—	—	
Delirium Tremens	4	8	2	3	1	2	—	1	—	1	—	—	—	—	—	1	
Chorea	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Epilepsy	8	11	5	10	5	4	8	6	2	6	—	2	—	—	—	—	
Tetanus	—	—	3	—	1	1	—	—	1	1	—	—	—	—	—	1	
Insanity	—	2	3	1	—	2	2	4	2	1	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	18	10	17	22	19	23	28	43	33	32	16	4	1	—	—	—	
Pericarditis	1	—	3	1	1	3	5	2	2	3	1	1	—	—	—	—	
Aneurism	3	5	2	6	3	2	2	4	1	2	1	—	—	—	—	—	
Heart Disease	39	57	73	77	106	138	198	236	252	173	83	38	4	1	—	1	
Laryngitis	4	—	2	4	2	1	—	1	1	1	—	—	—	—	—	—	
Bronchitis	16	32	39	58	81	89	126	170	207	189	150	71	14	6	—	1	
Pleurisy	6	1	5	4	10	10	11	11	8	5	6	1	1	—	—	1	
Pneumonia	34	23	42	44	50	51	84	72	63	57	20	14	2	1	—	—	
Asthma	2	9	12	10	28	22	25	31	33	21	12	1	—	—	—	—	
Lung Disease	4	7	14	15	7	10	14	20	9	3	1	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	1	1	—	2	2	—	1	1	—	—	—	—	—	
Gastritis	4	2	3	5	7	4	4	4	4	7	2	1	—	—	—	—	
Enteritis	10	9	5	3	14	4	15	13	15	14	5	4	—	—	—	—	
Peritonitis	7	3	9	9	5	12	6	9	11	8	6	1	1	—	—	—	
Ascites	1	2	1	2	—	1	2	4	4	4	4	—	—	—	—	—	
Ulceration of Intestines	1	9	10	9	11	14	18	12	17	5	4	—	—	—	—	—	
Hernia	1	—	—	4	3	7	5	9	12	7	3	2	—	—	—	—	
Ileus	—	4	4	6	11	13	12	11	9	9	8	2	1	—	—	—	
Intussusception	—	2	—	1	—	4	4	3	—	2	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	1	2	1	2	1	2	1	—	—	—	—	—	—	
Stomach Disease	6	7	11	17	31	25	23	43	35	28	15	2	1	—	—	—	
Pancreas Disease	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—	
Hepatitis	3	6	5	2	4	11	12	7	2	8	—	—	—	—	—	—	
Jaundice	3	—	3	—	4	5	6	9	9	11	8	—	—	—	—	—	
Liver Disease	7	10	19	26	26	38	34	45	47	26	9	7	1	—	—	1	
Spleen Disease	3	—	1	1	—	2	2	4	—	1	—	—	—	—	—	—	
Nephritis	2	1	2	—	4	2	3	3	6	3	—	—	—	1	—	—	
Nephria	2	8	8	12	9	13	7	12	8	10	—	1	—	—	—	—	
Addison's Disease	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Ischuria	—	—	3	—	3	2	5	6	9	3	3	3	—	—	—	—	
Diabetes	5	4	2	4	1	2	4	1	4	1	1	—	—	—	—	—	
Stone	—	—	—	1	1	—	4	1	6	7	6	1	—	—	—	—	
Cystitis	3	2	2	4	3	5	14	26	23	28	12	9	2	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Kidney Disease	4	7	4	8	10	9	11	15	16	15	9	2	—	—	—	1	
Paramenia	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	5	1	2	2	1	7	4	6	5	—	—	—	—	—	—	—	
Childbirth	43	54	35	1	1	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	4	4	2	5	5	1	1	2	1	—	—	—	—	—	—	
Arthritis	2	1	3	2	3	2	4	1	1	1	—	—	—	—	—	—	
Rheumatism	3	3	4	7	—	6	12	10	8	11	3	3	—	—	—	—	
Joint Disease	2	1	—	3	2	2	4	4	—	1	—	—	—	—	—	—	
Carbuncle	—	—	—	1	—	1	—	3	1	2	2	1	—	—	—	—	
Phlegmon	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	2	—	1	1	—	—	—	1	—	—	—	—	
Intemperance	5	2	2	5	3	2	3	2	1	1	1	1	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	1	2	1	1	3	2	3	3	2	1	—	—	—	—	—	
Poison	—	—	3	—	2	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	3	2	2	2	1	3	3	3	2	3	2	—	—	—	—	—	
Hanging, etc.	—	1	3	—	7	3	5	1	4	—	—	—	—	—	—	—	
Suffocation	1	—	2	1	1	1	3	1	2	—	1	—	—	—	—	—	
Drowning	23	19	21	19	18	10	10	7	3	4	2	—	1	—	—	6	
Fracture and Contusion	26	27	27	33	30	18	19	18	21	18	11	6	3	—	—	—	
Gunshot Wounds	2	3	1	2	—	1	—	—	—	—	1	—	—	—	—	—	
Cuts and Stabs	2	3	1	—	—	3	2	1	—	1	—	—	—	—	—	—	
Other Violent Causes	1	5	1	3	1	1	3	3	—	—	—	—	—	—	—	—	
Not Specified	42	36	35	66	67	62	96	15	2	—	—	—	—	—	—	11	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17113	1797	582	1043	1260	633	476	340	870	462	538	645	566
SPECIFIED CAUSES	16198	1530	506	975	1185	598	448	317	837	440	515	619	542
I. Zymotic Class	3346	172	100	314	505	335	297	215	492	151	103	72	59
II. Diseases of Uncertain Seat	479	12	—	4	5	2	3	2	16	3	14	11	8
III. Tubercular Class	2608	40	64	163	194	89	53	44	150	119	230	346	277
IV. Brain and Nervous System	1407	72	49	52	61	22	15	11	43	44	23	27	21
V. Organs of Circulation	894	—	2	2	2	1	1	2	7	9	18	19	17
VI. Respiratory Organs	2263	206	127	244	232	71	49	21	50	18	17	37	36
VII. Organs of Digestion	1267	154	80	135	132	32	9	6	25	20	25	26	21
VIII. Urinary Organs	403	4	1	—	3	6	2	6	9	9	13	4	17
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	82	1	—	—	1	—	1	—	4	10	9	5	4
XI. Skin, etc.	25	1	8	3	—	—	—	—	3	—	—	—	—
XII. Malformation	60	47	4	4	2	—	1	—	—	2	—	—	—
XIII. Premature Debility	892	790	58	44	—	—	—	—	—	—	—	—	—
XIV. Atrophy	91	—	—	—	27	12	4	—	8	1	3	4	3
XV. Age	1498	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	35	3	1	—	1	—	—	1	1	—	—	1	—
XVII. Violent Deaths	848	28	12	10	20	28	13	9	29	54	60	67	79
I. Small Pox	13	2	2	1	1	—	—	—	—	—	—	1	4
Measles	267	6	3	43	96	36	32	14	26	8	2	—	1
Scarlatina	975	5	13	57	116	134	144	115	304	62	11	5	3
Diphtheria	171	2	2	10	31	25	24	18	30	11	4	2	1
Hooping Cough	355	31	23	92	106	52	20	18	11	2	—	—	—
Croup	256	14	7	30	55	54	42	25	29	—	—	—	—
Thrush	6	5	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa	326	52	24	54	53	12	9	1	10	3	1	3	2
Dysentery	66	1	—	5	5	2	1	1	2	—	1	1	1
Cholera	31	3	3	2	6	—	1	1	—	—	1	—	—
Influenza	44	6	—	—	4	1	1	—	2	1	—	—	—
Purpura	15	1	—	—	—	—	—	1	—	1	2	3	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	1	1	—	1	1	—	—	—	—
Typhus	228	1	6	3	5	4	6	3	16	17	30	17	18
Enteric Fever	335	4	4	4	10	8	9	14	39	38	36	28	19
Relapsing Fever	8	—	—	—	—	—	—	—	—	2	—	—	1
Simple Continued Fever	45	—	2	—	3	1	4	—	7	1	3	3	3
Infantile Remittent	34	4	4	4	8	2	2	2	8	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	47	—	—	—	—	—	—	1	6	2	9	7	2
Erysipelas	65	17	1	1	3	1	2	—	1	3	2	1	1
Pyæmia	15	4	—	1	—	—	—	—	—	—	1	1	—
Syphilis	35	14	6	7	2	—	—	—	—	—	—	—	2
Noma	4	—	—	—	—	1	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	23	5	—	—	—	—	—	—	1	—	—	—	—
Dropsy	127	—	—	—	3	1	2	2	11	1	9	7	2
Abscess	34	3	—	4	2	—	—	—	3	1	3	—	—
Ulcer	7	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	25	2	—	—	—	1	—	—	—	—	—	1	1
Cancer	255	2	—	—	—	—	1	—	1	1	1	3	4
Gout	6	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	177	1	2	8	9	9	4	6	26	22	19	14	14
Tabes Mesenterica	216	15	23	34	49	22	10	5	18	14	6	5	3
Phthisis	1803	4	7	17	37	26	13	7	55	67	202	325	260
Hydrocephalus	412	20	32	104	99	32	26	26	51	16	3	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	123	1	7	14	17	6	3	4	16	14	3	6	4
Apoplexy	321	4	1	4	7	1	2	3	3	5	2	4	5
Paralysis	457	—	—	2	2	—	1	—	1	1	1	1	1
Delirium Tremens	21	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	58	—	—	—	—	—	—	—	—	6	6	8	3
Tetanus	15	2	—	—	—	—	—	—	4	3	—	1	—
Insanity	7	—	—	—	—	—	—	—	—	1	1	—	—
Convulsions	181	64	37	24	29	12	6	2	7	—	—	—	—
Brain Disease	222	1	4	8	6	3	3	2	12	14	10	7	7
V. Pericarditis	16	—	—	—	—	—	—	—	1	—	1	1	1
Aneurism	27	—	—	—	—	—	—	—	—	1	—	1	1
Heart Disease	851	—	2	2	2	1	1	2	6	8	17	17	15
VI. Laryngitis	22	1	2	2	3	1	—	1	1	1	1	1	—
Bronchitis	1348	165	101	188	185	51	36	13	26	2	1	7	10
Pleurisy	80	1	1	1	2	—	1	—	3	3	3	4	7
Pneumonia	602	37	23	52	40	18	10	7	19	8	12	17	16
Asthma	108	—	—	—	—	—	1	—	—	—	—	1	—
Lung Disease	103	2	—	1	2	1	1	—	1	4	—	7	3
VII. Teething	185	—	10	76	88	8	2	1	—	—	—	—	—
Quinsey	16	2	1	2	3	1	1	—	—	1	—	1	—
Gastritis	35	4	1	2	2	—	—	—	1	—	—	1	1
Enteritis	287	82	45	36	23	12	—	2	7	6	8	4	5
Peritonitis	91	7	5	9	2	3	—	1	6	4	2	4	1
Ascites	11	—	—	—	—	1	—	—	1	1	1	—	—
Ulceration of Intestines	60	—	—	—	—	—	1	—	—	1	1	3	—
Hernia	27	3	1	—	—	2	—	—	—	—	1	—	—
Ileus	72	6	3	2	—	1	1	—	3	1	3	3	3
Intussusception	23	—	3	2	1	—	—	—	2	—	4	1	—
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	164	19	8	5	8	2	1	—	2	1	4	3	6
Pancreas Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	42	1	1	—	—	—	—	1	—	1	—	—	3
Jaundice	50	25	1	—	1	2	1	—	—	—	—	—	—
Liver Disease	188	5	1	1	4	—	2	1	3	4	1	4	2
Spleen Disease	7	—	—	—	—	—	—	—	—	—	—	2	—
VIII. Nephritis	36	—	—	—	2	2	1	—	4	1	3	1	1
Nephria	66	—	—	—	—	2	—	5	4	2	4	2	4
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	41	3	1	—	—	1	—	—	1	1	—	—	1
Diabetes	29	—	—	—	—	—	1	—	—	2	—	1	5
Stone	26	—	—	—	—	—	—	—	—	1	—	—	—
Cystitis	125	—	—	—	—	—	—	1	—	—	3	—	1
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	78	1	—	—	1	1	—	—	—	2	3	—	4
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	23	1	—	—	—	—	1	—	1	5	2	3	2
Rheumatism	36	—	—	—	—	—	—	—	—	—	4	—	—
Joint and Bone Disease	23	—	—	—	1	—	—	—	3	5	3	2	2
XI. Carbuncle	8	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	17	1	8	3	—	—	—	—	3	—	—	—	—
XVII. Intemperance	22	—	—	—	—	—	—	—	—	—	—	1	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	12	8	3	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	15	—	1	—	—	—	—	—	—	—	—	—	—
Poison	10	1	1	2	2	1	—	—	—	—	—	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	54	—	1	4	10	12	7	1	4	4	—	1	—
Hanging, etc.	19	—	—	—	—	—	—	—	—	1	—	1	—
Suffocation	28	10	4	1	1	—	—	—	1	—	2	—	—
Drowning	257	1	—	—	5	11	4	3	9	17	22	25	37
Fracture and Contusion	383	1	2	2	2	4	2	5	13	32	34	37	40
Gunshot Wounds	13	—	—	—	—	—	—	—	2	—	2	—	—
Cuts and Stabs	10	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	24	7	—	—	—	—	—	—	—	—	—	1	1
Not Specified	915	267	76	68	75	35	28	23	33	22	23	26	24

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	8	2	7	2	—	2	1	—	—	—	—	—	—	—	—
Apoplexy	10	6	6	8	22	22	36	44	34	51	27	10	4	—	—	—
Paralysis	6	3	7	16	25	26	47	78	82	82	46	20	8	1	—	—
Delirium Tremens	4	6	2	3	1	2	—	1	—	1	—	—	—	—	—	—
Chorea	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Epilepsy	5	4	2	6	4	1	6	3	1	3	—	—	—	—	—	—
Tetanus	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	1
Insanity	—	1	—	—	—	1	—	2	1	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	13	5	7	15	7	11	13	28	15	19	9	2	1	—	—	—
Pericarditis	—	—	3	—	1	1	3	1	1	2	—	—	—	—	—	—
Aneurism	3	4	1	5	2	2	2	4	—	1	—	—	—	—	—	—
Heart Disease	18	26	34	40	53	68	92	139	133	98	52	21	3	1	—	—
Laryngitis	2	—	1	3	—	1	—	1	—	—	—	—	—	—	—	—
Bronchitis	3	16	21	32	43	52	60	82	88	77	61	24	4	—	—	—
Pleurisy	4	—	4	2	4	4	7	8	8	5	5	1	1	—	—	1
Pneumonia	23	14	34	33	32	31	49	46	39	24	8	9	—	1	—	—
Asthma	2	6	9	7	19	11	7	19	12	10	4	—	—	—	—	—
Lung Disease	4	5	11	9	5	9	13	17	4	3	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—
Gastritis	2	2	—	3	4	3	3	—	2	4	—	—	—	—	—	—
Enteritis	6	4	1	3	7	3	11	8	2	7	4	1	—	—	—	—
Peritonitis	2	2	6	5	3	9	4	4	2	5	3	1	1	—	—	—
Ascites	—	—	1	—	—	—	2	1	2	—	1	—	—	—	—	—
Ulceration of Intestines	—	4	3	6	6	8	6	6	12	2	1	—	—	—	—	—
Hernia	—	—	—	—	1	3	1	4	7	1	2	1	—	—	—	—
Ileus	—	4	4	2	4	9	8	8	2	1	3	—	1	—	—	—
Intussusception	—	2	—	1	—	3	2	1	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—
Stomach Disease	4	1	4	9	14	10	11	17	15	12	6	1	1	—	—	—
Pancreas Disease	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—
Hepatitis	2	5	3	2	3	7	6	3	1	3	—	—	—	—	—	—
Jaundice	—	—	2	—	2	2	1	3	2	5	3	—	—	—	—	—
Liver Disease	5	5	11	19	13	21	21	23	22	11	4	4	1	—	—	—
Spleen Disease	—	—	—	1	—	1	1	2	—	—	—	—	—	—	—	—
Nephritis	1	1	1	—	4	1	3	3	4	2	—	—	—	1	—	—
Nephria	1	3	2	8	5	9	2	4	7	2	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	2	—	3	2	4	4	9	3	3	3	—	—	—	—
Diabetes	2	2	2	4	1	1	3	—	3	1	1	—	—	—	—	—
Stone	—	—	—	1	—	—	3	1	6	7	6	1	—	—	—	—
Cystitis	2	2	2	3	2	4	14	24	22	23	12	8	2	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Kidney Disease	3	5	3	4	5	3	8	10	8	10	6	—	—	—	—	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	—	1	1	1	4	—	—	—	—	—	—	—	—	—
Rheumatism	2	2	1	6	—	2	3	7	5	3	1	—	—	—	—	—
Joint Disease	1	—	—	2	1	—	1	1	—	1	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	—	—	3	—	1	2	1	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Intemperance	3	2	1	4	3	2	3	1	—	—	—	1	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	1	2	1	1	3	2	1	1	2	—	—	—	—	—	—
Poison	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	2	2	1	1	1	—	1	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	1	—	6	2	4	—	4	—	—	—	—	—	—	—
Suffocation	1	—	2	—	1	—	1	1	2	—	1	—	—	—	—	—
Drowning	22	19	18	13	16	9	9	4	3	3	1	—	—	—	—	6
Fracture and Contusion	22	26	26	31	27	17	14	13	17	10	3	2	1	—	—	—
Gunshot Wounds	2	2	1	2	—	1	—	—	—	—	1	—	—	—	—	—
Cuts and Stabs	2	3	—	—	—	2	1	1	—	1	—	—	—	—	—	—
Other Violent Causes	1	4	1	3	—	—	3	3	—	—	—	—	—	—	—	—
Not Specified	20	25	16	35	39	28	38	7	—	—	—	—	—	—	—	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		MONTHS.	AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25
ALL CAUSES	17025	1411	441	853	1129	632	429	354	866	456	588	515	511
SPECIFIED CAUSES	16246	1177	378	800	1076	608	408	332	838	442	566	502	496
I. Zymotic Class	3513	146	85	289	507	357	271	232	517	176	121	89	66
II. Diseases of Uncertain Seat	784	9	2	4	3	3	3	3	6	9	5	7	12
III. Tubercular Class	2594	30	54	108	154	77	58	40	150	149	311	277	259
IV. Brain and Nervous System	1301	66	24	40	38	25	9	14	38	23	20	16	25
V. Organs of Circulation	817	4	1	2	—	2	1	—	13	13	22	20	23
VI. Respiratory Organs	2002	128	100	201	208	79	35	26	52	27	30	33	26
VII. Organs of Digestion	1168	109	50	111	114	25	16	5	20	19	22	16	30
VIII. Urinary Organs	169	—	1	—	3	1	1	2	4	6	5	8	9
IX. Organs of Generation	264	—	—	—	—	—	—	—	—	—	10	22	33
X. Organs of Locomotion	100	—	—	—	—	—	—	—	11	10	8	6	3
XI. Skin, etc.	26	5	2	—	2	3	—	2	2	—	—	1	1
XII. Malformation	67	57	3	4	—	1	—	—	2	—	—	—	—
XIII. Premature Debility	678	594	45	39	—	—	—	—	—	—	—	—	—
XIV. Atrophy	114	—	—	—	32	15	6	—	6	2	1	—	5
XV. Age	2362	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	45	5	3	1	2	—	—	—	1	1	—	3	1
XVII. Violent Deaths	242	24	8	1	13	20	8	8	16	7	11	4	3
I. Small Pox	4	1	—	—	1	—	—	—	—	1	—	—	1
Measles	240	2	9	36	92	34	17	18	20	5	1	1	1
Scarlatina	932	2	3	55	112	131	124	118	279	63	16	12	4
Diphtheria	203	6	—	18	26	27	22	28	46	9	2	1	1
Hooping Cough	476	39	22	92	134	84	42	27	35	1	—	—	—
Croup	187	5	6	21	53	37	30	13	21	1	—	—	—
Thrush	7	3	—	1	2	1	—	—	—	—	—	—	—
Diarrhœa	344	37	26	35	53	12	4	3	5	1	2	1	3
Dysentery	81	3	2	7	2	4	1	—	3	—	1	1	1
Cholera	18	1	2	2	3	2	1	—	1	—	—	—	—
Influenza	70	4	2	1	2	—	—	—	1	—	—	—	—
Purpura	9	1	1	—	—	—	1	—	—	1	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	8	—	—	—	—	1	3	1	2	1	—	—	—
Typhus	228	—	2	3	4	3	6	3	24	25	26	18	14
Enteric Fever	409	2	1	5	11	13	17	14	59	55	54	34	16
Relapsing Fever	6	—	—	—	—	—	—	—	2	2	—	1	—
Simple Continued Fever	32	—	—	2	1	—	—	1	5	4	2	5	3
Infantile Remittent	31	4	2	3	5	6	2	4	5	—	—	—	—
Metria	69	—	—	—	—	—	—	—	—	—	1	9	18
Rheumatic Fever.	47	—	—	—	—	—	—	—	6	4	14	3	3
Erysipelas	70	22	3	5	3	1	—	2	1	2	2	2	—
Pyæmia	11	3	—	—	2	—	—	—	1	—	—	—	—
Syphilis	26	10	4	3	—	1	—	—	—	1	—	—	1
Noma	5	1	—	—	1	—	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	20	1	—	1	—	—	—	1	1	1	1	—	1
Dropsy	178	1	—	—	—	2	2	2	2	4	1	2	3
Abscess	24	3	2	2	2	1	—	—	1	3	2	1	1
Ulcer	11	1	—	1	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	29	3	—	—	—	—	—	—	—	—	—	—	2
Cancer	514	—	—	—	1	—	1	—	2	1	1	4	5
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	130	6	6	7	12	6	3	6	7	9	18	8	7
Tabes Mesenterica	178	14	12	14	47	20	11	7	18	12	6	1	2
Phthisis	1956	2	8	14	28	18	16	8	68	114	285	267	250
Hydrocephalus	330	8	28	73	67	33	28	19	57	14	2	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	469	504	475	459	541	566	781	878	1106	1132	1012	587	220	88	11	11
SPECIFIED CAUSES . .	447	493	456	428	513	532	723	870	1104	1132	1012	587	220	88	11	7
Zymotic Class . . .	71	61	50	38	53	52	59	57	91	54	44	20	7	—	—	—
Uncertain Seat . . .	19	30	44	69	84	71	76	92	76	76	50	22	5	3	—	1
Tubercular Class . .	189	195	136	120	86	60	65	38	23	6	7	2	—	—	—	—
Brain, etc.	21	37	39	42	57	80	110	129	144	155	98	42	6	2	—	1
Heart, etc.	22	32	40	39	54	72	108	98	121	77	33	18	1	—	—	1
Respiratory Organs .	28	31	34	49	75	75	124	132	170	157	110	53	12	6	—	1
Digestive Organs . .	25	25	36	36	59	62	66	95	97	80	38	11	—	—	—	1
Urinary Organs . . .	7	9	9	9	12	13	11	19	14	19	3	4	—	—	—	—
Generative Organs . .	49	62	44	5	7	12	5	7	7	1	—	—	—	—	—	—
Locomotive Organs .	4	2	6	3	3	7	12	7	4	9	2	3	—	—	—	—
Skin	1	—	—	—	2	1	1	—	1	1	—	1	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	3	5	6	4	12	16	—	—	—	—	—	—	—	—	—	1
Age	—	—	—	—	—	—	68	177	349	481	614	407	186	77	11	1
Sudden Deaths . . .	—	—	2	3	1	3	5	5	6	3	—	—	—	—	—	—
Violent Deaths . . .	8	4	10	11	8	8	13	14	10	13	13	4	3	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	8	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diphtheria	4	—	2	2	3	1	1	1	1	—	2	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	3	6	2	7	11	20	19	33	25	17	13	5	—	—	—
Dysentery	1	2	2	2	8	3	4	6	7	11	9	1	—	—	—	—
Cholera	—	—	—	1	—	2	—	2	—	—	—	—	1	—	—	—
Influenza	—	—	3	1	1	6	4	8	18	6	8	4	1	—	—	—
Purpura	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	13	10	10	12	11	14	10	8	9	1	1	1	—	—	—	—
Enteric Fever	14	21	13	14	13	9	11	9	15	7	1	1	—	—	—	—
Relapsing Fever . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	1	1	—	1	2	2	—	2	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	25	10	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	2	5	2	—	1	2	2	—	1	1	1	—	—	—	—	—
Erysipelas	—	3	3	1	2	3	6	1	2	3	3	—	—	—	—	—
Pyæmia	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	2	1	2	1	1	2	2	1	1	—	—	—	—	—	—
Dropsy	4	8	9	6	13	12	15	29	20	21	13	6	2	1	—	—
Abscess	3	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
Ulcer	—	1	—	—	1	—	—	1	—	3	1	1	—	—	—	—
Fistula	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Mortification	1	—	—	1	1	1	2	—	4	3	5	5	1	—	—	—
Cancer	10	19	33	59	68	56	53	60	50	46	30	10	2	2	—	1
Gout	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—
Scrofula	4	6	4	2	2	4	1	5	5	—	1	1	—	—	—	—
Tabes Mesenterica . .	1	3	1	4	2	—	1	1	—	—	1	—	—	—	—	—
Phthisis	184	186	131	114	82	56	63	32	18	6	5	1	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	97	1	1	8	11	3	4	5	17	11	3	3	5
Apoplexy	337	2	6	5	6	4	2	2	3	3	6	5	4
Paralysis	487	—	—	1	1	—	—	1	2	—	—	1	4
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	5	—	—	—	1	—	—	—	—	2	1	—	—
Epilepsy	51	—	—	—	—	—	—	—	1	3	3	6	6
Tetanus	10	4	—	1	—	—	—	—	—	1	1	—	—
Insanity	12	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	138	55	16	24	15	11	3	5	9	—	—	—	—
Brain Disease	161	4	1	1	4	7	—	1	6	3	6	1	6
V. Pericarditis	20	—	—	1	—	—	—	—	1	1	4	1	1
Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	790	4	1	1	—	2	1	—	12	12	18	19	22
VI. Laryngitis	27	1	—	2	5	1	3	2	3	1	1	—	—
Bronchitis	1346	91	86	159	157	56	23	17	32	8	9	12	10
Pleurisy	49	3	—	3	3	1	—	—	2	5	1	2	3
Pneumonia	441	30	13	35	41	21	9	7	14	12	19	16	10
Asthma	100	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	39	3	1	2	2	—	—	—	1	1	—	3	3
VII. Teething	174	—	14	68	77	10	5	—	—	—	—	—	—
Quinsey	18	2	—	2	4	—	2	2	1	1	—	—	—
Gastritis	43	2	1	2	3	2	3	—	1	—	4	1	—
Enteritis	207	57	26	25	17	5	2	1	7	4	3	2	4
Peritonitis	75	5	—	2	3	1	—	2	3	3	1	7	8
Ascites	20	—	—	—	—	1	—	—	1	—	—	—	—
Ulceration of Intestines	63	—	—	1	—	1	—	—	—	2	1	1	1
Hernia	34	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	52	2	—	—	—	—	—	—	—	—	5	—	1
Intussusception	12	1	2	1	—	—	—	—	—	1	1	—	—
Stricture of Intestines	6	—	—	—	—	—	—	—	—	1	—	—	—
Stomach Disease	194	18	4	8	4	1	2	—	3	2	3	2	8
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	30	2	—	—	1	—	1	—	1	—	—	—	—
Jaundice	59	12	2	1	—	2	1	—	1	—	—	—	2
Liver Disease	167	7	1	1	4	1	—	—	2	4	4	2	5
Spleen Disease	14	—	—	—	1	1	—	—	—	1	—	1	1
VIII. Nephritis	15	—	—	—	1	1	—	1	1	3	1	1	—
Nephria	63	—	—	—	2	—	1	—	1	3	3	5	1
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	5	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	15	—	—	—	—	—	—	—	—	—	—	1	5
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	13	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	53	—	1	—	—	—	—	1	2	—	1	1	2
IX. Paramenia	12	—	—	—	—	—	—	—	—	—	4	1	1
Ovarian Dropsy	39	—	—	—	—	—	—	—	—	—	2	1	3
Childbirth	179	—	—	—	—	—	—	—	—	—	3	18	24
Organs of Generation	34	—	—	—	—	—	—	—	—	—	1	2	5
X. Arthritis	21	—	—	—	—	—	—	—	4	2	1	2	—
Rheumatism	48	—	—	—	—	—	—	—	—	3	3	2	2
Joint and Bone Disease	31	—	—	—	—	—	—	—	7	5	4	2	1
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	20	5	2	—	2	3	—	2	2	—	—	1	—
XVII. Intemperance	8	—	—	—	—	—	—	—	—	—	—	—	—
Privation	2	—	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	4	2	2	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	6	—	—	—	—	—	—	—	—	—	1	—	—
Poison	4	—	—	—	—	—	—	—	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	42	—	—	—	5	7	3	3	6	—	2	—	—
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	28	16	6	—	—	—	1	1	—	—	—	—	—
Drowning	47	1	—	1	5	7	2	1	2	4	2	1	1
Fracture and Contusion	76	1	—	—	3	5	2	3	8	1	4	—	1
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	11	3	—	—	—	1	—	—	—	2	—	2	—
Not Specified	779	234	63	53	53	24	21	22	28	14	22	13	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	4	4	—	3	1	2	1	2	1	—	—	—	—	—
Apoplexy	4	8	9	13	24	32	45	36	40	40	25	11	2	—	—	—
Paralysis	7	8	7	13	20	29	45	71	83	96	65	27	4	2	—	—
Delirium Tremens	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	7	3	4	1	3	2	3	1	3	—	2	—	—	—	—
Tetanus	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	1	3	1	—	1	2	2	1	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	5	5	10	7	12	12	15	15	18	13	7	2	—	—	—	—
Pericarditis	1	—	—	1	—	2	2	1	1	1	1	1	—	—	—	—
Aneurism	—	1	1	1	1	—	—	—	1	1	1	—	—	—	—	—
Heart Disease	21	31	39	37	53	70	106	97	119	75	31	17	1	—	—	1
Laryngitis	2	—	1	1	2	—	—	—	1	1	—	—	—	—	—	—
Bronchitis	13	16	18	26	38	37	66	88	119	112	89	47	10	6	—	1
Pleurisy	2	1	1	2	6	6	4	3	—	—	1	—	—	—	—	—
Pneumonia	11	9	8	11	18	20	35	26	24	33	12	5	2	—	—	—
Asthma	—	3	3	3	9	11	18	12	21	11	8	1	—	—	—	—
Lung Disease	—	2	3	6	2	1	1	3	5	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—
Gastritis	2	—	3	2	3	1	1	4	2	3	2	1	—	—	—	—
Enteritis	4	5	4	—	7	1	4	5	13	7	3	3	—	—	—	—
Peritonitis	5	1	3	4	2	3	2	5	9	3	3	—	—	—	—	—
Ascites	1	2	—	2	—	1	—	3	2	4	3	—	—	—	—	—
Ulceration of Intestines	1	5	7	3	5	6	12	6	5	3	3	—	—	—	—	—
Hernia	1	—	—	4	2	4	4	5	5	6	1	1	—	—	—	—
Ileus	—	—	—	4	7	4	4	3	7	8	5	2	—	—	—	—
Intussusception	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	—	1	—	1	1	1	—	—	—	—	—	—
Stomach Disease	2	6	7	8	17	15	12	26	20	16	9	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	1	2	—	1	4	6	4	1	5	—	—	—	—	—	—
Jaundice	3	—	1	—	2	3	5	6	7	6	5	—	—	—	—	—
Liver Disease	2	5	8	7	13	17	13	22	25	15	5	3	—	—	—	1
Spleen Disease	3	—	1	—	—	1	1	2	—	1	—	—	—	—	—	—
Nephritis	1	—	1	—	—	1	—	—	2	1	—	—	—	—	—	—
Nephria	1	5	6	4	4	4	5	8	1	8	—	1	—	—	—	—
Addison's Disease	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Ischuria	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—
Diabetes	3	2	—	—	—	1	1	1	1	—	—	—	—	—	—	—
Stone	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	1	1	1	—	2	1	5	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	1	2	1	4	5	6	3	5	8	5	3	2	—	—	—	—
Paramenia	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	1	2	2	1	7	4	6	5	—	—	—	—	—	—	—
Childbirth	43	54	35	1	1	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	4	4	2	5	5	1	1	2	1	—	—	—	—	—	—
Arthritis	2	—	3	1	2	1	—	1	1	1	—	—	—	—	—	—
Rheumatism	1	1	3	1	—	4	9	3	3	8	2	3	—	—	—	—
Joint Disease	1	1	—	1	1	2	3	3	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—
Intemperance	2	—	1	1	—	—	—	1	1	1	1	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—
Poison	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	1	—	2	3	2	2	3	2	—	—	—	—	—
Hanging, etc.	—	1	2	—	1	1	1	1	—	—	—	—	—	—	—	—
Suffocation	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
Drowning	1	—	3	6	2	1	1	3	—	1	1	—	1	—	—	—
Fracture and Contusion	4	1	1	2	3	1	5	5	4	8	8	4	2	—	—	—
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Not Specified	22	11	19	31	28	34	58	8	2	—	—	—	—	—	—	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	38953	3561	1490	3137	4199	2133	1481	1045	2291	869	1158	1351	1393
SPECIFIED CAUSES	38434	3421	1423	3098	4158	2105	1466	1039	2269	859	1148	1344	1384
I. Zymotic Class	10123	432	360	992	1773	1079	909	629	1290	273	228	273	279
II. Diseases of Uncertain Seat	1139	17	5	11	16	14	14	19	32	18	19	23	28
III. Tubercular Class	6556	89	175	405	621	314	202	166	434	300	572	663	622
IV. Brain and Nervous System	3061	260	121	161	206	93	58	38	141	45	61	55	63
V. Organs of Circulation	1624	7	1	6	1	6	2	3	13	28	49	46	58
VI. Respiratory Organs	7389	546	436	1039	1081	454	207	120	177	56	70	96	107
VII. Organs of Digestion	2310	259	136	329	337	65	20	15	45	37	36	39	67
VIII. Urinary Organs	484	1	2	3	6	7	9	8	29	14	18	25	26
IX. Organs of Generation	284	—	—	—	—	—	—	—	—	—	12	34	47
X. Organs of Locomotion	211	1	—	2	6	2	2	6	28	29	24	11	15
XI. Skin, etc.	49	5	3	7	2	3	1	1	—	—	1	—	—
XII. Malformation	93	83	5	2	2	—	—	—	1	—	—	—	—
XIII. Premature Debility	1847	1602	138	107	—	—	—	—	—	—	—	—	—
XIV. Atrophy	298	—	—	—	84	28	20	9	17	8	4	4	1
XV. Age	1730	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	113	6	8	8	1	3	—	—	1	1	2	1	6
XVII. Violent Deaths	1123	113	33	26	22	37	22	25	61	50	52	74	65
I. Small Pox	46	2	5	4	4	3	3	3	6	2	2	4	1
Measles	1100	7	23	182	412	218	127	57	63	6	—	1	2
Scarlatina	2754	14	26	157	363	389	420	326	844	144	25	15	12
Diphtheria	268	8	8	19	52	48	43	31	43	3	3	2	3
Hooping Cough	1574	58	105	339	540	226	142	82	79	2	—	1	—
Croup	475	22	11	55	152	79	69	51	36	—	—	—	—
Thrush	20	12	4	—	3	1	—	—	—	—	—	—	—
Diarrhœa	921	180	105	162	135	32	18	9	19	7	5	4	15
Dysentery	80	5	2	4	9	2	1	1	1	—	—	3	5
Cholera	92	12	15	16	17	3	2	3	5	—	—	4	—
Influenza	55	1	—	2	4	1	1	—	1	—	1	1	1
Purpura	16	2	1	1	—	—	1	—	3	—	2	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	5	—	—	—	—	1	2	—	—	2	—	—	—
Typhus	1548	3	9	9	20	23	13	22	71	51	111	151	148
Enteric Fever	577	7	1	8	24	31	36	33	82	38	59	52	49
Relapsing Fever	14	—	—	—	—	—	1	—	1	4	1	1	1
Simple Continued Fever	40	—	—	—	7	2	5	1	6	3	2	2	2
Infantile Remittent	91	2	4	9	16	16	18	6	19	1	—	—	—
Metria	78	—	—	—	—	—	—	—	—	—	4	15	24
Rheumatic Fever	58	—	—	—	—	—	—	—	5	5	8	10	8
Erysipelas	142	33	6	4	6	3	4	1	—	3	3	4	6
Pyæmia	11	—	—	—	—	—	1	1	2	2	—	—	2
Syphilis	152	63	35	21	8	1	2	1	1	—	2	2	—
Noma	6	1	—	—	1	—	—	1	3	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	46	5	1	2	—	—	—	—	3	1	2	5	2
Dropsy	323	4	—	—	7	8	12	15	24	8	8	4	8
Abscess	78	6	2	9	4	3	2	1	4	6	1	6	5
Ulcer	22	1	—	—	1	1	—	—	—	—	1	—	1
Fistula	12	—	—	—	—	—	—	—	—	—	1	—	1
Mortification	42	1	—	—	4	1	—	1	1	—	1	—	1
Cancer	611	—	2	—	—	1	—	2	—	3	5	8	10
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	343	11	11	33	42	18	18	12	53	31	32	17	9
Tabes Mesenterica	562	32	46	65	171	73	38	25	69	14	4	4	3
Phthisis	4497	15	27	45	113	78	51	57	182	230	532	641	610
Hydrocephalus	1154	31	91	262	295	145	95	72	130	25	4	1	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	275	7	8	35	47	22	14	12	42	16	16	8	7
Apoplexy	662	16	8	17	17	9	10	4	20	3	6	8	18
Paralysis	803	—	—	—	6	1	—	1	3	3	5	6	10
Delirium Tremens	39	—	—	—	—	—	—	—	—	—	—	1	5
Chorea	4	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	96	—	—	—	—	—	—	—	—	6	12	11	7
Tetanus	16	6	—	1	1	—	—	—	1	1	—	—	3
Insanity	21	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	630	227	92	92	109	44	22	12	31	1	—	—	—
Brain Disease	515	4	13	16	26	17	12	9	44	15	21	20	12
V. Pericarditis	22	1	—	—	—	—	—	—	3	2	1	1	1
Aneurism	59	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	1543	6	1	6	1	6	2	3	10	26	48	45	56
VI. Laryngitis	73	4	6	12	11	9	1	2	2	2	—	2	3
Bronchitis	5234	426	362	815	829	339	149	79	101	24	18	33	38
Pleurisy	96	1	—	3	1	2	1	—	7	—	4	9	7
Pneumonia	1538	105	62	203	219	96	52	39	53	22	38	46	45
Asthma	215	1	—	—	—	—	—	—	—	—	1	1	—
Lung Disease	233	9	6	6	21	8	4	—	14	8	9	5	14
VII. Teething	546	2	29	229	260	24	2	—	—	—	—	—	—
Quinsey	41	7	4	4	6	3	7	2	2	1	—	—	1
Gastritis	73	10	3	8	2	2	—	2	1	1	—	3	1
Enteritis	382	125	45	51	36	15	4	1	14	5	7	5	9
Peritonitis	167	8	6	5	3	1	—	3	8	12	9	14	20
Ascites	31	—	—	—	1	1	1	—	3	1	1	—	—
Ulceration of Intestines	81	4	—	4	—	—	—	—	2	—	3	1	8
Hernia	45	2	3	—	—	1	—	—	—	—	1	2	—
Ileus	111	20	5	1	1	—	2	—	4	3	2	3	7
Intussusception	19	—	4	3	—	—	—	—	—	—	1	—	1
Stricture of Intestines	15	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	314	41	31	21	24	12	2	3	4	7	5	5	3
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	55	2	3	1	—	—	—	—	1	2	—	1	3
Jaundice	75	28	—	1	1	3	1	—	—	1	1	1	1
Liver Disease	337	10	3	1	2	3	1	4	6	4	5	4	11
Spleen Disease	17	—	—	—	1	—	—	—	—	—	1	—	2
VIII. Nephritis	47	—	1	1	2	6	2	2	7	—	3	—	2
Nephria	171	—	—	1	3	1	5	2	13	6	8	10	16
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	14	—	—	—	—	—	—	—	1	1	—	—	—
Diabetes	38	—	—	—	—	—	—	—	—	3	3	4	1
Stone	15	—	—	—	—	—	—	—	—	1	1	—	—
Cystitis	62	—	—	—	—	—	—	—	—	—	—	2	—
Stricture of Urethra	11	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	124	1	1	1	1	—	2	4	8	3	3	8	7
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	2	1
Ovarian Dropsy	28	—	—	—	—	—	—	—	—	—	—	1	1
Childbirth	212	—	—	—	—	—	—	—	—	—	10	30	42
Organs of Generation	38	—	—	—	—	—	—	—	—	—	1	1	3
X. Arthritis	50	—	—	—	3	1	—	1	8	5	10	3	4
Rheumatism	55	—	—	—	—	—	—	—	—	3	2	1	4
Joint and Bone Disease	106	1	—	2	3	1	2	5	20	21	12	7	7
XI. Carbuncle	13	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	10	—	—	1	—	1	—	—	—	—	—	—	—
Skin Disease	26	5	3	4	2	2	1	1	—	—	1	—	—
XVII. Intemperance	69	—	—	—	—	—	—	—	—	—	1	3	3
Privation	4	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	83	51	22	10	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	21	3	—	1	—	2	2	—	1	—	1	—	3
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	112	1	—	10	11	20	10	7	17	3	6	1	—
Hanging, etc.	29	—	—	—	—	—	—	—	—	1	—	—	1
Suffocation	80	41	10	3	2	—	—	—	1	1	2	2	—
Drowning	178	1	—	—	1	1	1	3	14	13	8	21	17
Fracture and Contusion	480	2	1	2	6	12	7	14	28	28	31	40	36
Gunshot Wounds	9	—	—	—	—	—	—	—	—	—	1	3	2
Cuts and Stabs	10	—	—	—	—	—	1	—	—	—	—	—	1
Other Violent Causes	45	14	—	—	1	2	1	1	—	4	2	4	2
Not Specified	519	140	67	39	41	28	15	6	22	10	10	7	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	6	3	5	5	2	5	2	1	—	—	—	—	—	1
Apoplexy	19	19	29	37	60	66	72	74	67	50	25	5	2	1	—	—
Paralysis	17	25	39	42	59	76	105	131	113	95	47	16	3	—	—	—
Delirium Tremens	7	10	10	4	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
Epilepsy	10	7	9	6	5	2	5	9	3	1	1	2	—	—	—	—
Tetanus	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Insanity	1	5	1	4	2	—	3	—	2	—	1	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	23	26	26	26	41	34	34	37	27	24	5	2	—	—	—	1
Pericarditis	—	3	1	1	3	—	1	1	3	—	—	—	—	—	—	—
Aneurism	8	11	10	5	8	7	4	3	1	—	1	—	—	—	—	—
Heart Disease	76	96	116	118	129	158	177	170	136	101	39	12	5	—	—	—
Laryngitis	2	3	3	3	—	2	1	1	4	—	—	—	—	—	—	—
Bronchitis	54	83	122	158	228	244	320	280	249	165	80	29	8	1	—	—
Pleurisy	10	7	6	4	4	4	9	9	7	1	—	—	—	—	—	—
Pneumonia	38	66	71	59	75	65	59	44	39	26	12	1	2	1	—	—
Asthma	7	11	11	28	29	26	32	29	24	10	3	2	—	—	—	—
Lung Disease	8	15	17	16	19	12	16	10	8	8	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—
Gastritis	2	2	3	3	6	5	5	7	3	2	1	1	—	—	—	—
Enteritis	6	8	9	9	3	11	8	5	2	3	1	—	—	—	—	—
Peritonitis	11	16	10	3	6	7	6	8	7	1	2	1	—	—	—	—
Ascites	2	1	2	3	3	5	3	1	1	2	—	—	—	—	—	—
Ulceration of Intestines	8	6	4	4	9	5	9	6	3	4	1	—	—	—	—	—
Hernia	2	2	2	7	1	4	6	4	1	2	4	—	—	—	—	1
Ileus	2	1	6	4	1	6	13	14	9	5	—	2	—	—	—	—
Intussusception	—	—	—	—	3	1	3	2	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	2	3	2	1	3	1	3	—	—	—	—	—	—	—
Stomach Disease	11	12	18	20	16	15	14	21	14	11	3	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	3	5	6	6	5	10	3	1	1	—	—	—	—	—	—
Jaundice	4	3	3	1	4	2	4	2	3	9	—	2	—	—	—	—
Liver Disease	17	33	20	29	40	42	40	33	14	11	3	1	—	—	—	—
Spleen Disease	2	1	2	2	1	1	1	1	1	—	—	1	—	—	—	—
Nephritis	—	7	2	4	1	1	3	2	1	—	—	—	—	—	—	—
Nephria	13	16	14	10	11	13	10	11	5	1	2	—	—	—	—	—
Addison's Disease	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	1	2	—	2	—	1	—	3	1	—	1	—	—	—	—
Diabetes	2	4	4	5	1	6	—	2	2	1	—	—	—	—	—	—
Stone	—	—	—	—	2	3	1	3	1	1	2	—	—	—	—	—
Cystitis	—	1	2	2	8	5	6	8	9	13	4	2	—	—	—	—
Stricture of Urethra	1	1	—	3	2	—	2	1	—	—	—	—	—	—	—	—
Kidney Disease	5	7	11	7	4	16	6	9	8	10	1	1	—	—	—	—
Paramenia	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	4	4	3	6	5	1	—	2	—	—	—	—	—	—	—
Childbirth	48	60	18	4	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	4	5	6	4	4	1	3	2	2	—	—	—	—	—	—
Arthritis	3	1	3	1	4	—	—	3	—	—	—	—	—	—	—	—
Rheumatism	2	—	4	7	4	7	9	4	3	3	1	1	—	—	—	—
Joint Disease	7	2	1	1	4	3	4	—	2	—	1	—	—	—	—	—
Carbuncle	1	—	—	1	—	3	2	—	3	1	—	—	—	—	—	—
Phlegmon	1	—	2	—	—	1	1	2	—	1	—	—	—	—	—	—
Skin Disease	—	—	1	1	1	1	1	1	—	—	—	1	—	—	—	—
Intemperance	5	10	12	8	12	7	7	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	1	1	1	2	—	2	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	1	1	3	1	5	1	5	2	3	3	—	—	—	1	—	—
Hanging, etc.	4	—	5	—	3	4	5	2	4	—	—	—	—	—	—	—
Suffocation	—	3	2	3	1	2	3	—	1	2	1	—	—	—	—	—
Drowning	21	17	10	10	10	8	10	4	4	3	1	—	—	—	—	—
Fracture and Contusion	44	29	32	35	27	28	21	25	18	7	5	2	—	—	—	—
Gunshot Wounds	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cuts and Stabs	1	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	4	4	2	1	1	—	—	1	—	—	—	—	—	—	1
Not Specified	7	17	16	19	25	20	10	1	1	—	—	—	—	—	—	a

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	19391	1993	797	1700	2157	1103	718	504	1200	427	536	671	666
SPECIFIED CAUSES	19120	1911	761	1678	2142	1084	709	501	1192	423	530	667	659
I. Zymotic Class	5017	246	187	522	886	542	417	293	660	121	99	136	130
II. Diseases of Uncertain Seat	444	6	3	7	7	7	10	10	18	10	13	10	15
III. Tubercular Class	3192	53	101	215	353	171	110	79	243	140	238	305	281
IV. Brain and Nervous System	1604	144	60	96	119	55	31	26	68	19	30	29	35
V. Organs of Circulation	849	6	—	1	—	2	1	1	6	15	22	23	31
VI. Respiratory Organs	3721	330	244	572	528	236	101	55	81	28	33	53	54
VII. Organs of Digestion	1182	153	71	182	191	31	5	9	21	21	20	14	29
VIII. Urinary Organs	309	1	—	1	3	4	5	8	25	6	7	17	10
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	125	1	—	1	3	1	1	4	22	13	14	9	11
XI. Skin, etc.	35	3	3	5	1	2	1	—	—	—	1	—	—
XII. Malformation	53	50	1	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	983	853	73	57	—	—	—	—	—	—	—	—	—
XIV. Atrophy	128	—	—	—	40	12	10	3	10	4	4	3	1
XV. Age	616	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	63	1	3	7	—	2	—	—	—	1	2	1	4
XVII. Violent Deaths	799	64	15	11	11	19	17	13	37	45	47	67	58
I. Small Pox	26	1	4	3	2	2	1	—	2	—	1	3	1
Measles	562	5	12	103	204	114	57	28	34	4	—	—	—
Scarlatina	1431	7	16	99	187	210	208	169	436	69	10	7	5
Diphtheria	119	6	3	7	26	22	13	14	22	—	1	1	2
Hooping Cough	716	25	54	158	256	100	57	27	37	1	—	1	—
Croup	236	14	9	30	83	33	30	20	17	—	—	—	—
Thrush	7	6	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	468	103	50	87	78	15	9	5	11	1	4	1	6
Dysentery	40	4	2	2	5	1	1	1	1	—	—	1	3
Cholera	45	4	7	8	10	1	—	2	4	—	—	3	—
Influenza	24	—	—	2	2	1	1	—	1	—	—	1	—
Purpura	5	2	—	—	—	—	—	—	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	1	—	—	—	2	—	—	—
Typhus	812	3	5	5	8	15	9	5	31	22	47	82	81
Enteric Fever	266	2	1	3	10	20	16	19	44	16	29	26	24
Relapsing Fever	5	—	—	—	—	—	1	—	1	—	—	—	—
Simple Continued Fever	16	—	—	—	3	—	2	—	3	1	—	2	—
Infantile Remittent	36	1	2	1	7	5	8	2	9	1	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	26	—	—	—	—	—	—	—	5	1	3	3	5
Erysipelas	81	23	4	1	2	2	1	—	—	1	2	4	3
Pyæmia	5	—	—	—	—	—	1	—	1	2	—	—	—
Syphilis	87	40	17	13	3	—	1	1	—	—	1	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	24	2	1	1	—	—	—	—	3	—	1	—	1
Dropsy	150	—	—	—	3	4	9	9	13	3	7	3	5
Abscess	45	2	1	6	4	1	1	—	2	4	—	5	2
Ulcer	11	1	—	—	—	1	—	—	—	—	—	—	1
Fistula	11	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	22	1	—	—	—	—	—	—	—	—	1	—	—
Cancer	177	—	1	—	—	1	—	1	—	3	3	2	6
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	198	5	7	24	19	8	10	5	34	22	19	13	4
Tabes Mesenterica	304	22	25	38	92	38	14	9	41	10	3	1	2
Phthisis	2042	9	14	21	59	44	31	28	95	95	215	291	275
Hydrocephalus	648	17	55	132	183	81	55	37	73	13	1	—	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	145	4	5	20	28	12	5	8	17	6	7	3	5
Apoplexy	338	11	3	9	8	6	7	3	13	2	1	5	9
Paralysis	391	—	—	—	4	1	—	1	2	2	3	3	5
Delirium Tremens	34	—	—	—	—	—	—	—	—	—	—	—	5
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	58	—	—	—	—	—	—	—	—	4	8	8	4
Tetanus	5	2	—	—	—	—	—	—	1	—	—	—	1
Insanity	7	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	356	124	47	57	66	25	12	9	15	1	—	—	—
Brain Disease	269	3	5	10	13	11	7	5	20	4	11	10	6
V. Pericarditis	11	1	—	—	—	—	—	—	1	1	—	—	—
Aneurism	48	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	790	5	—	1	—	2	1	1	5	14	22	23	30
VI. Laryngitis	46	3	4	7	6	5	1	1	1	1	—	1	2
Bronchitis	2559	259	200	461	405	174	77	33	44	11	6	8	20
Pleurisy	58	1	—	1	1	2	1	—	6	—	3	8	2
Pneumonia	857	63	37	100	108	50	21	21	22	12	21	33	27
Asthma	93	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	108	4	3	3	8	5	1	—	8	4	2	3	3
VII. Teething	304	2	17	127	146	11	1	—	—	—	—	—	—
Quinsey	25	5	3	3	5	2	3	—	1	1	—	—	1
Gastritis	42	6	2	3	2	2	—	2	—	—	—	1	1
Enteritis	201	71	18	29	22	8	1	—	7	2	4	3	4
Peritonitis	75	4	5	2	1	—	—	1	4	9	3	2	9
Ascites	15	—	—	—	1	—	—	—	2	—	1	—	—
Ulceration of Intestines	40	1	—	2	—	—	—	—	1	—	2	—	5
Hernia	21	1	3	—	—	1	—	—	—	—	1	2	—
Ileus	54	10	2	1	1	—	—	—	1	1	1	2	4
Intussusception	10	—	2	2	—	—	—	—	—	—	1	—	1
Stricture of Intestines	8	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	160	28	16	13	11	4	—	3	2	3	3	3	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	29	1	—	—	—	—	—	—	—	2	—	—	1
Jaundice	34	18	—	—	1	1	—	—	—	—	—	—	—
Liver Disease	157	6	3	—	1	2	—	3	3	3	4	1	3
Spleen Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	29	—	—	—	2	3	1	2	7	—	2	—	2
Nephria	97	—	—	—	1	1	2	2	10	4	2	8	4
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	11	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	19	—	—	—	—	—	—	—	—	—	1	2	—
Stone	14	—	—	—	—	—	—	—	—	1	1	—	—
Cystitis	54	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	11	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	73	1	—	1	—	—	2	4	7	1	1	5	4
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	35	—	—	—	1	—	—	1	7	3	5	3	3
Rheumatism	21	—	—	—	—	—	—	—	—	1	—	1	2
Joint and Bone Disease	69	1	—	1	2	1	1	3	15	9	9	5	6
XI. Carbuncle	11	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	20	3	3	2	1	2	1	—	—	—	1	—	—
XVII. Intemperance	33	—	—	—	—	—	—	—	—	—	1	2	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	44	31	10	3	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	18	3	—	1	—	2	2	—	1	—	1	—	3
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	56	—	—	6	6	9	8	4	4	2	4	1	—
Hanging, etc.	19	—	—	—	—	—	—	—	—	1	—	—	1
Suffocation	39	18	5	1	—	—	—	—	1	—	2	1	—
Drowning	156	—	—	—	1	1	1	2	12	12	7	21	16
Fracture and Contusion	385	1	—	—	3	6	5	7	19	26	29	35	33
Gunshot Wounds	9	—	—	—	—	—	—	—	—	—	1	3	2
Cuts and Stabs	7	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	31	11	—	—	1	1	1	—	—	4	2	4	2
Not Specified	271	82	36	22	15	19	9	3	8	4	6	4	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	5	2	3	2	2	2	1	1	—	—	—	—	—	1
Apoplexy	9	7	15	18	28	37	44	35	30	26	9	3	—	—	—	—
Paralysis	11	17	15	21	22	44	53	62	53	45	20	6	1	—	—	—
Delirium Tremens	7	7	10	3	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy	5	5	7	4	—	2	2	5	2	1	—	1	—	—	—	—
Tetanus	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	2	—	1	2	—	2	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	11	12	11	12	23	20	22	23	14	13	2	—	—	—	—	1
Pericarditis	—	3	—	1	1	—	1	—	2	—	—	—	—	—	—	—
Aneurism	7	10	9	5	6	5	3	2	—	—	—	—	—	—	—	—
Heart Disease	46	59	61	61	63	83	83	88	73	48	14	5	2	—	—	—
Laryngitis	1	2	2	3	—	1	1	1	3	—	—	—	—	—	—	—
Bronchitis	26	30	50	82	100	116	129	130	96	69	23	7	3	—	—	—
Pleurisy	6	4	4	1	2	3	4	7	2	—	—	—	—	—	—	—
Pneumonia	27	44	49	37	51	46	35	18	14	13	6	1	1	—	—	—
Asthma	5	7	4	12	11	11	14	10	10	5	1	2	—	—	—	—
Lung Disease	4	10	8	7	8	5	9	6	3	4	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	1	1	3	3	3	3	5	—	1	1	—	—	—	—	—
Enteritis	2	6	3	4	1	5	6	2	—	2	1	—	—	—	—	—
Peritonitis	—	5	4	2	5	5	4	3	4	1	1	1	—	—	—	—
Ascites	2	—	2	2	1	1	2	1	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	2	2	3	3	3	5	2	2	2	1	—	—	—	—	—
Hernia	1	—	2	2	—	1	1	—	1	1	3	—	—	—	—	1
Ileus	1	—	2	2	—	4	7	7	3	3	—	2	—	—	—	—
Intussusception	—	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	2	2	1	1	2	—	—	—	—	—	—	—	—	—
Stomach Disease	5	7	6	7	7	9	8	12	7	4	2	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	2	2	5	3	2	6	2	1	—	—	—	—	—	—	—
Jaundice	2	2	1	—	1	—	1	1	1	4	—	1	—	—	—	—
Liver Disease	7	17	9	13	12	20	18	18	8	5	1	—	—	—	—	—
Spleen Disease	—	1	2	1	—	—	1	1	1	—	—	—	—	—	—	—
Nephritis	—	1	1	2	—	—	3	2	1	—	—	—	—	—	—	—
Nephria	8	7	9	3	9	9	8	5	2	1	2	—	—	—	—	—
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	2	—	1	—	1	—	3	1	—	1	—	—	—	—
Diabetes	1	2	3	2	1	3	—	2	1	1	—	—	—	—	—	—
Stone	—	—	—	—	1	3	1	3	1	1	2	—	—	—	—	—
Cystitis	—	1	1	1	7	5	5	7	8	12	4	2	—	—	—	—
Stricture of Urethra	1	1	—	3	2	—	2	1	—	—	—	—	—	—	—	—
Kidney Disease	4	3	7	6	2	7	4	2	4	6	1	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	2	1	3	1	2	—	—	3	—	—	—	—	—	—	—	—
Rheumatism	—	—	1	2	1	3	4	2	2	1	—	1	—	—	—	—
Joint Disease	5	1	1	1	2	1	3	—	1	—	1	—	—	—	—	—
Carbuncle	1	—	—	1	—	2	1	—	3	1	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Skin Disease	—	—	1	1	1	1	1	1	—	—	—	1	—	—	—	—
Intemperance	4	4	5	4	6	1	4	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	1	—	1	1	—	2	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	—	—	3	1	1	—	2	2	1	1	—	—	—	—	1	—
Hanging, etc.	2	—	4	—	2	2	4	2	1	—	—	—	—	—	—	—
Suffocation	—	2	1	3	—	—	3	—	1	1	—	—	—	—	—	—
Drowning	19	13	9	8	7	7	8	4	4	3	1	—	—	—	—	—
Fracture and Contusion	40	27	29	31	23	23	12	16	10	6	3	1	—	—	—	—
Gunshot Wounds	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cuts and Stabs	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	1
Not Specified	3	8	11	10	4	8	4	—	1	—	—	—	—	—	—	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	19562	1568	693	1437	2042	1030	763	541	1091	442	622	680	727
SPECIFIED CAUSES	19314	1510	662	1420	2016	1021	757	538	1077	436	618	677	725
I. Zymotic Class	5106	186	173	470	887	537	492	336	630	152	129	137	149
II. Diseases of Uncertain Seat	695	11	2	4	9	7	4	9	14	8	6	13	13
III. Tubercular Class	3364	36	74	190	268	143	92	87	191	160	334	358	341
IV. Brain and Nervous System	1457	116	61	65	87	38	27	12	73	26	31	26	28
V. Organs of Circulation	775	1	1	5	1	4	1	2	7	13	27	23	27
VI. Respiratory Organs	3668	216	192	467	553	218	106	65	96	28	37	43	53
VII. Organs of Digestion	1128	106	65	147	146	34	15	6	24	16	16	25	38
VIII. Urinary Organs	175	—	2	2	3	3	4	—	4	8	11	8	16
IX. Organs of Generation	284	—	—	—	—	—	—	—	—	—	12	34	47
X. Organs of Locomotion	86	—	—	1	3	1	1	2	6	16	10	2	4
XI. Skin, etc.	14	2	—	2	1	1	—	1	—	—	—	—	—
XII. Malformation	40	33	4	1	2	—	—	—	—	—	—	—	—
XIII. Premature Debility	864	749	65	50	—	—	—	—	—	—	—	—	—
XIV. Atrophy	170	—	—	—	44	16	10	6	7	4	—	1	—
XV. Age	1114	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	50	5	5	1	1	1	—	—	1	—	—	—	2
XVII. Violent Deaths	324	49	18	15	11	18	5	12	24	5	5	7	7
I. Small Pox	20	1	1	1	2	1	2	3	4	2	1	1	—
Measles	538	2	11	79	208	104	70	29	29	2	—	1	2
Scarlatina	1323	7	10	58	176	179	212	157	408	75	15	8	7
Diphtheria	149	2	5	12	26	26	30	17	21	3	2	1	1
Hooping Cough	858	33	51	181	284	126	85	55	42	1	—	—	—
Croup	239	8	2	25	69	46	39	31	19	—	—	—	—
Thrush	13	6	3	—	3	1	—	—	—	—	—	—	—
Diarrhoea	453	77	55	75	57	17	9	4	8	6	1	3	9
Dysentery	40	1	—	2	4	1	—	—	—	—	—	2	2
Cholera	47	8	8	8	7	2	2	1	1	—	—	1	—
Influenza	31	1	—	—	2	—	—	—	—	—	1	—	1
Purpura	11	—	1	1	—	—	1	—	2	—	1	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	736	—	4	4	12	8	4	17	40	29	64	69	67
Enteric Fever	311	5	—	5	14	11	20	14	38	22	30	26	25
Relapsing Fever	9	—	—	—	—	—	—	—	—	4	1	1	1
Simple Continued Fever	24	—	—	—	4	2	3	1	3	2	2	—	2
Infantile Remittent	55	1	2	8	9	11	10	4	10	—	—	—	—
Metria	78	—	—	—	—	—	—	—	—	—	4	15	24
Rheumatic Fever	32	—	—	—	—	—	—	—	—	4	5	7	3
Erysipelas	61	10	2	3	4	1	3	1	—	2	1	—	3
Pyæmia	6	—	—	—	—	—	—	1	1	—	—	—	2
Syphilis	65	23	18	8	5	1	1	—	1	—	1	1	—
Noma	6	1	—	—	1	—	—	1	3	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	24	3	—	1	—	—	—	—	—	1	1	5	1
Dropsy	173	4	—	—	4	4	3	6	11	5	1	1	3
Abscess	33	4	1	3	—	2	1	1	2	2	1	1	3
Ulcer	11	—	—	—	1	—	—	—	—	—	1	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	20	—	—	—	4	1	—	1	1	—	—	—	1
Cancer	434	—	1	—	—	—	—	1	—	—	2	6	4
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	145	6	4	9	23	10	8	7	19	9	13	4	5
Tabes Mesenterica	258	10	21	27	79	35	24	16	28	4	1	3	1
Phthisis	2455	6	13	24	54	34	20	29	87	135	317	350	335
Hydrocephalus	506	14	36	130	112	64	40	35	57	12	3	1	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	130	3	3	15	19	10	9	4	25	10	9	5	2
Apoplexy	324	5	5	8	9	3	3	1	7	1	5	3	9
Paralysis	412	—	—	—	2	—	—	—	1	1	2	3	5
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	3	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	38	—	—	—	—	—	—	—	—	2	4	3	3
Tetanus	11	4	—	1	1	—	—	—	—	1	—	—	2
Insanity	14	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	274	103	45	35	43	19	10	3	16	—	—	—	—
Brain Disease	246	1	8	6	13	6	5	4	24	11	10	10	6
V. Pericarditis	11	—	—	—	—	—	—	—	2	1	1	1	1
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	753	1	1	5	1	4	1	2	5	12	26	22	26
VI. Laryngitis	27	1	2	5	5	4	—	1	1	1	—	1	1
Bronchitis	2675	167	162	354	424	165	72	46	57	13	12	25	18
Pleurisy	38	—	—	2	—	—	—	—	1	—	1	1	5
Pneumonia	681	42	25	103	111	46	31	18	31	10	17	13	18
Asthma	122	1	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	125	5	3	3	13	3	3	—	6	4	7	2	11
VII. Teething	242	—	12	102	114	13	1	—	—	—	—	—	—
Quinsey	16	2	1	1	1	1	4	2	1	—	—	—	—
Gastritis	31	4	1	5	—	—	—	—	1	1	—	2	—
Enteritis	181	54	27	22	14	7	3	1	7	3	3	2	5
Peritonitis	92	4	1	3	2	1	—	2	4	3	6	12	11
Ascites	16	—	—	—	—	1	1	—	1	1	—	—	—
Ulceration of Intestines	41	3	—	2	—	—	—	—	1	—	1	1	3
Hernia	24	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	57	10	3	—	—	—	2	—	3	2	1	1	3
Intussusception	9	—	2	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	7	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	154	13	15	8	13	8	2	—	2	4	2	2	3
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	26	1	3	1	—	—	—	—	1	—	—	1	2
Jaundice	41	10	—	1	—	2	1	—	—	1	1	1	1
Liver Disease	180	4	—	1	1	1	1	1	3	1	1	3	8
Spleen Disease	10	—	—	—	1	—	—	—	—	—	1	—	2
VIII. Nephritis	18	—	1	1	—	3	1	—	—	—	1	—	—
Nephria	74	—	—	1	2	—	3	—	3	2	6	2	12
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	1	—	—	—
Diabetes	19	—	—	—	—	—	—	—	—	3	2	2	1
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	8	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	51	—	1	—	1	—	—	—	1	2	2	3	3
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	2	1
Ovarian Dropsy	28	—	—	—	—	—	—	—	—	—	—	1	1
Childbirth	212	—	—	—	—	—	—	—	—	—	10	30	42
Organs of Generation	38	—	—	—	—	—	—	—	—	—	1	1	3
X. Arthritis	15	—	—	—	2	1	—	—	1	2	5	—	1
Rheumatism	34	—	—	—	—	—	—	—	—	2	2	—	2
Joint and Bone Disease	37	—	—	1	1	—	1	2	5	12	3	2	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	6	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	6	2	—	2	1	—	—	1	—	—	—	—	—
XVII. Intemperance	36	—	—	—	—	—	—	—	—	—	—	1	2
Privation	4	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	39	20	12	7	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	56	1	—	4	5	11	2	3	13	1	2	—	—
Hanging, etc.	10	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	41	23	5	2	2	—	—	—	—	1	—	1	—
Drowning	22	1	—	—	—	—	—	1	2	1	1	—	1
Fracture and Contusion	95	1	1	2	3	6	2	7	9	2	2	5	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	1	—	—	—	—	—	1
Other Violent Causes	14	3	—	—	—	1	—	1	—	—	—	—	—
Not Specified	248	58	31	17	26	9	6	3	14	6	4	3	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	1	1	2	3	—	3	1	—	—	—	—	—	—	—
Apoplexy	10	12	14	19	32	29	28	39	37	24	16	2	2	1	—	—
Paralysis	6	8	24	21	37	32	52	69	60	50	27	10	2	—	—	—
Delirium Tremens	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	2	2	2	5	—	3	4	1	—	1	1	—	—	—	—
Tetanus	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	1	3	1	3	—	—	1	—	2	—	1	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	12	14	15	14	18	14	12	14	13	11	3	2	—	—	—	—
Pericarditis	—	—	1	—	2	—	—	1	1	—	—	—	—	—	—	—
Aneurism	1	1	1	—	2	2	1	1	1	—	1	—	—	—	—	—
Heart Disease	30	37	55	57	66	75	94	82	63	53	25	7	3	—	—	—
Laryngitis	1	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Bronchitis	28	53	72	76	128	128	191	150	153	96	57	22	5	1	—	—
Pleurisy	4	3	2	3	2	1	5	2	5	1	—	—	—	—	—	—
Pneumonia	11	22	22	22	24	19	24	26	25	13	6	—	1	1	—	—
Asthma	2	4	7	16	18	15	18	19	14	5	2	—	—	—	—	—
Lung Disease	4	5	9	9	11	7	7	4	5	4	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Gastritis	—	1	2	—	3	2	2	2	3	1	—	1	—	—	—	—
Enteritis	4	2	6	5	2	6	2	3	2	1	—	—	—	—	—	—
Peritonitis	11	11	6	1	1	2	2	5	3	—	1	—	—	—	—	—
Ascites	—	1	—	1	2	4	1	—	1	2	—	—	—	—	—	—
Ulceration of Intestines	4	4	2	1	6	2	4	4	1	2	—	—	—	—	—	—
Hernia	1	2	—	5	1	3	5	4	—	1	1	—	—	—	—	—
Ileus	1	1	4	2	1	2	6	7	6	2	—	—	—	—	—	—
Intussusception	—	—	—	—	2	1	2	1	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	1	—	1	1	3	—	—	—	—	—	—	—
Stomach Disease	6	5	12	13	9	6	6	9	7	7	1	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	3	1	3	3	4	1	—	1	—	—	—	—	—	—
Jaundice	2	1	2	1	3	2	3	1	2	5	—	1	—	—	—	—
Liver Disease	10	16	11	16	28	22	22	15	6	6	2	1	—	—	—	—
Spleen Disease	2	—	—	1	1	1	—	—	—	—	—	1	—	—	—	—
Nephritis	—	6	1	2	1	1	—	—	—	—	—	—	—	—	—	—
Nephria	5	9	5	7	2	4	2	6	3	—	—	—	—	—	—	—
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	2	1	3	—	3	—	—	1	—	—	—	—	—	—	—
Stone	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	1	1	1	—	1	1	1	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	4	4	1	2	9	2	7	4	4	—	—	—	—	—	—
Paramenia	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	4	4	3	6	5	1	—	2	—	—	—	—	—	—	—
Childbirth	48	60	18	4	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	4	5	6	4	4	1	3	2	2	—	—	—	—	—	—
Arthritis	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	3	5	3	4	5	2	1	2	1	—	—	—	—	—
Joint Disease	2	1	—	—	2	2	1	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	2	—	—	1	1	—	—	1	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	6	7	4	6	6	3	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	1	—	—	4	1	3	—	2	2	—	—	—	—	—	—
Hanging, etc.	2	—	1	—	1	2	1	—	3	—	—	—	—	—	—	—
Suffocation	—	1	1	—	1	2	—	—	—	1	1	—	—	—	—	—
Drowning	2	4	1	2	3	1	2	—	—	—	—	—	—	—	—	—
Fracture and Contusion	4	2	3	4	4	5	9	9	8	1	2	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	3	3	1	1	1	—	—	—	—	—	—	—	—	—	—
Not Specified	4	9	5	9	21	12	6	1	—	—	—	—	—	—	—	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15648	1392	606	1413	2028	973	662	452	885	347	505	603	577
SPECIFIED CAUSES	15481	1353	586	1396	2014	967	658	448	884	343	501	600	574
I. Zymotic Class	4274	144	133	413	811	442	365	240	455	95	113	143	135
II. Diseases of Uncertain Seat	356	8	3	6	3	5	9	7	20	8	9	7	7
III. Tubercular Class	2677	37	67	165	294	139	98	82	183	135	246	271	238
IV. Brain and Nervous System	1053	123	35	70	95	45	28	18	65	10	27	16	16
V. Organs of Circulation	457	2	—	2	—	1	—	3	4	10	17	19	24
VI. Respiratory Organs	3557	223	199	542	605	275	119	72	92	28	37	58	56
VII. Organs of Digestion	907	112	61	139	168	32	11	4	15	11	13	17	28
VIII. Urinary Organs	162	1	1	—	3	1	5	2	10	7	6	13	8
IX. Organs of Generation	124	—	—	—	—	—	—	—	—	—	5	17	19
X. Organs of Locomotion	68	—	—	—	2	—	1	5	4	9	7	6	4
XI. Skin, etc.	12	1	1	3	—	2	—	—	—	—	—	—	—
XII. Malformation	30	29	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	733	630	67	36	—	—	—	—	—	—	—	—	—
XIV. Atrophy	116	—	—	—	25	11	10	4	8	2	2	2	1
XV. Age	431	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	57	3	3	4	—	1	—	—	1	—	—	1	5
XVII. Violent Deaths	467	40	16	16	8	13	12	11	26	28	19	30	33
I. Small Pox	2	—	1	1	—	—	—	—	—	—	—	—	—
Measles	621	3	7	106	238	119	78	32	35	1	—	—	1
Scarlatina	873	6	15	51	134	127	119	103	260	39	8	2	4
Diphtheria	98	4	1	6	25	16	14	10	16	2	1	1	—
Hooping Cough	694	21	37	139	258	90	75	36	36	1	—	1	—
Croup	178	5	4	20	59	30	28	18	14	—	—	—	—
Thrush	4	1	2	—	1	—	—	—	—	—	—	—	—
Diarrhoea	308	58	31	66	46	14	6	5	4	4	2	—	9
Dysentery	16	—	1	—	2	2	1	—	1	—	—	1	—
Cholera	19	2	2	2	1	1	1	1	—	—	—	3	—
Influenza	26	1	—	—	—	1	1	—	—	—	1	—	—
Purpura	6	1	—	1	—	—	—	—	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	1	1	—	—	1	—	—	—
Typhus	970	1	6	5	11	13	8	11	38	26	73	106	96
Enteric Fever	222	3	—	4	16	15	19	18	38	13	18	18	11
Relapsing Fever	2	—	—	—	—	—	—	—	—	1	1	—	—
Simple Continued Fever	12	—	—	—	1	1	2	—	2	—	1	1	—
Infantile Remittent	47	1	1	4	11	9	8	4	8	1	—	—	—
Metria	34	—	—	—	—	—	—	—	—	—	2	8	8
Rheumatic Fever	13	—	—	—	—	—	—	—	—	2	1	1	4
Erysipelas	60	12	3	3	3	3	3	1	—	3	3	1	2
Pyæmia	3	—	—	—	—	—	—	—	2	1	—	—	—
Syphilis	63	25	22	5	5	—	1	1	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	2	—	1	—	—	—	—	3	1	—	3	1
Dropsy	127	2	—	—	—	3	8	6	16	2	5	1	2
Abscess	27	3	1	5	2	1	1	—	1	3	1	1	1
Ulcer	5	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	13	—	—	—	1	—	—	1	—	—	—	—	—
Cancer	163	—	2	—	—	1	—	—	—	2	3	2	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	135	2	3	16	15	7	13	7	24	10	12	6	1
Tabes Mesenterica	236	14	16	22	78	27	18	15	32	4	2	2	1
Phthisis	1843	6	13	20	60	46	32	33	92	113	231	263	236
Hydrocephalus	463	15	35	107	141	59	35	27	35	8	1	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	536	555	555	551	609	524	545	464	367	270	138	60	22	5	1	3	
SPECIFIED CAUSES . .	533	549	550	540	596	520	541	464	366	270	138	60	22	5	1	2	
Zymotic Class	122	122	119	104	90	73	65	41	28	11	7	1	2	—	—	—	
Uncertain Seat	17	23	23	25	42	30	34	36	14	14	3	3	—	—	—	—	
Tubercular Class . . .	174	127	126	107	83	45	38	15	4	3	—	—	—	—	—	—	
Brain, etc.	30	24	29	40	65	69	69	79	39	37	17	5	2	—	—	—	
Heart, etc.	32	38	41	34	47	50	49	40	23	15	4	2	—	—	—	—	
Respiratory Organs . .	63	92	104	133	175	156	165	144	118	66	27	5	2	1	—	—	
Digestive Organs . . .	21	32	32	34	37	36	45	25	16	12	2	3	—	—	—	1	
Urinary Organs	8	12	11	14	10	15	9	8	8	8	—	2	—	—	—	—	
Generative Organs . .	21	35	12	6	3	3	1	—	2	—	—	—	—	—	—	—	
Locomotive Organs . .	3	—	6	5	4	—	5	3	—	3	1	—	—	—	—	—	
Skin	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	3	7	6	8	8	19	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	38	57	103	99	75	39	16	3	1	—	
Sudden Deaths	3	2	8	5	7	2	7	3	2	—	—	—	—	—	—	—	
Violent Deaths	35	35	32	25	25	21	16	12	9	1	2	—	—	1	—	1	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Diphtheria	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	4	4	3	8	6	7	12	8	7	2	2	—	—	—	—	—	
Dysentery	—	2	1	—	—	1	2	—	—	1	1	—	—	—	—	—	
Cholera	—	—	1	—	—	2	—	1	1	1	1	—	—	—	—	—	
Influenza	1	—	—	2	1	1	3	5	5	2	1	—	1	—	—	—	
Purpura	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	93	96	101	87	70	51	41	20	10	4	1	1	1	—	—	—	
Enteric Fever	7	8	9	5	6	5	4	2	2	—	1	—	—	—	—	—	
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	10	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	1	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	
Erysipelas	—	2	1	1	5	4	2	4	3	1	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	2	—	—	3	—	1	—	—	—	—	—	1	—	—	—	—	
Dropsy	10	6	6	5	9	4	16	18	5	2	—	1	—	—	—	—	
Abscess	1	—	1	—	3	2	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	
Fistula	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Mortification	—	—	—	1	—	—	3	5	—	—	2	—	—	—	—	—	
Cancer	3	17	16	46	30	21	12	12	9	12	1	1	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	6	2	3	4	3	—	—	1	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	3	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Phthisis	165	124	123	103	80	45	38	13	4	3	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	99	1	2	13	23	6	6	6	21	5	6	3	—
Apoplexy	214	6	2	5	6	4	6	2	11	—	3	1	7
Paralysis	232	—	—	—	1	—	—	—	1	—	1	1	1
Delirium Tremens	10	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	31	—	—	—	—	—	—	—	—	2	6	2	2
Tetanus	3	1	—	—	1	—	—	—	—	—	—	—	1
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	293	112	27	42	54	25	12	8	13	—	—	—	—
Brain Disease	164	3	4	10	10	10	4	2	19	3	10	9	4
V. Pericarditis	7	—	—	—	—	—	—	—	1	—	—	—	1
Aneurism	22	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	428	2	—	2	—	1	—	3	3	10	17	19	22
VI. Laryngitis	31	—	1	6	4	5	—	1	2	—	—	2	1
Bronchitis	2532	171	166	411	455	204	79	46	48	17	13	24	19
Pleurisy	29	1	—	1	—	1	—	—	1	—	1	2	1
Pneumonia	763	45	30	120	130	62	36	25	31	5	16	27	24
Asthma	71	1	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	131	5	2	4	16	3	3	—	10	6	7	3	11
VII. Teething	232	1	8	94	119	9	1	—	—	—	—	—	—
Quinsey	17	—	3	2	3	1	4	1	—	1	—	—	—
Gastritis	31	4	1	5	1	2	—	1	—	—	—	3	1
Enteritis	171	56	20	23	23	7	3	1	6	3	2	2	3
Peritonitis	53	2	1	2	2	1	—	1	1	3	3	7	11
Ascites	10	—	—	—	—	1	—	—	2	—	1	—	—
Ulceration of Intestines	12	1	—	1	—	—	—	—	—	—	1	—	3
Hernia	16	—	—	—	—	1	—	—	—	—	1	1	—
Ileus	37	10	2	—	1	—	—	—	1	1	1	1	3
Intussusception	8	—	2	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	133	19	20	12	15	6	2	—	2	3	1	2	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	21	2	3	—	—	—	—	—	—	—	—	—	—
Jaundice	22	12	—	—	1	1	—	—	—	—	1	—	—
Liver Disease	134	5	1	—	2	3	1	—	3	—	2	1	4
Spleen Disease	6	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	20	—	—	—	1	1	1	1	5	—	1	—	1
Nephria	52	—	—	—	1	—	3	—	2	4	2	3	5
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	12	—	—	—	—	—	—	—	—	1	1	3	—
Stone	5	—	—	—	—	—	—	—	—	—	1	—	—
Cystitis	16	—	—	—	—	—	—	—	—	—	—	2	—
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	46	1	1	—	1	—	1	1	3	2	1	5	2
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	97	—	—	—	—	—	—	—	—	—	4	15	19
Organs of Generation	19	—	—	—	—	—	—	—	—	—	1	1	—
X. Arthritis	12	—	—	—	1	—	—	1	2	—	2	1	—
Rheumatism	27	—	—	—	—	—	—	—	—	1	1	1	2
Joint and Bone Disease	29	—	—	—	1	—	1	4	2	8	4	4	2
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	7	—	—	1	—	1	—	—	—	—	—	—	—
Skin Disease	4	1	1	1	—	1	—	—	—	—	—	—	—
XVII. Intemperance	27	—	—	—	—	—	—	—	—	—	—	1	3
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	48	28	13	7	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	7	2	—	—	—	1	—	—	1	—	—	—	2
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	48	1	—	7	4	7	7	2	7	2	2	—	—
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	21	6	3	2	—	—	—	—	—	1	1	1	—
Drowning	78	1	—	—	1	—	1	1	5	7	2	8	8
Fracture and Contusion	204	—	—	—	2	4	2	7	13	15	14	18	20
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	6	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Causes	19	2	—	—	1	1	1	1	—	3	—	2	—
Not Specified	167	39	20	17	14	6	4	4	1	4	4	3	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	1	—	2	1	1	1	—	—	—	—	—	—	—
Apoplexy	8	4	9	15	28	21	19	25	17	8	5	1	1	—	—	—
Paralysis	5	4	10	11	24	34	38	45	17	24	10	4	1	—	—	—
Delirium Tremens	3	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	1	2	1	2	—	3	3	1	—	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	7	10	7	10	11	11	8	5	2	5	—	—	—	—	—	—
Pericarditis	—	1	1	—	1	—	1	—	1	—	—	—	—	—	—	—
Aneurism	3	6	3	2	2	3	2	—	—	—	—	—	—	—	—	—
Heart Disease	29	31	37	32	44	47	46	40	22	15	4	2	—	—	—	—
Laryngitis	2	—	1	2	—	1	1	1	1	—	—	—	—	—	—	—
Bronchitis	31	48	59	87	121	117	126	113	94	54	22	5	2	—	—	—
Pleurisy	6	3	2	—	2	—	3	1	3	—	—	—	—	—	—	—
Pneumonia	15	27	30	26	29	24	17	18	11	9	5	—	—	1	—	—
Asthma	3	5	5	11	11	6	11	9	7	2	—	—	—	—	—	—
Lung Disease	6	9	7	7	12	8	7	2	2	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	1	1	—	2	3	3	1	1	—	1	—	—	—	—	—	—
Enteritis	4	3	4	2	1	6	2	—	—	—	—	—	—	—	—	—
Peritonitis	2	7	3	—	2	—	3	2	—	—	—	—	—	—	—	—
Ascites	1	—	2	—	—	—	2	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	1	2	—	—	1	1	—	—	—	—	—	—
Hernia	1	—	1	1	—	2	5	1	—	1	—	—	—	—	—	1
Ileus	2	1	—	3	—	1	4	2	3	—	—	1	—	—	—	—
Intussusception	—	—	—	—	3	—	1	2	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—
Stomach Disease	4	2	6	8	8	5	5	2	6	1	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	4	3	2	2	3	1	—	—	—	—	—	—	—	—
Jaundice	—	1	1	1	—	—	2	—	—	2	—	—	—	—	—	—
Liver Disease	4	15	10	12	14	15	16	14	5	5	1	1	—	—	—	—
Spleen Disease	1	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—
Nephritis	—	3	1	3	—	1	—	—	1	—	—	—	—	—	—	—
Nephria	5	3	3	3	4	6	4	1	2	1	—	—	—	—	—	—
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Diabetes	—	2	1	2	—	1	—	—	1	—	—	—	—	—	—	—
Stone	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	2	3	1	—	2	3	3	—	—	—	—	—	—
Stricture of Urethra	1	1	—	2	1	—	1	1	—	—	—	—	—	—	—	—
Kidney Disease	2	2	5	2	1	4	3	3	1	4	—	1	—	—	—	—
Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—
Childbirth	19	31	8	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	3	4	4	2	2	1	—	1	—	—	—	—	—	—	—
Arthritis	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	4	4	2	—	4	3	—	3	1	—	—	—	—	—
Joint Disease	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	3	7	4	4	2	1	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	4	1	1	—	2	—	—	—	—	1	—	—
Hanging, etc.	1	—	—	—	2	1	1	2	—	—	—	—	—	—	—	—
Suffocation	—	2	2	1	1	—	1	—	—	—	—	—	—	—	—	—
Drowning	10	7	5	4	5	4	7	2	—	—	—	—	—	—	—	—
Fracture and Contusion	22	18	12	15	9	12	4	8	6	1	2	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	3	3	1	—	—	—	—	—	—	—	—	—	—	—	1
Not Specified	3	6	5	11	13	4	4	—	1	—	—	—	—	—	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	7835	756	335	776	1038	511	318	213	455	166	226	285	280
SPECIFIED CAUSES	7748	734	325	766	1030	506	316	212	455	164	223	283	277
I. Zymotic Class	2111	84	77	216	401	222	165	105	230	38	52	70	67
II. Diseases of Uncertain Seat	143	3	1	2	2	3	8	4	11	5	8	2	5
III. Tubercular Class	1292	20	39	88	166	80	54	38	101	60	99	113	98
IV. Brain and Nervous System	552	60	18	46	52	23	13	15	34	5	13	6	10
V. Organs of Circulation	257	2	—	—	—	—	—	1	3	5	7	11	14
VI. Respiratory Organs	1798	132	115	301	291	147	55	36	39	15	13	33	34
VII. Organs of Digestion	478	66	29	82	96	17	3	1	6	5	7	7	11
VIII. Urinary Organs	104	1	—	—	1	—	3	2	9	4	2	7	4
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	33	—	—	—	2	—	1	3	2	2	3	6	1
XI. Skin, etc.	7	1	1	2	—	1	—	—	—	—	—	—	—
XII. Malformation	21	20	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	379	326	34	19	—	—	—	—	—	—	—	—	—
XIV. Atrophy	55	—	—	—	15	7	5	—	4	1	2	2	1
XV. Age	159	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	36	1	3	4	—	—	—	—	—	—	—	1	4
XVII. Violent Deaths	323	18	8	6	4	6	9	7	15	24	17	25	28
I. Small Pox	2	—	1	1	—	—	—	—	—	—	—	—	—
Measles	338	2	6	62	126	70	37	16	18	—	—	—	—
Scarlatina	448	3	8	32	59	71	59	53	137	17	5	2	1
Diphtheria	42	3	1	1	14	6	6	4	7	—	—	—	—
Hooping Cough	318	10	21	67	123	37	28	10	20	1	—	1	—
Croup	76	2	4	11	29	8	8	8	6	—	—	—	—
Thrush	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	165	37	17	32	30	7	5	3	1	—	2	—	5
Dysentery	9	—	1	—	2	1	1	—	1	—	—	—	—
Cholera	9	—	1	1	—	1	—	1	—	—	—	2	—
Influenza	9	—	—	—	—	1	1	—	—	—	—	—	—
Purpura	4	1	—	—	—	—	—	—	1	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	—	—	1	—	—	—
Typhus	491	1	3	2	3	9	5	1	13	8	31	55	53
Enteric Fever	99	2	—	3	6	6	9	8	20	8	10	8	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	4	—	—	—	—	—	—	—	—	—	—	1	—
Infantile Remittent	20	—	—	1	6	2	5	—	5	1	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	7	—	—	—	—	—	—	—	—	—	1	—	3
Erysipelas	30	7	3	1	1	2	—	—	—	1	2	1	1
Pyæmia	2	—	—	—	—	—	—	—	1	1	—	—	—
Syphilis	35	16	10	2	2	—	1	1	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	1	—	—	—	—	—	—	3	—	—	—	—
Dropsy	64	—	—	—	—	2	7	4	8	—	5	—	1
Abscess	17	1	—	2	2	—	1	—	—	3	—	1	1
Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	42	—	1	—	—	1	—	—	—	2	3	1	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	83	1	2	13	8	3	7	4	17	6	7	4	1
Tabes Mesenterica	132	10	8	14	41	18	7	4	20	4	2	1	—
Phthisis	820	2	8	9	29	27	19	16	48	45	89	108	97
Hydrocephalus	257	7	21	52	88	32	21	14	16	5	1	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	48	1	2	6	11	2	3	5	7	2	5	—	—
Apoplexy	105	4	—	3	3	2	3	1	9	—	—	—	3
Paralysis	116	—	—	—	1	—	—	—	1	—	1	—	1
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	18	—	—	—	—	—	—	—	—	2	4	—	2
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	162	53	13	31	32	13	5	7	8	—	—	—	—
Brain Disease	95	2	3	6	5	6	2	2	9	1	3	6	3
V. Pericarditis	4	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	20	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	233	2	—	—	—	—	—	1	3	5	7	11	13
VI. Laryngitis	19	—	1	4	2	4	—	—	1	—	—	1	—
Bronchitis	1248	100	92	235	223	106	39	22	19	9	2	8	14
Pleurisy	17	1	—	—	—	1	1	—	1	—	1	2	1
Pneumonia	431	28	20	60	60	35	15	14	11	3	9	20	17
Asthma	23	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	60	3	2	2	6	1	—	—	7	3	1	2	2
VII. Teething	127	1	3	51	68	4	—	—	—	—	—	—	—
Quinsey	11	—	3	2	2	—	2	—	—	1	—	—	—
Gastritis	20	3	—	2	1	2	—	1	—	—	—	1	1
Enteritis	93	30	7	17	13	6	1	—	2	1	—	1	2
Peritonitis	21	2	1	—	—	—	—	—	3	2	1	1	3
Ascites	6	—	—	—	—	—	—	—	1	—	1	—	—
Ulceration of Intestines	8	1	—	1	—	—	—	—	—	—	—	—	3
Hernia	8	—	—	—	—	1	—	—	—	—	1	1	—
Ileus	17	4	2	—	1	—	—	—	—	—	—	1	1
Intussusception	3	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	72	15	11	9	9	2	—	—	1	—	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	11	1	—	—	—	—	—	—	—	—	—	—	—
Jaundice	11	6	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	66	3	1	—	1	2	—	—	2	—	2	1	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	12	—	—	—	1	—	—	1	5	—	1	—	1
Nephria	29	—	—	—	—	—	2	—	2	3	—	2	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	—	1	—
Stone	5	—	—	—	—	—	—	—	—	—	1	—	—
Cystitis	14	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	7	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	30	1	—	—	—	—	1	1	2	1	—	3	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	9	—	—	—	1	—	—	1	1	—	—	1	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	—	1	—
Joint and Bone Disease	16	—	—	—	1	—	1	2	1	2	3	4	1
XI. Carbuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	3	1	1	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	1	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	20	13	6	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	7	2	—	—	—	1	—	—	1	—	—	—	2
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	25	—	—	4	2	2	6	2	3	1	2	—	—
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	10	2	2	1	—	—	—	—	—	—	1	—	—
Drowning	66	—	—	—	1	—	1	1	4	6	2	8	7
Fracture and Contusion	161	—	—	—	—	3	1	4	7	14	12	14	18
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	12	1	—	—	1	—	1	—	—	3	—	2	—
Not Specified	87	22	10	10	8	5	2	1	—	2	3	2	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Apoplexy	5	1	4	6	13	10	11	13	6	5	2	1	—	—	—	—
Paralysis	3	1	2	7	8	22	20	20	9	16	2	1	1	—	—	—
Delirium Tremens	3	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	1	2	—	—	—	2	2	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	4	8	1	6	8	9	5	2	1	3	—	—	—	—	—	—
Pericarditis	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Aneurism	3	6	3	2	2	1	2	—	—	—	—	—	—	—	—	—
Heart Disease	18	22	27	16	22	25	23	20	7	7	2	2	—	—	—	—
Laryngitis	1	—	1	2	—	—	1	1	—	—	—	—	—	—	—	—
Bronchitis	17	19	26	44	54	59	46	54	38	19	3	—	—	—	—	—
Pleurisy	3	1	1	—	—	—	2	1	1	—	—	—	—	—	—	—
Pneumonia	13	19	23	17	21	18	12	4	4	4	4	—	—	—	—	—
Asthma	2	3	2	3	4	1	3	2	3	—	—	—	—	—	—	—
Lung Disease	3	6	3	4	5	4	4	—	2	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	2	1	2	1	1	—	1	—	—	—	—	—	—
Enteritis	1	3	1	1	1	4	2	—	—	—	—	—	—	—	—	—
Peritonitis	—	3	1	—	2	—	3	—	—	—	—	—	—	—	—	—
Ascites	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
Hernia	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	1
Ileus	1	—	—	1	—	—	3	1	1	—	—	1	—	—	—	—
Intussusception	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	3	3	3	4	2	1	4	—	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	2	3	1	1	2	—	—	—	—	—	—	—	—	—
Jaundice	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Liver Disease	2	9	5	4	5	6	6	9	3	3	1	—	—	—	—	—
Spleen Disease	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	5	—	1	—	4	3	3	—	1	1	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Diabetes	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	1	3	1	—	2	3	3	—	—	—	—	—	—
Stricture of Urethra	1	1	—	2	1	—	1	1	—	—	—	—	—	—	—	—
Kidney Disease	1	1	2	2	1	3	2	2	1	4	—	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	1	1	—	—	2	2	—	1	—	—	—	—	—	—
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	1	2	2	1	1	1	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
Hanging, etc.	1	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—
Suffocation	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Drowning	9	5	4	4	3	3	6	2	—	—	—	—	—	—	—	—
Fracture and Contusion	18	16	11	13	8	12	3	4	1	—	2	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1
Not Specified	1	2	3	5	2	1	3	—	1	—	—	—	—	—	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7813	636	271	637	990	462	344	239	430	181	279	318	297
SPECIFIED CAUSES	7733	619	261	630	984	461	342	236	429	179	278	317	297
I. Zymotic Class	2163	60	56	197	410	220	200	135	225	57	61	73	68
II. Diseases of Uncertain Seat	213	5	2	4	1	2	1	3	9	3	1	5	2
III. Tubercular Class	1385	17	28	77	128	59	44	44	82	75	147	158	140
IV. Brain and Nervous System	501	63	17	24	43	22	15	3	31	5	14	10	6
V. Organs of Circulation	200	—	—	2	—	1	—	2	1	5	10	8	10
VI. Respiratory Organs	1759	91	84	241	314	128	64	36	53	13	24	25	22
VII. Organs of Digestion	429	46	32	57	72	15	8	3	9	6	6	10	17
VIII. Urinary Organs	58	—	1	—	2	1	2	—	1	3	4	6	4
IX. Organs of Generation	124	—	—	—	—	—	—	—	—	—	5	17	19
X. Organs of Locomotion	35	—	—	—	—	—	—	2	2	7	4	—	3
XI. Skin, etc.	5	—	—	1	—	1	—	—	—	—	—	—	—
XII. Malformation	9	9	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	354	304	33	17	—	—	—	—	—	—	—	—	—
XIV. Atrophy	61	—	—	—	10	4	5	4	4	1	—	—	—
XV. Age	272	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	21	2	—	—	—	1	—	—	1	—	—	—	1
XVII. Violent Deaths	144	22	8	10	4	7	3	4	11	4	2	5	5
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	283	1	1	44	112	49	41	16	17	1	—	—	1
Scarlatina	425	3	7	19	75	56	60	50	123	22	3	—	3
Diphtheria	56	1	—	5	11	10	8	6	9	2	1	1	—
Whooping Cough	376	11	16	72	135	53	47	26	16	—	—	—	—
Croup	102	3	—	9	30	22	20	10	8	—	—	—	—
Thrush	3	1	1	—	1	—	—	—	—	—	—	—	—
Diarrhoea	143	21	14	34	16	7	1	2	3	4	—	—	4
Dysentery	7	—	—	—	—	1	—	—	—	—	—	1	—
Cholera	10	2	1	1	1	—	1	—	—	—	—	1	—
Influenza	17	1	—	—	—	—	—	—	—	—	1	—	—
Purpura	2	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	479	—	3	3	8	4	3	10	25	18	42	51	43
Enteric Fever	123	1	—	1	10	9	10	10	18	5	8	10	7
Relapsing Fever	2	—	—	—	—	—	—	—	—	1	1	—	—
Simple Continued Fever	8	—	—	—	1	1	2	—	2	—	1	—	—
Infantile Remittent	27	1	1	3	5	7	3	4	3	—	—	—	—
Metria	34	—	—	—	—	—	—	—	—	—	2	8	8
Rheumatic Fever	6	—	—	—	—	—	—	—	—	2	—	1	1
Erysipelas	30	5	—	2	2	1	3	1	—	2	1	—	1
Pyæmia	1	—	—	—	—	—	—	—	1	—	—	—	—
Syphilis	28	9	12	3	3	—	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	10	1	—	1	—	—	—	—	—	1	—	3	1
Dropsy	63	2	—	—	—	1	1	2	8	2	—	1	1
Abscess	10	2	1	3	—	1	—	—	1	—	1	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	1	—	—	1	—	—	—	—	—
Cancer	121	—	1	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	52	1	1	3	7	4	6	3	7	4	5	2	—
Tabes Mesenterica	104	4	8	8	37	9	11	11	12	—	—	1	1
Phthisis	1023	4	5	11	31	19	13	17	44	68	142	155	139
Hydrocephalus	206	8	14	55	53	27	14	13	19	3	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	259	300	281	273	322	247	279	250	208	155	94	42	16	2	1	—
SPECIFIED CAUSES . .	257	296	279	267	311	244	278	250	208	155	94	42	16	2	1	—
Zymotic Class . . .	63	67	58	45	46	41	29	24	17	6	4	—	1	—	—	—
Uncertain Seat . . .	8	18	18	15	30	18	24	21	7	11	3	2	—	—	—	—
Tubercular Class . . .	96	75	71	64	38	15	19	4	2	2	—	—	—	—	—	—
Brain, etc.	12	12	19	19	36	28	30	41	21	13	13	3	1	—	—	—
Heart, etc.	11	9	11	16	22	24	23	20	15	8	2	—	—	—	—	—
Respiratory Organs . .	24	44	48	63	91	74	97	82	70	43	20	5	2	1	—	—
Digestive Organs . . .	12	14	15	18	22	17	23	12	7	6	—	2	—	—	—	—
Urinary Organs . . .	1	8	7	7	—	5	2	2	2	—	—	—	—	—	—	—
Generative Organs . .	21	35	12	6	3	3	1	—	2	—	—	—	—	—	—	—
Locomotive Organs . .	1	—	3	3	3	—	3	1	—	2	1	—	—	—	—	—
Skin	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	2	4	3	5	5	14	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	21	38	56	62	51	30	12	1	1	—
Sudden Deaths . . .	—	—	3	2	4	1	3	1	2	—	—	—	—	—	—	—
Violent Deaths . . .	6	10	10	4	11	3	3	4	7	1	—	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diphtheria	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	3	3	3	2	4	3	6	5	5	2	1	—	—	—	—	—
Dysentery	—	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—
Cholera	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Influenza	1	—	—	2	1	1	1	5	3	—	—	—	1	—	—	—
Purpura	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	43	50	41	36	33	31	16	9	6	3	1	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	51	—	—	7	12	4	3	1	14	3	1	3	—
Apoplexy	109	2	2	2	3	2	3	1	2	—	3	1	4
Paralysis	116	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	13	—	—	—	—	—	—	—	—	—	2	2	—
Tetanus	3	1	—	—	1	—	—	—	—	—	—	—	1
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	131	59	14	11	22	12	7	1	5	—	—	—	—
Brain Disease	69	1	1	4	5	4	2	—	10	2	7	3	1
V. Pericarditis	3	—	—	—	—	—	—	—	1	—	—	—	1
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	195	—	—	2	—	1	—	2	—	5	10	8	9
VI. Laryngitis	12	—	—	2	2	1	—	1	1	—	—	1	1
Bronchitis	1284	71	74	176	232	98	40	24	29	8	11	16	5
Pleurisy	12	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia	332	17	10	60	70	27	21	11	20	2	7	7	7
Asthma	48	1	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	71	2	—	2	10	2	3	—	3	3	6	1	9
VII. Teething	105	—	5	43	51	5	1	—	—	—	—	—	—
Quinsey	6	—	—	—	1	1	2	1	—	—	—	—	—
Gastritis	11	1	1	3	—	—	—	—	—	—	—	2	—
Enteritis	78	26	13	6	10	1	2	1	4	2	2	1	1
Peritonitis	32	—	—	2	2	1	—	1	1	—	1	6	8
Ascites	4	—	—	—	—	1	—	—	1	—	—	—	—
Ulceration of Intestines	4	—	—	—	—	—	—	—	—	—	1	—	—
Hernia	8	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	20	6	—	—	—	—	—	—	1	1	1	—	2
Intussusception	5	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	61	4	9	3	6	4	2	—	1	3	—	1	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	10	1	3	—	—	—	—	—	—	—	—	—	—
Jaundice	11	6	—	—	—	1	—	—	—	—	1	—	—
Liver Disease	68	2	—	—	1	1	1	—	1	—	—	—	3
Spleen Disease	4	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	8	—	—	—	—	1	1	—	—	—	—	—	—
Nephria	23	—	—	—	1	—	1	—	—	1	2	1	3
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	1	1	2	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	16	—	1	—	1	—	—	—	1	1	1	2	1
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	97	—	—	—	—	—	—	—	—	—	4	15	19
Organs of Generation	19	—	—	—	—	—	—	—	—	—	1	1	—
X. Arthritis	3	—	—	—	—	—	—	—	1	—	2	—	—
Rheumatism	19	—	—	—	—	—	—	—	—	1	1	—	2
Joint and Bone Disease	13	—	—	—	—	—	—	2	1	6	1	—	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	16	—	—	—	—	—	—	—	—	—	—	—	2
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	28	15	7	6	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	23	1	—	3	2	5	1	—	4	1	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	11	4	1	1	—	—	—	—	—	1	—	1	—
Drowning	12	1	—	—	—	—	—	—	1	1	—	—	1
Fracture and Contusion	43	—	—	—	2	1	1	3	6	1	2	4	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Causes	7	1	—	—	—	1	—	1	—	—	—	—	—
Not Specified	80	17	10	7	6	1	2	3	1	2	1	1	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2275	189	108	208	233	142	74	52	132	47	72	69	78
SPECIFIED CAUSES	2246	184	102	204	230	139	73	52	131	46	71	69	78
I. Zymotic Class	623	22	29	73	113	82	43	37	77	9	11	11	11
II. Diseases of Uncertain Seat	52	—	—	—	1	1	1	1	1	1	1	2	1
III. Tubercular Class	388	8	17	30	33	27	5	5	25	15	43	33	39
IV. Brain and Nervous System	180	8	10	9	6	3	3	—	5	5	4	8	10
V. Organs of Circulation	78	—	—	1	1	1	—	—	1	1	3	4	4
VI. Respiratory Organs	403	31	25	60	49	17	18	5	10	5	4	5	6
VII. Organs of Digestion	137	19	9	21	15	3	1	—	4	1	—	—	2
VIII. Urinary Organs	23	—	1	—	—	1	1	—	—	1	—	—	—
IX. Organs of Generation	14	—	—	—	—	—	—	—	—	—	—	4	2
X. Organs of Locomotion	9	—	—	—	—	—	—	—	1	3	1	—	—
XI. Skin, etc.	2	—	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	8	6	1	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	102	85	8	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	30	—	—	—	8	2	—	1	4	1	—	—	—
XV. Age	129	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	1	—	—	—	—	—	—	—	1	—	—	—
XVII. Violent Deaths	64	4	2	1	3	1	1	3	3	3	4	2	3
I. Small Pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	110	1	6	20	38	23	10	6	5	—	—	—	—
Scarlatina	142	1	1	10	17	26	16	16	47	5	1	—	—
Diphtheria	23	—	3	1	3	5	2	5	4	—	—	—	—
Hooping Cough	91	4	8	24	27	13	6	3	6	—	—	—	—
Croup	31	—	1	7	7	9	3	3	1	—	—	—	—
Thrush	1	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhoea	60	7	3	9	15	3	—	—	2	—	—	—	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	1
Cholera	7	3	1	—	3	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	1
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	90	2	2	—	1	—	—	—	4	1	8	7	4
Enteric Fever	36	—	—	1	—	1	5	4	6	2	2	3	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	3	—	—	—	1	—	—	—	—	1	—	—	1
Infantile Remittent	2	—	—	—	—	1	—	—	1	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	9	4	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	9	—	3	1	1	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	13	—	—	—	1	—	—	1	1	—	—	—	—
Abscess	4	—	—	—	—	—	1	—	—	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	26	—	—	—	—	—	—	—	—	—	1	2	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	1	—	2	—	3	—	1	3	3	4	—	2
Tabes Mesenterica	38	2	5	5	12	6	1	1	2	—	1	1	—
Phthisis	261	5	3	2	6	6	2	1	14	11	37	32	37
Hydrocephalus	70	—	9	21	15	12	2	2	6	1	1	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	13	2	—	2	3	—	—	—	1	3	—	—	1
Apoplexy	37	1	1	4	—	1	2	—	—	—	—	2	4
Paralysis	42	—	—	—	—	—	—	—	—	1	2	—	2
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	—	1	1	1
Tetanus	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsion.	26	5	9	3	3	2	1	—	2	1	—	—	—
Brain Disease	50	—	—	—	—	—	—	—	1	—	1	5	2
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	75	—	—	1	1	1	—	—	1	1	3	4	4
VI. Laryngitis	5	2	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	278	24	20	43	28	11	16	4	5	2	2	1	3
Pleurisy	4	—	—	—	—	—	—	—	1	—	—	1	—
Pneumonia	98	5	5	15	21	6	2	1	4	3	2	3	3
Asthma	11	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	7	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	27	—	4	11	12	—	—	—	—	—	—	—	—
Quinsey	2	1	—	—	—	—	1	—	—	—	—	—	—
Gastritis	5	1	—	1	—	—	—	—	—	—	—	—	—
Enteritis	25	6	1	7	1	1	—	—	3	—	—	—	—
Peritonitis	5	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	5	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	2	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	29	7	3	1	2	2	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	21	2	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	1	—	—	1	1	—	—	—	—	—	—
Nephria	10	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	1	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	12	—	—	—	—	—	—	—	—	—	—	3	2
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	5	—	—	—	—	—	—	—	1	3	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	1	1	—	1	—	1	—	1	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	4	2	—	—	—	—	—	—	1	—	—	—	—
Drowning	20	—	—	—	—	—	—	1	—	2	—	—	2
Fracture and Contusion	26	1	1	—	2	1	—	2	1	1	3	2	1
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	29	5	6	4	3	3	1	—	1	1	1	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	1	4	2	2	2	3	2	4	1	—	1	—	—	—	—	
Paralysis	1	3	3	5	3	1	7	6	6	2	—	—	—	—	—	—	
Delirium Tremens	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Epilepsy	—	—	1	1	—	1	—	—	—	1	—	1	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	3	3	6	6	9	2	2	2	4	2	1	—	—	—	—	1	
Pericarditis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Aneurism	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	6	3	8	7	10	6	7	4	2	3	2	—	—	—	—	
Laryngitis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Bronchitis	6	3	13	11	13	10	18	15	14	9	3	4	—	—	—	—	
Pleurisy	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Pneumonia	—	3	5	4	5	4	2	3	1	—	1	—	—	—	—	—	
Asthma	1	1	—	2	—	2	2	1	—	1	—	1	—	—	—	—	
Lung Disease	—	—	1	1	3	—	—	1	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	
Enteritis	—	—	3	—	—	—	2	1	—	—	—	—	—	—	—	—	
Peritonitis	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Ileus	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	1	1	3	—	2	4	—	1	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	1	—	1	—	3	—	1	—	1	—	—	—	—	—	—	—	
Jaundice	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Liver Disease	1	3	3	2	2	2	3	—	1	1	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephria	1	2	1	1	3	—	—	2	—	—	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	3	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	6	3	2	1	—	—	2	—	1	—	—	—	—	—	—	—	
Fracture and Contusion	1	2	—	1	2	—	1	1	1	1	1	—	—	—	—	—	
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1102	105	51	104	109	72	36	30	71	22	30	32	30
SPECIFIED CAUSES	1084	101	48	102	107	70	35	30	70	22	29	32	30
I. Zymotic Class	300	14	11	39	48	40	19	21	41	5	5	4	2
II. Diseases of Uncertain Seat	15	-	-	-	-	-	-	-	1	-	-	1	-
III. Tubercular Class	178	6	9	16	21	16	4	3	9	5	13	15	17
IV. Brain and Nervous System	103	3	7	4	5	2	3	-	3	4	3	4	6
V. Organs of Circulation	32	-	-	1	-	1	-	-	-	1	2	2	1
VI. Respiratory Organs	217	22	14	28	24	8	7	4	8	1	2	4	-
VII. Organs of Digestion	61	9	2	9	5	1	-	-	2	1	-	-	1
VIII. Urinary Organs	12	-	-	-	-	-	1	-	-	-	-	-	-
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	5	-	-	-	-	-	-	-	1	1	1	-	-
XI. Skin, etc.	2	-	-	-	-	1	-	-	-	-	-	-	-
XII. Malformation	5	4	1	-	-	-	-	-	-	-	-	-	-
XIII. Premature Debility	48	41	3	4	-	-	-	-	-	-	-	-	-
XIV. Atrophy	11	-	-	-	3	1	-	1	3	-	-	-	-
XV. Age	45	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	-	-	-	-	-	-	-	-	1	-	-	-
XVII. Violent Deaths	48	2	1	1	1	-	1	1	2	3	3	2	3
I. Small Pox	1	-	1	-	-	-	-	-	-	-	-	-	-
Measles	48	1	1	10	15	12	2	3	4	-	-	-	-
Scarlatina	79	1	1	7	8	13	10	9	25	4	-	-	-
Diphtheria	10	-	-	-	1	3	-	4	2	-	-	-	-
Hooping Cough	39	2	6	12	9	6	1	1	2	-	-	-	-
Croup	14	-	-	5	4	4	1	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	32	5	-	5	8	1	-	-	2	-	-	-	-
Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	1
Cholera	2	1	-	-	1	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus	44	2	1	-	1	-	-	-	1	1	3	2	-
Enteric Fever	21	-	-	-	-	1	4	4	5	-	2	2	1
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	1	-	-	-	1	-	-	-	-	-	-	-	-
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	5	2	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	2	-	1	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	4	-	-	-	-	-	-	-	1	-	-	-	-
Abscess	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	2	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	1	-
Gout	1	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	7	-	-	1	-	2	-	1	1	1	1	-	-
Tabes Mesenterica	22	2	3	4	7	3	1	1	-	-	1	-	-
Phthisis	109	4	1	-	4	3	1	-	5	4	11	15	17
Hydrocephalus	40	-	5	11	10	8	2	1	3	-	-	-	-

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	25	32	49	41	47	35	43	42	34	36	11	11	1	—	—	3
SPECIFIED CAUSES . .	25	32	48	41	47	35	43	42	34	36	11	11	1	—	—	2
Zymotic Class . . .	3	5	9	8	8	3	6	3	2	3	—	—	—	—	—	1
Uncertain Seat . . .	—	1	1	1	2	—	4	2	—	2	—	—	—	—	—	—
Tubercular Class . .	5	8	10	8	5	3	1	4	—	—	—	—	—	—	—	—
Brain, etc.	3	4	7	7	7	3	6	5	8	5	1	2	—	—	—	1
Heart, etc.	1	2	2	2	2	4	2	5	2	2	—	—	—	—	—	—
Respiratory Organs .	3	4	10	11	11	13	9	13	9	7	2	3	—	—	—	—
Digestive Organs . .	1	2	3	1	7	4	6	3	2	1	1	—	—	—	—	—
Urinary Organs . . .	1	1	1	1	2	1	1	1	1	1	—	—	—	—	—	—
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	5	6	8	14	5	6	1	—	—	—
Sudden Deaths . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	7	5	5	2	2	1	3	—	1	1	1	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	—	1	2	—	1	3	2	1	1	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	4	7	6	7	2	3	1	—	—	—	—	—	—	—	1
Enteric Fever	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Cancer	—	—	1	—	2	—	1	—	—	1	—	—	—	—	—	—
Gout	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	5	8	10	8	5	3	1	4	—	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	—	—	—	2	—	—	—	—	2	—	—	1
Apoplexy	21	1	1	3	—	1	2	—	—	—	—	1	2
Paralysis	26	—	—	—	—	—	—	—	—	1	1	—	2
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	—	1	1	1
Tetanus	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	16	2	6	1	3	1	1	—	1	1	—	—	—
Brain Disease	23	—	—	—	—	—	—	—	1	—	1	2	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	31	—	—	1	—	1	—	—	—	1	2	2	1
VI. Laryngitis	4	1	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	147	17	10	20	15	5	7	4	4	—	1	—	—
Pleurisy	3	—	—	—	—	—	—	—	1	—	—	1	—
Pneumonia	52	4	4	7	9	3	—	—	3	1	1	3	—
Asthma	8	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	11	—	2	5	4	—	—	—	—	—	—	—	—
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	12	3	—	3	1	—	—	—	1	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	13	3	—	1	—	1	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	1	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	1	1	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	1	—	—	1	—	1	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	1	—	—	—	—
Drowning	16	—	—	—	—	—	—	—	—	2	—	—	2
Fracture and Contusion	19	1	—	—	1	—	—	1	—	1	3	2	1
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	18	4	3	2	2	2	1	—	1	—	1	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	1173	84	57	104	124	70	38	22	61	25	42	37	48
SPECIFIED CAUSES	1162	83	54	102	123	69	38	22	61	24	42	37	48
I. Zymotic Class	323	8	18	34	65	42	24	16	36	4	6	7	9
II. Diseases of Uncertain Seat	37	-	-	-	1	1	1	1	-	1	1	1	1
III. Tubercular Class	210	2	8	14	12	11	1	2	16	10	30	18	22
IV. Brain and Nervous System	77	5	3	5	1	1	-	-	2	1	1	4	4
V. Organs of Circulation	46	-	-	-	1	-	-	-	1	-	1	2	3
VI. Respiratory Organs	186	9	11	32	25	9	11	1	2	4	2	1	6
VII. Organs of Digestion	76	10	7	12	10	2	1	-	2	-	-	-	1
VIII. Urinary Organs	11	-	1	-	-	1	-	-	-	1	-	-	-
IX. Organs of Generation	14	-	-	-	-	-	-	-	-	-	-	4	2
X. Organs of Locomotion	4	-	-	-	-	-	-	-	-	2	-	-	-
XI. Skin, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. Malformation	3	2	-	-	1	-	-	-	-	-	-	-	-
XIII. Premature Debility	54	44	5	5	-	-	-	-	-	-	-	-	-
XIV. Atrophy	19	-	-	-	5	1	-	-	1	1	-	-	-
XV. Age	84	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	1	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	16	2	1	-	2	1	-	2	1	-	1	-	-
I. Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	62	-	5	10	23	11	8	3	1	-	-	-	-
Scarlatina	63	-	-	3	9	13	6	7	22	1	1	-	-
Diphtheria	13	-	3	1	2	2	2	1	2	-	-	-	-
Whooping Cough	52	2	2	12	18	7	5	2	4	-	-	-	-
Croup	17	-	1	2	3	5	2	3	1	-	-	-	-
Thrush	1	-	-	-	-	1	-	-	-	-	-	-	-
Diarrhœa	28	2	3	4	7	2	-	-	-	-	-	-	-
Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	5	2	1	-	2	-	-	-	-	-	-	-	-
Influenza	1	-	-	-	-	-	-	-	-	-	-	-	1
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	46	-	1	-	-	-	-	-	3	-	5	5	4
Enteric Fever	15	-	-	1	-	-	1	-	1	2	-	1	3
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	2	-	-	-	-	-	-	-	-	1	-	-	1
Infantile Remittent	2	-	-	-	-	1	-	-	1	-	-	-	-
Metria	2	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas	4	2	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	7	-	2	1	1	-	-	-	-	-	-	-	-
Noma	1	-	-	-	-	-	-	-	1	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	3	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	9	-	-	-	1	-	-	1	-	-	-	-	-
Abscess	3	-	-	-	-	-	1	-	-	1	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	2	-	-	-	-	1	-	-	-	-	-	-	-
Cancer	20	-	-	-	-	-	-	-	-	-	1	1	1
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	12	1	-	1	-	1	-	-	2	2	3	-	2
Tabes Mesenterica	16	-	2	1	5	3	-	-	2	-	-	1	-
Phthisis	152	1	2	2	2	3	1	1	9	7	26	17	20
Hydrocephalus	30	-	4	10	5	4	-	1	3	1	1	-	-

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	2	—	2	1	—	—	—	1	1	—	—	—
Apoplexy	16	—	—	1	—	—	—	—	—	—	—	1	2
Paralysis	16	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	10	3	3	2	—	1	—	—	1	—	—	—	—
Brain Disease	27	—	—	—	—	—	—	—	—	—	—	3	2
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	44	—	—	—	1	—	—	—	1	—	1	2	3
VI. Laryngitis	1	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	131	7	10	23	13	6	9	—	1	2	1	1	3
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	46	1	1	8	12	3	2	1	1	2	1	—	3
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	4	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	16	—	2	6	8	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	1	—	—	—	—	—	—
Gastritis	3	—	—	1	—	—	—	—	—	—	—	—	—
Enteritis	13	3	1	4	—	1	—	—	2	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	2	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	4	3	—	2	1	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	13	1	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	1	—	—	1	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	1	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	12	—	—	—	—	—	—	—	—	—	—	3	2
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	1	—	—	—	—	—	1	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	1	—	—	—	—	—
Fracture and Contusion	7	—	1	—	1	1	—	1	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	11	1	3	2	1	1	—	—	—	1	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5406	517	193	435	520	249	144	102	230	97	126	161	205
SPECIFIED CAUSES	5391	516	192	435	519	248	143	102	230	97	126	161	203
I. Zymotic Class	1166	76	45	153	220	129	85	60	110	37	30	31	36
II. Diseases of Uncertain Seat	224	4	1	3	5	2	—	1	2	1	1	6	10
III. Tubercular Class	871	13	22	58	81	34	29	16	59	23	56	76	96
IV. Brain and Nervous System	530	43	20	33	30	17	7	6	14	6	6	8	8
V. Organs of Circulation	336	1	1	—	—	—	—	—	2	3	9	7	7
VI. Respiratory Organs	1042	109	63	131	129	43	15	12	17	6	3	8	9
VII. Organs of Digestion	286	25	15	26	30	5	3	1	6	7	7	6	8
VIII. Urinary Organs	95	—	—	2	2	1	1	1	6	3	1	3	5
IX. Organs of Generation	44	—	—	—	—	—	—	—	—	—	1	5	11
X. Organs of Locomotion	52	—	—	—	1	—	1	—	9	7	7	1	5
XI. Skin, etc.	7	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	17	13	1	2	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	248	204	18	26	—	—	—	—	—	—	—	—	—
XIV. Atrophy	45	—	—	—	17	7	1	2	—	1	—	—	—
XV. Age	252	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Violent Deaths	172	28	5	1	3	9	1	3	5	3	5	10	8
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	110	1	2	19	45	27	8	4	3	1	—	—	—
Scarlatina	199	1	—	9	16	26	35	23	61	19	5	1	1
Diphtheria	34	2	—	2	5	7	8	2	4	1	—	—	2
Whooping Cough	303	9	19	71	104	46	21	19	13	1	—	—	—
Croup	67	3	1	10	19	13	8	6	7	—	—	—	—
Thrush	2	—	—	—	2	—	—	—	—	—	—	—	—
Diarrhoea	149	39	15	27	18	2	1	—	1	—	1	1	2
Dysentery	10	—	—	—	1	—	—	—	—	—	—	2	1
Cholera	21	3	5	7	2	—	—	—	—	—	—	—	—
Influenza	6	—	—	1	2	—	—	—	—	—	—	—	—
Purpura	3	—	—	—	—	—	—	—	2	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	1	—	—	—
Typhus	98	—	—	1	3	2	1	2	11	3	8	9	11
Enteric Fever	73	—	—	1	1	5	2	2	4	9	13	9	8
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	1	—
Simple Continued Fever	5	—	—	—	1	1	—	—	—	1	—	1	—
Infantile Remittent	5	—	—	1	1	—	1	1	1	—	—	—	—
Metria	10	—	—	—	—	—	—	—	—	—	1	2	6
Rheumatic Fever	13	—	—	—	—	—	—	—	1	1	2	3	2
Erysipelas	28	7	1	1	—	—	—	—	—	—	—	1	1
Pyæmia	4	—	—	—	—	—	—	—	—	—	—	—	2
Syphilis	20	10	2	3	—	—	—	—	1	—	—	1	—
Noma	3	1	—	—	—	—	—	1	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	6	1	1	—	—	—	—	—	—	—	—	—	—
Dropsy	27	1	—	—	3	1	—	—	1	—	—	—	1
Abscess	20	1	—	3	1	1	—	1	1	1	—	3	2
Ulcer	8	—	—	—	1	—	—	—	—	—	1	—	1
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	6	1	—	—	—	—	—	—	—	—	—	—	1
Cancer	155	—	—	—	—	—	—	—	—	—	—	3	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	62	4	4	7	10	2	—	2	10	5	3	2	1
Tabes Mesenterica	73	6	4	9	25	8	3	2	12	2	—	—	—
Phthisis	566	—	—	2	9	1	3	5	17	15	52	74	95
Hydrocephalus	170	3	14	40	37	23	23	7	20	1	1	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	192	204	216	187	213	220	289	278	236	196	115	56	24	1	—	—
SPECIFIED CAUSES	192	204	215	186	212	217	288	277	236	196	115	56	24	1	—	—
Zymotic Class	15	18	16	16	16	22	14	14	7	8	6	1	1	—	—	—
Uncertain Seat	5	9	16	18	22	22	35	26	16	12	5	2	—	—	—	—
Tubercular Class	77	68	46	45	26	15	19	7	4	—	1	—	—	—	—	—
Brain, etc.	15	21	22	19	25	34	37	61	43	37	13	4	1	—	—	—
Heart, etc.	18	23	28	25	25	25	44	48	33	24	8	3	2	—	—	—
Respiratory Organs	19	22	46	32	56	49	90	66	54	44	13	4	2	—	—	—
Digestive Organs	15	17	13	12	15	16	18	15	16	5	4	1	—	—	—	—
Urinary Organs	6	6	7	7	4	8	3	11	8	5	4	1	—	—	—	—
Generative Organs	4	9	3	2	3	2	1	1	2	—	—	—	—	—	—	—
Locomotive Organs	4	2	1	2	2	4	3	2	—	—	—	1	—	—	—	—
Skin	—	—	1	2	1	—	—	1	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	2	—	2	2	3	8	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	13	19	46	59	59	37	18	1	—	—
Sudden Deaths	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Violent Deaths	12	9	14	4	13	12	11	4	6	2	2	2	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	1	5	2	5	4	8	3	6	2	3	3	—	—	—	—	—
Dysentery	—	1	—	—	1	2	—	—	—	2	—	—	—	—	—	—
Cholera	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	7	5	5	5	7	8	5	1	—	—	—	—	—	—	—
Enteric Fever	6	—	4	2	1	2	1	—	1	1	1	—	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	2	3	1	1	2	1	—	2	1	2	1	1	—	—	—
Pyæmia	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—
Dropsy	1	3	1	—	2	4	4	2	2	1	—	—	—	—	—	—
Abscess	—	—	—	1	—	—	3	1	—	—	1	—	—	—	—	—
Ulcer	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	—
Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—
Cancer	4	6	13	15	20	15	24	23	13	9	4	2	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	6	1	3	—	2	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	71	65	43	44	24	15	19	7	4	—	1	—	—	—	—	—
Hydrocephalus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	59	3	3	10	8	5	3	2	5	1	1	3	1
Apoplexy	109	2	—	4	4	2	1	1	2	1	—	1	—
Paralysis	145	—	—	—	2	1	—	—	—	2	—	2	2
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	—	3
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	17	—	—	—	—	—	—	—	—	—	2	1	—
Tetanus	6	4	—	1	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	91	33	16	16	15	7	1	2	1	—	—	—	—
Brain Disease	93	1	1	2	1	2	2	1	6	2	3	1	2
V. Pericarditis	4	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	18	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	314	1	1	—	—	—	—	—	2	2	9	7	7
VI. Laryngitis	15	1	2	—	3	2	1	1	—	1	—	—	—
Bronchitis	705	74	48	104	93	29	9	6	11	2	—	3	2
Pleurisy	26	—	—	1	1	—	—	—	2	—	—	3	1
Pneumonia	222	30	10	25	30	10	5	5	3	3	3	1	5
Asthma	22	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	52	4	3	1	2	2	—	—	1	—	—	1	1
VII. Teething	45	—	2	17	23	2	1	—	—	—	—	—	—
Quinsey	8	—	—	1	3	1	1	—	1	—	—	—	—
Gastritis	2	—	—	—	1	—	—	—	1	—	—	—	—
Enteritis	28	7	7	3	2	2	—	—	—	—	1	—	1
Peritonitis	34	3	2	—	—	—	—	—	—	3	2	1	2
Ascites	6	—	—	—	—	—	1	—	1	—	—	—	—
Ulceration of Intestines	20	—	—	—	—	—	—	—	1	—	—	1	4
Hernia	7	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	21	4	1	—	—	—	—	—	1	—	1	1	—
Intussusception	3	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	34	7	1	2	1	—	—	—	—	1	1	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	10	—	—	1	—	—	—	—	—	1	—	—	—
Jaundice	12	3	—	1	—	—	—	—	—	—	—	1	—
Liver Disease	50	1	—	—	—	—	—	1	1	2	1	1	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	6	—	—	—	1	1	—	—	1	—	—	—	1
Nephria	48	—	—	1	1	—	1	—	5	—	1	3	4
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	1	—	—	—
Diabetes	6	—	—	—	—	—	—	—	—	1	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	12	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	—	1	—	—	—	1	—	1	—	—	—
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	12	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	26	—	—	—	—	—	—	—	—	—	1	5	8
Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	9	—	—	—	—	—	—	—	—	1	3	—	1
Rheumatism	10	—	—	—	—	—	—	—	—	1	—	—	1
Joint and Bone Disease	33	—	—	—	1	—	1	—	9	5	4	1	3
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	20	—	—	—	—	—	—	—	—	—	—	2	—
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	15	10	4	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	12	—	—	—	2	4	—	1	1	—	1	—	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	1	—	—	—
Suffocation	21	13	1	—	1	—	—	—	—	—	—	1	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	82	1	—	—	—	4	1	2	4	2	3	5	6
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	—	2	1
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	6	4	—	—	—	1	—	—	—	—	1	—	—
Not Specified	15	1	1	—	1	1	1	—	—	—	—	—	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	3	2	1	1	—	3	—	1	—	—	—	—	—	—
Apoplexy	1	3	1	5	7	17	15	14	12	13	3	—	—	—	—	—
Paralysis	3	8	7	9	8	9	15	26	24	18	7	1	1	—	—	—
Delirium Tremens	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	4	3	—	—	1	1	2	—	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	3	6	2	8	5	6	16	7	5	3	2	—	—	—	—
Pericarditis	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	4	2	3	1	2	1	3	1	—	—	—	—	—	—	—
Heart Disease	17	18	26	21	23	23	43	45	32	24	8	3	2	—	—	—
Laryngitis	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	5	5	22	13	39	35	64	50	43	31	11	4	2	—	—	—
Pleurisy	4	2	2	3	—	2	2	2	—	1	—	—	—	—	—	—
Pneumonia	9	9	16	9	12	6	12	6	7	4	2	—	—	—	—	—
Asthma	—	2	—	1	3	3	8	3	—	2	—	—	—	—	—	—
Lung Disease	1	3	5	5	2	3	4	5	3	6	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	1	—	2	—	—	1	—	—	1	—	—	—	—	—	—
Peritonitis	2	2	4	2	1	1	2	2	3	—	2	—	—	—	—	—
Ascites	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
Ulceration of Intestines	2	2	—	1	2	1	4	2	—	—	—	—	—	—	—	—
Hernia	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—
Ileus	—	—	3	—	—	2	2	1	2	2	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—
Stomach Disease	2	2	3	1	2	2	1	3	3	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	2	—	2	—	1	1	1	—	—	—	—	—	—	—	—
Jaundice	2	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—
Liver Disease	5	8	1	1	8	8	3	4	4	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Nephritis	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	4	5	2	2	4	3	6	1	—	1	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Diabetes	1	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Cystitis	—	—	1	—	—	1	—	3	2	2	2	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	2	—	2	—	3	—	1	4	2	—	—	—	—	—	—
Paramenia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	2	3	1	2	1	1	—	1	—	—	—	—	—	—	—
Childbirth	4	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
Arthritis	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	1	—	2	2	1	—	—	—	1	—	—	—	—
Joint Disease	3	1	1	1	—	2	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	3	2	1	5	3	3	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Hanging, etc.	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	1	—	1	1	—	—	1	1	—	—	—	—	—
Drowning	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Fracture and Contusion	11	6	9	2	5	7	5	1	5	—	1	2	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	—	—	1	1	1	3	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2736	286	96	218	279	146	76	52	127	50	69	79	108
SPECIFIED CAUSES	2731	286	95	218	279	145	75	52	127	50	69	79	107
I. Zymotic Class	590	42	23	72	116	81	38	32	54	10	15	16	19
II. Diseases of Uncertain Seat	83	1	1	3	1	—	—	—	2	—	—	2	4
III. Tubercular Class	449	7	14	28	46	19	20	7	34	15	30	38	52
IV. Brain and Nervous System	289	24	6	16	18	12	6	4	9	5	5	4	5
V. Organs of Circulation	172	—	—	—	—	—	—	—	—	2	3	3	4
VI. Respiratory Organs	529	67	32	70	71	20	9	4	9	4	2	4	6
VII. Organs of Digestion	151	16	10	14	18	3	1	—	3	5	4	—	5
VIII. Urinary Organs	61	—	—	1	1	1	—	1	5	—	—	3	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	36	—	—	—	—	—	—	—	7	5	6	—	5
XI. Skin, etc.	7	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	7	6	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	124	107	5	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy	19	—	—	—	7	2	—	2	—	1	—	—	—
XV. Age	93	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Violent Deaths	118	16	3	1	1	6	1	2	4	3	4	9	6
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	57	—	2	9	23	16	3	3	—	1	—	—	—
Scarlatina	103	—	—	7	8	18	18	14	29	6	2	—	—
Diphtheria	20	1	—	1	3	5	3	1	3	—	—	—	2
Whooping Cough	155	3	8	31	59	29	9	8	8	—	—	—	—
Croup	30	1	1	3	10	7	2	3	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	76	22	8	14	8	1	—	—	—	—	1	1	—
Dysentery	5	—	—	—	1	—	—	—	—	—	—	1	1
Cholera	12	2	3	4	1	—	—	—	—	—	—	—	—
Influenza	2	—	—	1	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	1	—	—	—
Typhus	57	—	—	1	2	2	1	1	8	—	4	5	9
Enteric Fever	32	—	—	—	1	3	1	1	1	2	8	5	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	—	—	—	1	—
Infantile Remittent	3	—	—	—	—	—	1	1	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	1	—	—	1	2
Erysipelas	18	5	—	—	—	—	—	—	—	—	—	1	1
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	12	8	1	1	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	1	—	—	—	—	—	—	—	—	—	—
Dropsy	9	—	—	—	—	—	—	—	1	—	—	—	1
Abscess	11	—	—	3	1	—	—	—	1	—	—	2	—
Ulcer	5	—	—	—	—	—	—	—	—	—	—	—	1
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	49	—	—	—	—	—	—	—	—	—	—	—	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	1	2	5	7	1	—	—	6	5	3	2	—
Tabes Mesenterica	39	4	3	3	13	4	2	—	7	1	—	—	—
Phthisis	275	—	—	—	7	—	2	3	9	9	27	36	52
Hydrocephalus	97	2	9	20	19	14	16	4	12	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	42	2	1	7	4	4	2	2	4	1	1	2	1
Apoplexy	56	1	—	1	3	1	1	1	—	1	—	—	—
Paralysis	67	—	—	—	2	1	—	—	—	1	—	1	—
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	3
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	—	—	—	—	—	—	—	—	—	1	1	—
Tetanus	2	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	47	18	5	8	8	5	1	1	1	—	—	—	—
Brain Disease	56	1	—	—	1	1	2	—	4	2	3	—	1
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	15	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	155	—	—	—	—	—	—	—	—	2	3	3	4
VI. Laryngitis	10	1	1	—	1	—	1	1	—	1	—	—	—
Bronchitis	341	43	25	58	49	15	5	—	6	2	—	—	2
Pleurisy	17	—	—	—	1	—	—	—	2	—	—	2	—
Pneumonia	130	22	5	11	19	4	3	3	1	1	2	1	4
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	22	1	1	1	1	1	—	—	—	—	—	1	—
VII. Teething	27	—	2	10	13	1	1	—	—	—	—	—	—
Quinsey	6	—	—	1	3	1	—	—	1	—	—	—	—
Gastritis	1	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	17	5	3	1	1	1	—	—	—	—	1	—	1
Peritonitis	15	1	2	—	—	—	—	—	—	2	—	—	2
Ascites	2	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	13	—	—	—	—	—	—	—	1	—	—	—	2
Hernia	4	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	11	3	—	—	—	—	—	—	—	—	1	—	—
Intussusception	3	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	20	5	1	1	—	—	—	—	—	1	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	—	—	—	—	—	—	—	—	1	—	—	—
Jaundice	2	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	20	1	—	—	—	—	—	—	—	1	1	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	—	1	1	—	—	1	—	—	—	1
Nephria	31	—	—	—	—	—	—	—	4	—	—	3	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	11	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	1	—	—	—	1	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	8	—	—	—	—	—	—	—	—	1	3	—	1
Rheumatism	5	—	—	—	—	—	—	—	—	1	—	—	1
Joint and Bone Disease	23	—	—	—	—	—	—	—	7	3	3	—	3
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	7	—	—	—	—	—	—	—	—	—	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	10	7	2	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	1	3	—	1	—	—	—	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	1	—	—	—
Suffocation	11	6	1	—	—	—	—	—	—	—	—	1	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	67	—	—	—	—	2	1	1	4	2	3	5	5
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	—	2	1
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	3	—	—	—	1	—	—	—	—	1	—	—
Not Specified	5	—	1	—	—	1	1	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2670	231	97	217	241	103	68	50	103	47	57	82	97
SPECIFIED CAUSES	2660	230	97	217	240	103	68	50	103	47	57	82	96
I. Zymotic Class	576	34	22	81	104	48	47	28	56	27	15	15	17
II. Diseases of Uncertain Seat	141	3	—	—	4	2	—	1	—	1	1	4	6
III. Tubercular Class	422	6	8	30	35	15	9	9	25	8	26	38	44
IV. Brain and Nervous System	241	19	14	17	12	5	1	2	5	1	1	4	3
V. Organs of Circulation	164	1	1	—	—	—	—	—	2	1	6	4	3
VI. Respiratory Organs	513	42	31	61	58	23	6	8	8	2	1	4	3
VII. Organs of Digestion	135	9	5	12	12	2	2	1	3	2	3	6	3
VIII. Urinary Organs	34	—	—	1	1	—	1	—	1	3	1	—	4
IX. Organs of Generation	44	—	—	—	—	—	—	—	—	—	1	5	11
X. Organs of Locomotion	16	—	—	—	1	—	1	—	2	2	1	1	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	10	7	1	1	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	124	97	13	14	—	—	—	—	—	—	—	—	—
XIV. Atrophy	26	—	—	—	10	5	1	—	—	—	—	—	—
XV. Age	159	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	54	12	2	—	2	3	—	1	1	—	1	1	2
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	53	1	—	10	22	11	5	1	3	—	—	—	—
Scarlatina	96	1	—	2	8	8	17	9	32	13	3	1	1
Diphtheria	14	1	—	1	2	2	5	1	1	1	—	—	—
Hooping Cough	148	6	11	40	45	17	12	11	5	1	—	—	—
Croup	37	2	—	7	9	6	6	3	4	—	—	—	—
Thrush	2	—	—	—	2	—	—	—	—	—	—	—	—
Diarrhœa	73	17	7	13	10	1	1	—	1	—	—	—	2
Dysentery	5	—	—	—	—	—	—	—	—	—	—	1	—
Cholera	9	1	2	3	1	—	—	—	—	—	—	—	—
Influenza	4	—	—	—	2	—	—	—	—	—	—	—	—
Purpura	3	—	—	—	—	—	—	—	2	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	41	—	—	—	1	—	—	1	3	3	4	4	2
Enteric Fever	41	—	—	1	—	2	1	1	3	7	5	4	4
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	1	—
Simple Continued Fever	3	—	—	—	1	1	—	—	—	1	—	—	—
Infantile Remittent	2	—	—	1	1	—	—	—	—	—	—	—	—
Metria	10	—	—	—	—	—	—	—	—	—	1	2	6
Rheumatic Fever	9	—	—	—	—	—	—	—	—	1	2	2	—
Erysipelas	10	2	—	1	—	—	—	—	—	—	—	—	—
Pyæmia	3	—	1	—	—	—	—	—	—	—	—	—	2
Syphilis	8	2	—	2	—	—	—	—	1	—	—	—	—
Noma	3	1	1	—	—	—	—	1	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	18	1	—	—	3	1	—	—	—	—	—	—	—
Abscess	9	1	—	—	—	1	—	1	—	1	—	1	2
Ulcer	3	—	—	—	1	—	—	—	—	—	1	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	106	—	—	—	—	—	—	—	—	—	—	3	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	24	3	2	2	3	1	—	2	4	—	—	—	1
Tabes Mesenterica	34	2	1	6	12	4	1	2	5	1	—	—	—
Phthisis	291	—	—	2	2	1	1	2	8	6	25	38	43
Hydrocephalus	73	1	5	20	18	9	7	3	8	1	1	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	83	100	104	86	113	121	153	151	140	107	70	34	14	1	-	-
SPECIFIED CAUSES . . .	83	100	104	85	112	118	152	150	140	107	70	34	14	1	-	-
Zymotic Class . . .	9	10	7	9	10	12	6	8	4	2	4	-	1	-	-	-
Uncertain Seat . . .	4	5	11	12	14	14	25	17	9	5	2	1	-	-	-	-
Tubercular Class . . .	42	37	27	22	14	9	9	5	3	-	1	-	-	-	-	-
Brain, etc.	1	10	8	7	7	16	14	32	26	24	7	4	1	-	-	-
Heart, etc.	6	9	16	6	13	10	22	22	17	17	6	2	-	-	-	-
Respiratory Organs . . .	6	6	19	14	32	32	48	42	37	17	9	3	1	-	-	-
Digestive Organs . . .	6	9	10	6	12	7	8	5	10	1	1	-	-	-	-	-
Urinary Organs	3	2	-	3	1	3	-	4	4	2	-	-	-	-	-	-
Generative Organs . . .	4	9	3	2	3	2	1	1	2	-	-	-	-	-	-	-
Locomotive Organs . . .	1	1	-	1	1	1	2	1	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	1	-	1	2	2	4	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	10	12	26	38	38	23	11	1	-	-
Sudden Deaths	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Violent Deaths	-	2	2	1	3	8	7	-	2	1	2	1	-	-	-	-
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	-	2	1	5	2	3	1	3	1	1	2	-	-	-	-	-
Dysentery	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Cholera	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	3	4	-	2	3	4	3	3	1	-	-	-	-	-	-	-
Enteric Fever	4	-	2	1	1	2	1	-	1	-	1	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Simple Cont. Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	1	2	-	-	1	-	-	-	-	1	-	1	-	-	-
Pyæmia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dropsy	1	3	-	-	2	2	3	-	2	-	-	-	-	-	-	-
Abscess	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Ulcer	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	3	2	11	12	12	10	20	17	7	5	1	1	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	38	36	27	22	13	9	9	5	3	-	1	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	17	1	2	3	4	1	1	—	1	—	—	1	—
Apoplexy	53	1	—	3	1	1	—	—	2	—	—	1	—
Paralysis	78	—	—	—	—	—	—	—	—	1	—	1	2
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	—	1	—	—
Tetanus	4	2	—	1	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	44	15	11	8	7	2	—	1	—	—	—	—	—
Brain Disease	37	—	1	2	—	1	—	1	2	—	—	1	1
V. Pericarditis	2	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	159	1	1	—	—	—	—	—	2	—	6	4	3
VI. Laryngitis	5	—	1	—	2	2	—	—	—	—	—	—	—
Bronchitis	364	31	23	46	44	14	4	6	5	—	—	3	—
Pleurisy	9	—	—	1	—	—	—	—	—	—	—	1	1
Pneumonia	92	8	5	14	11	6	2	2	2	2	1	—	1
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	30	3	2	—	1	1	—	—	1	—	—	—	1
VII. Teething	18	—	—	7	10	1	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	1	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	1	—	—	—	—
Enteritis	11	2	4	2	1	1	—	—	—	—	—	—	—
Peritonitis	19	2	—	—	—	—	—	—	—	1	2	1	—
Ascites	4	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	7	—	—	—	—	—	—	—	—	—	—	1	2
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	10	1	1	—	—	—	—	—	1	—	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	14	2	—	1	1	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice	10	2	—	1	—	—	—	—	—	—	—	1	—
Liver Disease	30	—	—	—	—	—	—	1	1	1	—	1	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	17	—	—	1	1	—	1	—	1	—	1	—	4
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	1	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	1	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	11	—	—	—	—	—	—	—	—	1	—	—	—
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy	12	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	26	—	—	—	—	—	—	—	—	—	1	5	8
Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	10	—	—	—	1	—	1	—	2	2	1	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	13	—	—	—	—	—	—	—	—	—	—	1	—
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	5	3	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	1	1	—	—	1	—	1	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	10	7	—	—	1	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	15	1	—	—	—	2	—	1	—	—	—	—	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	10	1	—	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—
Apoplexy . . .	—	2	1	1	1	7	5	8	9	8	2	—	—	—	—	—
Paralysis . . .	—	3	3	4	4	5	6	17	15	13	2	1	1	—	—	—
Delirium Tremens . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—	—
Tetanus . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	1	2	2	1	2	3	2	5	2	3	3	2	—	—	—	—
Pericarditis . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Heart Disease . . .	6	8	16	6	12	10	22	21	16	17	6	2	—	—	—	—
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . .	2	3	10	4	23	22	37	33	31	12	7	3	1	—	—	—
Pleurisy . . .	1	—	—	3	—	—	1	—	—	1	—	—	—	—	—	—
Pneumonia . . .	3	2	6	3	5	4	4	4	4	1	2	—	—	—	—	—
Asthma . . .	—	—	—	1	2	3	4	3	—	—	—	—	—	—	—	—
Lung Disease . . .	—	1	3	3	2	3	2	2	2	3	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis . . .	2	1	3	1	1	—	2	1	1	—	1	—	—	—	—	—
Ascites . . .	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
Ulceration of Intestines . . .	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—
Hernia . . .	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—
Ileus . . .	—	—	2	—	—	1	1	—	2	—	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
Stomach Disease . . .	1	—	2	—	2	1	—	1	2	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . .	1	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—
Liver Disease . . .	2	6	1	1	6	4	1	1	3	—	—	—	—	—	—	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Nephria . . .	3	1	—	1	—	—	—	2	1	—	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	1	—	—	—	3	—	1	3	2	—	—	—	—	—	—
Paramenia . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	2	3	1	2	1	1	—	1	—	—	—	—	—	—	—
Childbirth . . .	4	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
Arthritis . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—
Joint Disease . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	2	2	1	2	3	2	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Hanging, etc. . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Drowning . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . .	—	—	—	—	—	3	3	—	2	—	1	1	—	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . .	—	—	—	—	1	3	1	1	—	—	—	—	1	—	—	—

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	3564	377	122	256	301	208	168	137	300	86	99	102	107
SPECIFIED CAUSES	3539	373	119	256	297	207	168	137	298	85	99	101	107
I. Zymotic Class	1101	45	32	82	130	131	131	105	219	40	16	15	16
II. Diseases of Uncertain Seat	94	2	—	1	1	1	—	—	3	2	5	1	2
III. Tubercular Class	569	8	13	33	38	31	14	13	28	26	48	62	57
IV. Brain and Nervous System	245	32	15	10	16	3	4	5	14	4	4	1	4
V. Organs of Circulation	141	2	—	—	—	1	1	—	—	3	5	5	3
VI. Respiratory Organs	626	57	32	82	74	33	14	8	13	4	4	7	9
VII. Organs of Digestion	164	14	8	36	29	3	—	2	3	2	1	—	6
VIII. Urinary Organs	36	—	—	—	—	1	1	1	5	—	3	—	2
IX. Organs of Generation	17	—	—	—	—	—	—	—	—	—	2	1	2
X. Organs of Locomotion	14	—	—	1	1	—	—	—	4	—	1	1	2
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	8	7	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	216	192	15	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	22	—	—	—	6	—	2	—	—	—	—	—	—
XV. Age	166	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	18	1	1	2	—	—	—	—	—	—	1	—	1
XVII. Violent Deaths	100	13	2	—	2	3	1	3	9	4	9	8	3
I. Small Pox	2	—	—	2	—	—	—	—	—	—	—	—	—
Measles	1	—	—	—	—	—	—	—	1	—	—	—	—
Scarlatina	644	3	5	43	80	99	108	88	195	28	4	6	1
Diphtheria	15	—	—	1	1	4	4	3	2	—	—	—	—
Hooping Cough	57	3	4	12	16	11	6	3	2	—	—	—	—
Croup	38	6	—	1	15	6	4	5	1	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	95	20	15	17	11	5	3	2	5	1	1	—	—
Dysentery	19	1	—	1	3	—	—	—	—	—	—	—	1
Cholera	19	—	4	2	3	2	1	1	4	—	—	—	—
Influenza	7	—	—	—	1	—	—	—	1	—	—	—	—
Purpura	3	—	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	105	—	—	—	—	2	1	—	5	5	6	6	9
Enteric Fever	34	—	—	—	—	1	1	3	1	5	5	3	2
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	2	—	—	—	—	—	1	—	1	—	—	—	—
Infantile Remittent	7	1	1	1	—	1	2	—	1	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	—	—	2
Erysipelas	7	1	—	—	—	—	—	—	—	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	13	8	2	2	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	5	1	—	1	—	—	—	—	—	—	1	—	1
Dropsy	37	1	—	—	—	1	—	—	2	2	2	—	1
Abscess	4	—	—	—	1	—	—	—	1	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	43	—	—	—	—	—	—	—	—	—	1	1	—
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	22	1	—	1	5	3	1	—	2	2	4	—	2
Tabes Mesenterica	35	2	4	2	10	8	3	—	1	1	—	1	—
Phthisis	421	1	4	7	6	7	3	5	12	23	44	60	55
Hydrocephalus	91	4	5	23	17	13	7	8	13	—	—	1	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	104	103	133	126	135	140	158	114	110	84	55	28	6	3	—	2	
SPECIFIED CAUSES .	102	101	132	126	134	139	158	114	110	84	55	28	6	3	—	—	
Zymotic Class . . .	16	18	18	22	13	12	9	10	9	8	3	1	—	—	—	—	
Uncertain Seat . . .	3	3	4	7	9	12	16	9	9	1	2	—	—	1	—	—	
Tubercular Class . .	37	29	38	21	31	14	17	6	4	1	—	—	—	—	—	—	
Brain, etc.	5	8	10	8	16	13	18	23	11	15	4	2	—	—	—	—	
Heart, etc.	8	9	13	17	12	17	16	8	11	7	3	—	—	—	—	—	
Respiratory Organs .	13	18	25	28	32	44	50	29	22	17	6	4	1	—	—	—	
Digestive Organs . .	3	6	8	9	7	9	9	2	3	3	—	1	—	—	—	—	
Urinary Organs . . .	3	2	2	4	4	1	4	1	1	1	—	—	—	—	—	—	
Generative Organs .	5	3	1	—	—	2	—	1	—	—	—	—	—	—	—	—	
Locomotive Organs .	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	—	2	1	4	6	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	13	24	36	30	36	20	5	2	—	—	
Sudden Deaths . . .	1	—	2	1	2	1	2	1	2	—	—	—	—	—	—	—	
Violent Deaths . . .	6	5	9	8	2	6	3	—	2	1	1	—	—	—	—	—	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	—	—	1	3	1	2	3	1	3	1	—	—	—	—	—	
Dysentery	—	1	—	1	1	2	—	1	3	2	1	1	—	—	—	—	
Cholera	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Influenza	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	
Purpura	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	7	12	12	17	7	8	3	3	2	—	—	—	—	—	—	—	
Enteric Fever	—	3	2	2	2	—	—	1	2	1	—	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	
Erysipelas	—	—	1	1	—	—	—	1	—	2	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	1	—	2	5	6	4	1	5	1	2	—	—	1	—	—	
Abscess	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
Cancer	2	1	4	4	3	6	10	7	4	—	—	—	—	—	—	—	
Gout	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Tabes Mesenterica . .	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	37	27	38	21	30	14	17	6	3	1	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	13	—	—	1	2	—	—	1	1	2	1	—	1
Apoplexy	55	1	1	1	2	1	1	—	3	—	—	1	—
Paralysis	61	—	—	—	1	—	—	1	1	—	—	—	—
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	2	1	—	1
Tetanus	2	—	—	—	—	—	—	—	—	—	—	—	1
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	71	31	12	8	9	2	3	1	5	—	—	—	—
Brain Disease	30	—	2	—	2	—	—	2	4	—	2	—	1
V. Pericarditis	2	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	135	2	—	—	—	1	1	—	—	3	5	5	3
VI. Laryngitis	7	—	—	4	—	—	—	—	—	1	—	—	—
Bronchitis	441	51	27	70	69	28	12	6	9	—	—	1	3
Pleurisy	9	—	—	1	—	—	—	—	1	—	—	1	2
Pneumonia	114	6	5	7	5	5	2	2	3	3	3	4	4
Asthma	48	—	—	—	—	—	—	—	—	—	1	1	—
Lung Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	64	—	1	33	28	2	—	—	—	—	—	—	—
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	5	—	—	—	—	—	—	—	—	1	—	—	—
Enteritis	17	5	5	—	—	—	—	—	—	—	—	—	1
Peritonitis	12	—	—	—	—	—	—	2	1	—	1	—	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines .	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	6	—	2	—	—	—	—	—	—	—	—	—	—
Ileus	10	3	—	1	—	—	—	—	1	—	—	—	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines .	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	—	—	2	1	—	—	—	1	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	9	5	—	—	—	1	—	—	—	—	—	—	—
Liver Disease	17	—	—	—	—	—	—	—	—	—	—	—	2
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	—	—	—	—	1	—	—	—	—	1	—	—
Nephria	15	—	—	—	—	—	—	1	3	—	2	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	1	—	1	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	11	—	—	—	—	—	—	—	—	—	1	1	1
Organs of Generation . .	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	4	—	—	—	—	—	—	—	1	—	1	1	1
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . .	9	—	—	1	1	—	—	—	3	—	—	—	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	1	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	4	3	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	14	—	—	—	1	2	—	1	4	1	2	1	—
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	12	10	1	—	—	—	—	—	—	—	—	—	—
Drowning	17	—	—	—	—	—	—	—	—	1	3	3	2
Fracture and Contusion . .	36	—	—	—	—	1	—	2	5	2	2	3	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	4	—	—	—	—	—	—	—	—	—	1	1	—
Not Specified	25	4	3	—	4	1	—	—	2	1	—	1	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1747	217	60	142	148	106	90	63	165	41	51	42	53
SPECIFIED CAUSES	1736	215	59	142	147	105	90	63	164	41	51	42	53
I. Zymotic Class	550	23	17	47	65	67	66	49	116	20	8	4	3
II. Diseases of Uncertain Seat	32	-	-	1	1	-	-	-	-	1	3	-	1
III. Tubercular Class	261	7	4	14	17	14	8	7	23	11	24	23	29
IV. Brain and Nervous System	133	22	7	7	11	3	4	2	5	1	1	1	3
V. Organs of Circulation	73	2	-	-	-	-	-	-	-	2	3	2	1
VI. Respiratory Organs	298	31	17	43	34	17	10	2	7	2	1	3	5
VII. Organs of Digestion	84	10	3	21	14	2	-	1	1	-	-	-	6
VIII. Urinary Organs	23	-	-	-	-	-	1	1	4	-	1	-	-
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	12	-	-	1	1	-	-	-	4	-	-	1	2
XI. Skin, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. Malformation	4	4	-	-	-	-	-	-	-	-	-	-	-
XIII. Premature Debility	125	109	10	6	-	-	-	-	-	-	-	-	-
XIV. Atrophy	7	-	-	-	4	-	-	-	-	-	-	-	-
XV. Age	53	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	7	-	-	2	-	-	-	-	-	-	1	-	-
XVII. Violent Deaths	73	7	1	-	-	2	1	1	4	4	9	8	3
I. Small Pox	2	-	-	2	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	338	1	2	25	42	51	55	43	102	12	2	1	-
Diphtheria	6	-	-	1	-	1	1	1	2	-	-	-	-
Hooping Cough	25	2	3	4	5	6	4	1	-	-	-	-	-
Croup	24	4	-	1	9	4	3	2	1	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	46	9	7	11	6	3	-	1	3	-	1	-	-
Dysentery	8	1	-	-	-	-	-	-	-	-	-	-	1
Cholera	9	-	2	1	2	-	-	-	3	-	-	-	-
Influenza	4	-	-	-	1	-	-	-	1	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	-	-	-	-	1	1	-	1	5	3	3	2
Enteric Fever	10	-	-	-	-	1	-	1	1	3	2	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	2	-	-	-	-	-	1	-	1	-	-	-	-
Infantile Remittent	4	1	1	-	-	-	1	-	1	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	2	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	2	1	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	9	4	2	2	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	4	-	-	1	-	-	-	-	-	-	1	-	1
Dropsy	11	-	-	-	-	-	-	-	-	-	1	-	-
Abscess	1	-	-	-	1	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	3	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-
Gout	2	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	11	1	-	1	-	2	-	-	2	1	2	-	1
Tabes Mesenterica	14	2	1	1	4	2	2	-	1	-	-	-	-
Phthisis	185	-	1	4	2	3	2	3	9	10	22	23	28
Hydrocephalus	51	4	2	8	11	7	4	4	11	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	—	—	1	2	—	—	—	—	—	—	—	1
Apoplexy	30	1	—	1	1	1	1	—	1	—	—	1	—
Paralysis	26	—	—	—	1	—	—	1	—	—	—	—	—
Delirium Tremens	5	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	2	—	—	—	—	—	—	—	—	—	—	—	1
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	45	21	6	5	6	2	3	—	2	—	—	—	—
Brain Disease	16	—	1	—	1	—	—	1	2	—	1	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	69	2	—	—	—	—	—	—	—	2	3	2	1
VI. Laryngitis	2	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	201	29	13	39	31	16	9	1	3	—	—	—	1
Pleurisy	7	—	—	1	—	—	—	—	1	—	—	1	1
Pneumonia	60	2	4	2	3	1	1	1	3	2	—	2	3
Asthma	22	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	34	—	—	19	14	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	7	4	1	—	—	—	—	—	—	—	—	—	1
Peritonitis	6	—	—	—	—	—	—	1	1	—	—	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	2	—	—	—	—	—	—	—	—	—	—
Ileus	6	2	—	1	—	—	—	—	—	—	—	—	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	6	—	—	1	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	4	—	—	—	1	—	—	—	—	—	—	—
Liver Disease	10	—	—	—	—	—	—	—	—	—	—	—	2
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	8	—	—	—	—	—	—	1	2	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	1	—	1	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	3	—	—	—	—	—	—	—	1	—	—	1	1
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	9	—	—	1	1	—	—	—	3	—	—	—	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	1	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	—	1	1	—	—	1	2	1	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	7	5	1	—	—	—	—	—	—	—	—	—	—
Drowning	16	—	—	—	—	—	—	—	1	3	3	3	2
Fracture and Contusion	31	—	—	—	—	1	—	1	4	2	2	3	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	1	1	—
Not Specified	11	2	1	—	1	1	—	—	1	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1817	160	62	114	153	102	78	74	135	45	48	60	54
SPECIFIED CAUSES	1803	158	60	114	150	102	78	74	134	44	48	59	54
I. Zymotic Class	551	22	15	35	65	64	65	56	103	20	8	11	13
II. Diseases of Uncertain Seat	62	2	—	—	—	1	—	—	3	1	2	1	1
III. Tubercular Class	308	1	9	19	21	17	6	6	5	15	24	39	28
IV. Brain and Nervous System	112	10	8	3	5	—	—	3	9	3	3	—	1
V. Organs of Circulation	68	—	—	—	—	1	1	—	—	1	2	3	2
VI. Respiratory Organs	328	26	15	39	40	16	4	6	6	2	3	4	4
VII. Organs of Digestion	80	4	5	15	15	1	—	1	2	2	1	—	—
VIII. Urinary Organs	13	—	—	—	—	1	—	—	1	—	2	—	2
IX. Organs of Generation	17	—	—	—	—	—	—	—	—	—	2	1	2
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	3	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	91	83	5	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	15	—	—	—	2	—	2	—	—	—	—	—	—
XV. Age	113	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	11	1	1	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	27	6	1	—	2	1	—	2	5	—	—	—	—
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	1	—	—	—	—	—	—	—	1	—	—	—	—
Scarlatina	326	2	3	18	38	48	53	45	93	16	2	5	1
Diphtheria	9	—	—	—	1	3	3	2	—	—	—	—	—
Whooping Cough	32	1	1	8	11	5	2	2	2	—	—	—	—
Croup	14	2	—	—	6	2	1	3	—	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	49	11	8	6	5	2	3	1	2	1	—	—	—
Dysentery	11	—	—	1	3	—	—	—	—	—	—	—	—
Cholera	10	—	2	1	1	2	1	1	1	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	3	—	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	46	—	—	—	—	1	—	—	4	—	3	3	7
Enteric Fever	24	—	—	—	—	—	1	2	—	2	3	3	2
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	3	—	—	1	—	1	1	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	2
Erysipelas	5	—	—	—	—	—	—	—	—	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	4	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	26	1	—	—	—	1	—	—	2	1	1	—	1
Abscess	3	—	—	—	—	—	—	—	1	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	32	—	—	—	—	—	—	—	—	—	1	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	11	—	—	—	5	1	1	—	—	1	2	—	1
Tabes Mesenterica	21	—	3	1	6	6	1	—	—	1	—	1	—
Phthisis	236	1	3	3	4	4	1	2	3	13	22	37	27
Hydrocephalus	40	—	3	15	6	6	3	4	2	—	—	1	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1869.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	—	—	—	—	—	—	1	1	2	1	—	—
Apoplexy	25	—	1	—	1	—	—	—	2	—	—	—	—
Paralysis	35	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	1	1	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	26	10	6	3	3	—	—	1	3	—	—	—	—
Brain Disease	14	—	1	—	1	—	—	1	2	—	1	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	66	—	—	—	—	1	1	—	—	1	2	3	2
VI. Laryngitis	5	—	—	3	—	—	—	—	—	1	—	—	—
Bronchitis	240	22	14	31	38	12	3	5	6	—	—	1	2
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	54	4	1	5	2	4	1	1	—	1	3	2	1
Asthma	26	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	30	—	1	14	14	1	—	—	—	—	—	—	—
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	—	—	—	—	—	—	—	—	1	—	—	—
Enteritis	10	1	4	—	—	—	—	—	—	—	—	—	—
Peritonitis	6	—	—	—	—	—	—	1	—	—	1	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	1	—	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	10	—	—	1	1	—	—	—	1	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	1	—	—	—	—	1	—	—
Nephria	7	—	—	—	—	—	—	—	1	—	1	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	11	—	—	—	—	—	—	—	—	—	1	1	1
Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	2	1	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	1	1	—	1	4	—	—	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	5	5	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	5	—	—	—	—	—	—	1	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	14	2	2	—	3	—	—	—	1	1	—	1	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1787	177	53	77	99	57	29	32	72	29	61	66	74
SPECIFIED CAUSES	1781	177	52	77	99	57	29	32	72	29	61	65	74
I. Zymotic Class	289	26	15	14	28	15	14	13	21	6	8	9	18
II. Diseases of Uncertain Seat	81	2	—	—	1	—	—	3	2	—	—	2	3
III. Tubercular Class	345	5	5	19	19	17	7	9	23	15	33	35	32
IV. Brain and Nervous System	189	19	7	8	7	4	3	4	8	—	5	4	5
V. Organs of Circulation	104	—	—	—	—	—	—	—	—	—	1	—	3
VI. Respiratory Organs	285	26	11	13	26	10	4	1	7	3	6	4	5
VII. Organs of Digestion	134	8	7	19	13	4	—	1	2	2	1	4	2
VIII. Urinary Organs	48	—	—	—	—	—	—	—	—	1	2	2	2
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	—	3	3
X. Organs of Locomotion	12	—	—	—	1	2	—	—	2	2	1	—	—
XI. Skin, etc.	7	2	1	1	1	—	—	—	—	—	—	—	—
XII. Malformation	5	5	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	78	73	3	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	3	—	—	1	1	—	1	—	—
XV. Age	114	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	59	11	3	—	—	5	1	—	6	—	3	2	1
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	7	—	1	1	1	2	1	1	—	—	—	—	—
Scarlatina	9	—	—	—	1	—	3	—	4	—	—	—	—
Diphtheria	12	—	—	1	1	3	1	3	2	—	1	—	—
Hooping Cough	18	—	1	1	7	4	2	1	2	—	—	—	—
Croup	29	—	—	4	9	2	5	6	3	—	—	—	—
Thrush	8	7	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	43	9	8	5	4	—	—	—	—	—	—	1	—
Dysentery	6	—	1	1	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	8	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	1	—	—	—	—	—	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	64	—	—	—	1	1	—	1	2	4	3	2	7
Enteric Fever	49	—	—	1	1	1	1	1	6	2	3	3	9
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	6	—	—	—	—	—	—	—	1	—	1	2	—
Erysipelas	8	3	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	13	7	3	—	1	1	—	—	—	—	—	—	—
Noma	2	—	—	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhago	4	1	—	—	—	—	—	—	—	—	—	1	—
Dropsy	11	—	—	—	1	—	—	2	1	—	—	—	1
Abscess	5	1	—	—	—	—	—	—	—	—	—	1	1
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	56	—	—	—	—	—	—	1	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	1	1	2	—	1	1	—	3	2	3	2	—
Tabes Mesenterica	12	1	—	4	2	1	1	—	3	—	—	—	—
Phthisis	248	2	2	2	5	6	—	1	3	9	30	33	32
Hydrocephalus	66	1	2	11	12	9	5	8	14	4	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	75	74	61	62	80	80	88	110	120	94	63	35	17	—	2	—	
SPECIFIED CAUSES . . .	75	74	61	62	77	79	88	110	120	94	63	35	17	—	2	—	
Zymotic Class . . .	12	6	13	6	12	5	11	14	9	8	1	4	1	—	—	—	
Uncertain Seat . . .	2	1	4	7	11	12	8	6	7	3	4	1	2	—	—	—	
Tubercular Class . . .	36	29	17	15	12	5	6	3	1	1	1	—	—	—	—	—	
Brain, etc.	8	7	6	6	13	6	8	11	24	14	9	3	—	—	—	—	
Heart, etc.	6	3	5	6	7	10	17	17	10	9	5	4	1	—	—	—	
Respiratory Organs . . .	2	12	2	8	10	18	18	23	36	20	13	5	2	—	—	—	
Digestive Organs . . .	4	5	4	6	6	8	7	19	7	2	2	1	—	—	—	—	
Urinary Organs . . .	1	3	8	3	3	6	3	4	4	3	3	—	—	—	—	—	
Generative Organs . . .	3	3	1	1	2	2	—	—	—	2	—	—	—	—	—	—	
Locomotive Organs . . .	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	7	7	16	29	25	17	11	—	2	—	
Sudden Deaths . . .	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . . .	1	5	—	2	—	4	2	5	6	2	—	—	—	—	—	—	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	—	—	—	2	—	1	3	4	4	1	1	—	—	—	—	
Dysentery	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	1	—	—	1	—	1	1	1	—	—	—	2	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	6	3	7	4	7	1	3	7	4	1	—	—	—	—	—	—	
Enteric Fever	1	2	6	—	3	1	4	2	1	1	—	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	2	1	—	—	—	—	1	1	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Dropsy	—	—	—	—	—	—	1	—	2	1	—	1	1	—	—	—	
Abscess	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	
Cancer	2	1	4	6	10	12	6	4	5	—	4	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	34	29	17	15	12	5	6	3	1	1	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Apoplexy	4	1	1	1	3	—	3	5	8	3	4	1	—	—	—	—
Paralysis	2	1	3	2	3	5	2	6	13	9	5	2	—	—	—	—
Delirium Tremens	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	1	2	—	2	3	1	2	—	1	2	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	1	—	2	—	1	—	—	—	1	—	—	—	—	—
Heart Disease	6	3	4	6	5	10	16	17	10	9	4	4	1	—	—	—
Laryngitis	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	2	6	1	5	7	12	12	20	27	18	13	5	2	—	—	—
Pleurisy	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Pneumonia	—	5	—	2	3	4	3	3	1	2	—	—	—	—	—	—
Asthma	—	—	—	1	—	2	1	—	4	—	—	—	—	—	—	—
Lung Disease	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	2	2	1	1	1	—	—	—	—	—	—	—
Peritonitis	—	1	1	—	—	—	1	1	2	—	—	—	—	—	—	—
Ascites	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	1	—	—	—	—	—	1	2	—	1	—	—	—	—	—
Hernia	—	1	1	1	—	—	—	1	—	—	1	—	—	—	—	—
Ileus	—	—	—	—	1	1	1	6	2	1	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease	2	1	1	3	—	—	—	3	—	1	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	—	—	—	1	3	3	3	2	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Nephritis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	3	2	1	1	—	—	—	1	—	—	—	—	—	—	—
Addison's Disease	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	1	1	2	—	1	1	—	—	—	—	—
Cystitis	—	—	1	—	1	1	—	1	1	2	2	—	—	—	—	—
Stricture of Urethra	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	3	1	1	2	2	1	1	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—
Childbirth	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—
Arthritis	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Drowning	—	2	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	1	—	1	1	5	4	1	—	—	—	—	—	—
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Not Specified	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	862	103	23	44	54	27	11	15	45	13	32	33	33
SPECIFIED CAUSES	860	103	23	44	54	27	11	15	45	13	32	32	33
I. Zymotic Class	140	13	6	10	16	6	7	6	14	2	2	6	7
II. Diseases of Uncertain Seat	30	1	—	—	1	—	—	2	1	—	—	1	2
III. Tubercular Class	176	3	3	11	12	11	1	4	16	7	17	15	16
IV. Brain and Nervous System	98	15	3	5	5	2	—	2	4	—	3	2	1
V. Organs of Circulation	52	—	—	—	—	—	—	—	—	—	—	—	2
VI. Respiratory Organs	129	15	5	5	12	4	2	—	3	1	5	3	2
VII. Organs of Digestion	65	5	4	11	8	1	—	1	1	1	—	2	1
VIII. Urinary Organs	30	—	—	—	—	—	—	—	—	1	1	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	6	—	—	—	—	1	—	—	2	1	—	—	—
XI. Skin, etc.	3	1	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	41	39	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	—	—	—	—	1	—	1	—	—
XV. Age	42	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	40	9	—	—	—	2	1	—	3	—	3	2	1
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	—	—	1	1	—	—	1	—	—	—	—	—
Scarlatina	3	—	—	—	—	—	2	—	1	—	—	—	—
Diphtheria	5	—	—	—	1	1	—	2	1	—	—	—	—
Hooping Cough	9	—	1	1	4	1	1	—	1	—	—	—	—
Croup	18	—	—	3	6	1	3	2	3	—	—	—	—
Thrush	4	4	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	19	3	3	4	2	—	—	—	—	—	—	—	—
Dysentery	5	—	1	1	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	32	—	—	—	1	1	—	—	2	2	1	2	2
Enteric Fever	26	—	—	—	—	1	1	1	5	—	1	3	5
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	6	3	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	3	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	4	—	—	—	1	—	—	1	1	—	—	—	1
Abscess	2	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	19	—	—	—	—	—	—	1	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	14	—	1	2	—	—	—	—	2	2	3	2	—
Tabes Mesenterica	7	—	—	3	—	1	—	—	3	—	—	—	—
Phthisis	117	2	1	1	3	4	—	—	2	3	14	13	16
Hydrocephalus	38	1	1	5	9	6	1	4	9	2	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	31	30	30	28	31	39	36	63	63	38	22	10	6	-	2	-
SPECIFIED CAUSES .	31	30	30	28	30	39	36	63	63	38	22	10	6	-	2	-
Zymotic Class . .	3	3	7	3	6	2	3	7	5	2	-	3	1	-	-	-
Uncertain Seat . .	-	-	1	1	3	7	2	4	2	-	1	-	1	-	-	-
Tubercular Class . .	18	12	6	8	6	2	3	2	1	1	1	-	-	-	-	-
Brain, etc. . . .	3	4	5	1	4	4	7	5	14	6	2	1	-	-	-	-
Heart, etc. . . .	4	-	3	3	3	4	6	11	7	6	1	2	-	-	-	-
Respiratory Organs . .	1	4	-	5	6	10	6	14	13	8	3	1	1	-	-	-
Digestive Organs . .	1	1	3	2	1	3	4	9	4	1	1	-	-	-	-	-
Urinary Organs . .	-	2	4	2	1	4	2	3	2	3	3	-	-	-	-	-
Generative Organs . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . .	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Malformation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	2	4	9	9	10	3	3	-	2	-
Sudden Deaths . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	1	4	-	2	-	1	1	3	6	1	-	-	-	-	-	-
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping Cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	-	-	-	-	2	-	-	2	1	1	-	1	-	-	-	-
Dysentery	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	2	2	5	3	3	-	-	2	4	-	-	-	-	-	-	-
Enteric Fever	1	1	2	-	1	-	2	2	-	-	-	-	-	-	-	-
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Cancer	-	-	1	-	2	7	1	3	2	-	1	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tabes Mesenterica . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	17	12	6	8	6	2	3	2	1	1	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1869.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	925	74	30	33	45	30	18	17	27	16	29	33	41
SPECIFIED CAUSES	921	74	29	33	45	30	18	17	27	16	29	33	41
I. Zymotic Class	149	13	9	4	12	9	7	7	7	4	6	3	11
II. Diseases of Uncertain Seat	51	1	—	—	—	—	—	1	1	—	—	1	1
III. Tubercular Class	169	2	2	8	7	6	6	5	7	8	16	20	16
IV. Brain and Nervous System	91	4	4	3	2	2	3	2	4	—	2	2	4
V. Organs of Circulation	52	—	—	—	—	—	—	—	—	—	1	—	1
VI. Respiratory Organs ,	156	11	6	8	14	6	2	1	4	2	1	1	3
VII. Organs of Digestion	69	3	3	8	5	3	—	—	1	1	1	2	1
VIII. Urinary Organs	18	—	—	—	—	—	—	—	—	—	1	1	1
IX. Organs of Generation	20	—	—	—	—	—	—	—	—	—	—	3	3
X. Organs of Locomotion	6	—	—	—	1	1	—	—	—	1	1	—	—
XI. Skin, etc.	4	1	—	1	1	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	37	34	2	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	3	—	—	1	—	—	—	—	—
XV. Age	72	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	19	2	3	—	—	3	—	—	3	—	—	—	—
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	1	—	—	2	1	—	—	—	—	—	—
Scarlatina	6	—	—	—	1	—	1	—	3	—	—	—	—
Diphtheria	7	—	—	1	—	2	1	1	1	—	1	—	—
Whooping Cough	9	—	—	—	3	3	1	1	1	—	—	—	—
Croup	11	—	—	1	3	1	2	4	—	—	—	—	—
Thrush	4	8	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	24	6	5	1	2	—	—	—	—	—	—	1	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	32	—	—	—	—	—	—	1	—	2	2	—	5
Enteric Fever	23	—	—	1	1	—	—	—	1	2	2	—	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	1	2	—
Erysipelas	2	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	9	4	2	—	1	1	—	—	—	—	—	—	—
Noma	2	—	—	—	1	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	7	—	—	—	—	—	—	1	—	—	—	—	—
Abscess	3	1	—	—	—	—	—	—	—	—	—	—	1
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	37	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	5	1	—	—	—	1	1	—	1	—	—	—	—
Tabes Mesenterica	5	1	—	1	2	—	1	—	—	—	—	—	—
Phthisis	131	—	1	1	2	2	—	1	1	6	16	20	16
Hydrocephalus	28	—	1	6	3	3	4	4	5	2	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1449	111	55	120	168	76	53	30	101	32	52	50	51
SPECIFIED CAUSES	1427	101	51	119	168	76	53	30	100	32	52	50	51
I. Zymotic Class	389	13	18	48	76	43	37	15	62	9	8	9	8
II. Diseases of Uncertain Seat	67	—	—	—	1	—	1	3	1	2	3	—	1
III. Tubercular Class	245	2	9	16	31	15	7	6	16	7	23	24	28
IV. Brain and Nervous System	138	4	5	5	11	2	1	—	8	4	6	2	2
V. Organs of Circulation	35	—	—	—	—	—	—	—	1	—	3	4	2
VI. Respiratory Organs	186	13	9	23	26	8	3	2	5	2	2	3	2
VII. Organs of Digestion	113	21	5	17	18	5	1	3	4	3	1	3	2
VIII. Urinary Organs	12	—	—	—	—	1	—	1	1	—	2	—	2
IX. Organs of Generation	11	—	—	—	—	—	—	—	—	—	—	1	1
X. Organs of Locomotion	13	—	—	—	—	—	—	—	1	1	3	—	1
XI. Skin, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	58	44	5	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	18	—	—	—	4	2	2	—	—	2	—	1	—
XV. Age	105	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	29	1	—	1	1	—	1	—	1	2	1	3	2
I. Small Pox	4	1	—	1	1	—	1	—	—	—	—	—	—
Measles	26	—	1	4	9	3	5	2	1	1	—	—	—
Scarlatina	84	—	—	6	11	9	11	5	38	3	—	1	—
Diphtheria	6	—	—	1	2	1	1	1	—	—	—	—	—
Hooping Cough	122	5	10	26	37	23	9	4	8	—	—	—	—
Croup	21	1	1	3	8	3	3	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	29	3	3	5	3	—	—	—	1	1	—	—	—
Dysentery	3	1	—	—	—	—	—	—	—	—	—	—	1
Cholera	3	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	32	—	—	—	—	1	1	1	2	1	3	3	4
Enteric Fever	21	—	—	—	—	—	—	—	6	1	4	3	3
Relapsing Fever	5	—	—	—	—	—	1	—	1	2	—	—	—
Simple Continued Fever	3	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent	16	—	1	1	1	3	5	—	5	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	1	1	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	1	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	7	1	2	1	1	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy	34	—	—	—	—	—	1	2	1	2	1	—	1
Abscess	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	2	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	23	—	—	—	—	—	—	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	10	—	1	1	1	—	1	—	—	—	—	3	—
Tabes Mesenterica	41	—	4	7	10	5	2	3	6	3	—	—	—
Phthisis	154	—	1	3	7	3	1	1	5	4	23	21	28
Hydrocephalus	40	2	3	5	13	7	3	2	5	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	—	—	—	1	—	—	—	4	2	2	1	—
Apoplexy	42	3	1	3	2	—	—	—	2	1	3	—	1
Paralysis	47	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	16	1	3	2	6	1	1	—	2	—	—	—	—
Brain Disease	13	—	1	—	2	1	—	—	—	1	1	1	—
V. Pericarditis	2	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	31	—	—	—	—	—	—	—	—	—	3	4	2
VI. Laryngitis	3	—	—	—	2	—	—	—	—	—	—	—	1
Bronchitis	127	11	6	17	21	5	3	2	3	1	—	1	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	48	2	3	6	3	3	—	—	2	1	2	2	—
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	31	—	3	9	15	4	—	—	—	—	—	—	—
Quinsey	3	—	—	1	—	—	—	1	1	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	41	19	2	7	3	1	1	—	1	—	1	2	—
Peritonitis	3	—	—	—	—	—	—	—	—	2	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	—	—	—	—	—	—	1	—	1	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	1	—	—	—	1
Jaundice	6	2	—	—	—	—	—	—	—	—	—	—	1
Liver Disease	17	—	—	—	—	—	—	1	1	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	6	—	—	—	—	1	—	1	1	—	1	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	1	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	7	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	4	—	—	—	—	—	—	—	1	1	2	—	—
Rheumatism	7	—	—	—	—	—	—	—	—	—	1	—	1
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	1
Drowning	4	—	—	—	—	—	—	—	1	1	—	1	1
Fracture and Contusion	17	—	—	1	1	—	1	—	—	1	—	2	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	22	10	4	1	—	—	—	—	1	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1869.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	1	2	1	3	4	4	4	3	2	2	—	—	—	—	—	—
Paralysis	2	2	2	2	—	3	7	12	8	4	2	3	—	—	—	—
Delirium Tremens	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	—	—	1	1	1	2	1	—	—	—	—	—	—	—
Pericarditis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	4	3	1	—	5	2	2	2	3	—	—	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	—	3	3	3	4	6	14	6	12	3	2	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Pneumonia	1	2	2	3	3	4	2	1	3	1	2	—	—	—	—	—
Asthma	—	—	1	—	—	1	1	1	—	1	—	—	—	—	—	—
Lung Disease	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteritis	—	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
Liver Disease	1	2	1	3	1	3	—	1	1	2	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	1	—	1	—	3	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Carbuncle	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	3	—	5	1	—	1	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	—	2	—	2	1	1	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1750	164	76	152	188	107	82	57	103	55	37	67	68
SPECIFIED CAUSES	1618	123	65	146	178	94	75	55	90	52	35	66	66
I. Zymotic Class	491	24	24	47	87	50	45	35	49	14	7	19	16
II. Diseases of Uncertain Seat	47	—	—	—	4	3	1	2	—	1	—	—	1
III. Tubercular Class	285	—	8	18	21	11	12	10	16	17	11	31	25
IV. Brain and Nervous System	116	3	7	1	7	9	4	1	9	2	1	2	3
V. Organs of Circulation	82	—	—	—	—	1	—	—	1	2	3	1	4
VI. Respiratory Organs	224	13	15	48	25	15	7	4	9	6	5	3	5
VII. Organs of Digestion	123	21	4	20	23	2	2	1	4	2	1	2	2
VIII. Urinary Organs	17	—	—	—	—	—	—	—	1	—	2	2	3
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	2	—	3
X. Organs of Locomotion	10	—	—	1	—	—	—	—	1	2	—	2	1
XI. Skin, etc.	5	1	—	—	1	—	—	1	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	67	55	6	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	9	2	2	—	—	2	—	—	—
XV. Age	57	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	8	—	—	1	—	1	—	—	—	—	—	—	—
XVII. Violent Deaths	55	3	1	4	1	—	2	1	—	4	3	4	3
I. Small Pox	36	1	3	—	3	3	2	2	6	2	2	4	1
Measles	35	—	1	7	13	6	2	1	3	1	—	—	1
Scarlatina	150	1	1	10	24	22	29	24	30	7	—	1	1
Diphtheria	11	—	1	1	3	2	2	1	1	—	—	—	—
Hooping Cough	53	3	5	13	18	6	4	3	1	—	—	—	—
Croup	21	1	1	1	9	3	2	2	2	—	—	—	—
Thrush	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	72	15	9	12	14	6	2	1	3	—	1	2	1
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	3	—	—	1	1	—	—	1	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	78	—	1	1	—	—	—	—	1	2	3	8	8
Enteric Fever	11	—	—	—	—	2	1	—	1	1	—	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Remittent	3	—	1	—	1	—	—	—	1	—	—	—	—
Metria	4	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	3	1	—	—	1	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	2	—	1	—	—	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	21	—	—	—	2	2	1	2	—	1	—	—	1
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	3	—	—	—	—	1	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	2	—	—	—	—	—	—	—	—
Cancer	21	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	—	—	1	2	—	—	—	3	1	1	1	—
Tabes Mesenterica	12	—	1	1	4	3	1	—	1	—	—	—	—
Phthisis	208	—	1	4	4	4	3	5	8	13	10	30	25
Hydrocephalus	53	—	6	12	11	4	8	5	4	3	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	66	61	63	62	68	50	60	51	47	38	17	5	3	2	-	1	
SPECIFIED CAUSES . .	65	59	59	60	64	47	56	51	47	38	17	5	3	2	-	-	
Zymotic Class . . .	15	8	11	13	9	5	5	5	1	-	1	1	-	-	-	-	
Uncertain Seat . . .	-	3	5	8	6	1	4	1	5	-	2	-	-	-	-	-	
Tubercular Class . .	21	27	14	15	14	3	5	5	1	-	-	-	-	-	-	-	
Brain, etc.	4	1	6	6	8	7	8	6	8	9	4	-	-	-	-	-	
Heart, etc.	2	5	6	6	10	11	11	9	5	4	1	-	-	-	-	-	
Respiratory Organs .	7	3	7	9	5	7	11	8	6	6	-	-	-	-	-	-	
Digestive Organs . .	4	4	3	1	2	7	6	7	1	3	-	1	-	-	-	-	
Urinary Organs . . .	1	2	1	-	1	2	-	-	2	-	-	-	-	-	-	-	
Generative Organs .	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs .	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Skin	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	3	7	16	15	9	2	3	2	-	-	
Sudden Deaths . . .	-	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-	
Violent Deaths . . .	6	3	3	2	6	4	1	3	-	1	-	-	-	-	-	-	
Small Pox	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hooping Cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	
Dysentery	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	9	6	9	10	8	4	3	4	1	-	-	-	-	-	-	-	
Enteric Fever	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dropsy	-	2	2	-	2	-	2	1	2	-	1	-	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	-	1	3	8	3	1	1	-	3	-	1	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	19	27	14	14	13	3	5	5	1	-	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	20	—	1	—	2	5	2	1	3	1	1	—	1
Apoplexy	28	—	—	—	1	1	—	—	—	—	—	2	1
Paralysis	30	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	15	3	5	—	3	1	1	—	2	—	—	—	—
Brain Disease	21	—	1	1	1	2	1	—	4	1	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	81	—	—	—	—	1	—	—	1	2	3	1	4
VI. Laryngitis	2	—	1	—	—	1	—	—	—	—	—	—	—
Bronchitis	151	10	13	38	21	12	4	2	5	1	—	—	3
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	56	3	1	10	4	1	2	2	3	4	4	2	2
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	9	—	—	—	—	1	1	—	1	1	1	1	—
VII. Teething	38	—	2	17	19	—	—	—	—	—	—	—	—
Quinsey	2	1	—	—	—	—	1	—	—	—	—	—	—
Gastritis	5	3	—	—	—	—	—	1	—	—	—	—	—
Enteritis	20	11	1	1	2	1	—	—	2	—	—	—	—
Peritonitis	8	—	—	1	—	—	—	—	1	1	—	1	2
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines .	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	1	—	—	—	—	1	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	15	3	1	1	2	1	—	—	—	—	1	—	—
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	2	—	—	—	—	—	—	—	1	—	—	—
Liver Disease	14	—	—	—	—	—	—	—	—	—	—	1	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	1	2	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	1	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	10	—	—	—	—	—	—	—	1	—	—	—	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	11	—	—	—	—	—	—	—	—	—	2	—	2
Organs of Generation . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	4	—	—	—	—	—	—	—	1	1	—	1	1
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . .	6	—	—	1	—	—	—	—	—	1	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	—	1	—	—	1	—	—	—	—	—
XVII. Intemperance	5	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	2	1	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	1	1	—	1	1	—	—	—	—	—
Hanging, etc. . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	1	—	—	—	—	—	—	—	—	—
Drowning	14	—	—	—	—	—	—	—	—	1	—	3	2
Fracture and Contusion . .	18	—	—	1	—	—	1	—	—	2	3	1	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	4	1	—	—	—	—	—	—	—	1	—	—	1
Not Specified	132	41	11	6	10	13	7	2	13	3	2	1	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1869.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Apoplexy	1	—	1	1	3	3	2	3	3	5	1	—	—	—	—	—	
Paralysis	—	—	4	3	3	4	3	2	4	3	3	—	—	—	—	—	
Delirium Tremens	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	1	2	2	—	3	—	1	1	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	5	6	6	10	11	11	9	5	4	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	3	2	1	6	3	2	8	6	6	5	—	—	—	—	—	—	
Pleurisy	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	
Pneumonia	4	—	4	1	1	4	2	1	—	1	—	—	—	—	—	—	
Asthma	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	1	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	
Liver Disease	2	1	—	—	—	2	4	3	1	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	2	1	—	1	2	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Intemperance	1	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	1	1	1	2	1	1	—	—	—	1	—	—	—	—	—	—	
Fracture and Contusion	3	—	—	—	2	2	—	3	—	—	—	—	—	—	—	—	
Gunshot Wounds	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	1	2	4	2	4	3	4	—	—	—	—	—	—	—	—	1	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1169	119	63	103	153	70	42	45	71	19	11	31	34
SPECIFIED CAUSES	1159	117	61	103	151	70	42	45	71	19	10	31	34
I. Zymotic Class	328	21	16	33	62	41	28	28	47	9	—	7	7
II. Diseases of Uncertain Seat	35	—	1	—	—	—	—	—	—	1	—	1	—
III. Tubercular Class	161	5	7	17	26	9	5	3	9	7	2	13	12
IV. Brain and Nervous System	101	8	7	6	5	1	2	3	4	—	1	1	2
V. Organs of Circulation	46	—	—	—	—	—	—	—	—	1	2	—	1
VI. Respiratory Organs	214	17	21	38	42	10	6	6	4	—	1	1	3
VII. Organs of Digestion	82	4	4	7	9	2	1	1	1	1	2	1	4
VIII. Urinary Organs	13	—	—	1	—	2	—	1	2	—	—	—	—
IX. Organs of Generation	7	—	—	—	—	—	—	—	—	—	1	1	2
X. Organs of Locomotion	5	1	—	—	1	—	—	1	1	—	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	6	6	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	59	54	4	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	—	—	—	4	2	—	—	2	—	—	—	—
XV. Age	43	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	47	1	1	—	2	3	—	2	1	—	—	6	3
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	57	1	2	5	21	13	6	4	4	—	—	1	—
Scarlatina	94	—	—	2	13	9	14	15	32	7	—	—	1
Diphtheria	12	2	2	—	1	3	2	—	1	—	—	—	—
Hooping Cough	57	3	6	17	15	10	1	5	—	—	—	—	—
Croup	16	1	1	1	5	4	1	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	26	6	3	6	4	—	1	—	—	—	—	—	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	18	—	—	—	—	1	—	2	2	—	—	3	2
Enteric Fever	21	2	1	—	1	1	2	—	4	1	—	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	3	—	—	—	1	—	—	—	2	—	—	—	—
Infantile Remittent	1	—	—	—	—	—	1	—	—	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	3	—	—	—	—	—	—	—	1	1	—	—	—
Erysipelas	7	2	—	—	1	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	8	4	1	2	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	—	—	—	1	—
Abscess	4	—	1	—	—	—	—	—	—	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	21	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	1	2	1	—	—	—	1	—	—	—
Tabes Mesenterica	26	3	1	6	8	2	1	1	3	1	—	—	—
Phthisis	86	—	—	1	3	—	1	1	4	5	2	13	12
Hydrocephalus	42	2	6	9	13	6	3	1	2	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	14	—	1	4	1	1	2	2	2	—	—	—	—
Apoplexy	25	—	1	—	1	—	—	—	—	—	—	—	1
Paralysis	35	—	—	—	—	—	—	—	1	—	—	1	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	18	8	5	2	3	—	—	—	—	—	—	—	—
Brain Disease	8	—	—	—	—	—	—	1	1	—	1	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	45	—	—	—	—	—	—	—	—	1	2	—	1
VI. Laryngitis	2	1	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	152	15	16	28	28	8	4	4	3	—	—	—	2
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	52	1	5	10	12	2	2	2	1	—	1	1	1
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	1	—	—	—	—	—	—	—	—
VII. Teething	16	—	2	5	8	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	7	1	1	1	1	1	—	—	—	—	2	—	—
Peritonitis	9	—	—	—	—	—	—	—	1	—	—	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	1	—	—	—	—	1	—	—	1	—	—	2
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	11	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	13	—	1	1	—	—	—	1	—	—	—	—	—
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	2
VIII. Nephritis	2	—	—	1	—	1	—	—	—	—	—	—	—
Nephria	7	—	—	—	—	1	—	1	2	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	6	—	—	—	—	—	—	—	—	—	1	1	2
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	1	—	—	—	1	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	1	—	—	—	—	—	1	—	—	1	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	1	2	—	1	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	6	1	1	—	1	—	—	—	—	—	—	—	—
Drowning	9	—	—	—	—	—	—	—	1	—	—	3	—
Fracture and Contusion	22	—	—	—	—	—	—	1	—	—	—	3	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	10	2	2	—	2	—	—	—	—	—	1	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	694	50	22	36	44	37	35	23	75	22	18	20	26
SPECIFIED CAUSES	687	46	20	36	44	37	35	23	75	22	18	20	26
I. Zymotic Class	215	3	3	15	19	27	32	15	63	13	2	3	4
II. Diseases of Uncertain Seat	20	—	—	—	—	1	—	1	—	—	—	—	1
III. Tubercular Class	97	—	2	6	8	3	1	6	6	5	7	10	11
IV. Brain and Nervous System	58	3	1	—	2	1	—	—	3	1	1	3	2
V. Organs of Circulation	46	—	—	—	—	—	—	—	—	1	2	1	1
VI. Respiratory Organs	78	10	6	7	10	3	2	—	—	—	1	1	2
VII. Organs of Digestion	39	2	—	7	2	—	—	1	—	1	1	—	—
VIII. Urinary Organs	13	—	—	—	—	—	—	—	—	1	2	—	—
IX. Organs of Generation	5	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	1	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	28	25	2	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	3	1	—	—	—	—	1	—	—
XV. Age	46	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	—	4	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	23	2	1	—	—	1	—	—	3	—	1	2	4
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	157	—	3	9	15	20	25	13	54	12	1	2	2
Diphtheria	1	—	—	—	—	—	—	1	—	—	—	—	—
Hooping Cough	6	—	—	1	2	1	1	—	1	—	—	—	—
Croup	12	—	—	1	1	5	3	—	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	16	2	—	3	1	—	2	—	2	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	8	—	—	—	—	1	—	1	—	—	—	1	2
Enteric Fever	5	—	—	—	—	—	—	—	2	—	1	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	3	—	—	—	—	—	1	—	—	1	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	1	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	1	—	—	—	—	—
Abscess	2	—	—	—	—	1	—	—	—	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	1	—	1	—	—	—	1	1	—	—	1
Tabes Mesenterica	2	—	—	1	1	—	—	—	—	—	—	—	—
Phthisis	65	—	—	1	2	—	—	1	1	3	7	10	10
Hydrocephalus	23	—	1	4	4	3	1	5	4	1	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1869.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	16	22	29	17	22	22	34	19	41	28	24	8	3	1	-	-	
SPECIFIED CAUSES .	16	22	28	17	22	22	34	19	41	28	24	8	3	1	-	-	
Zymotic Class . . .	1	3	2	1	-	2	-	-	4	-	2	-	1	-	-	-	
Uncertain Seat . . .	-	-	1	1	2	2	3	3	2	3	-	-	-	-	-	-	
Tubercular Class . .	9	8	3	4	3	4	-	1	-	-	-	-	-	-	-	-	
Brain, etc.	-	1	5	2	5	3	6	4	6	4	3	1	1	-	-	-	
Heart, etc.	1	4	7	1	3	3	6	3	5	6	2	-	-	-	-	-	
Respiratory Organs .	-	-	3	2	2	4	7	2	11	2	2	1	-	-	-	-	
Digestive Organs . .	-	1	2	6	3	1	5	3	2	2	-	-	-	-	-	-	
Urinary Organs . . .	-	1	3	-	-	3	2	-	-	1	-	-	-	-	-	-	
Generative Organs .	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Skin	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Malformation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	2	2	10	10	14	6	1	1	-	-	
Sudden Deaths . . .	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths . . .	2	1	1	-	1	-	1	1	1	-	1	-	-	-	-	-	
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping Cough . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	-	
Dysentery	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dropsy	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer	-	-	1	1	2	2	-	2	-	2	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	9	8	2	4	3	3	-	1	-	-	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1869.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	—	—	—	1	—	—	—	1	—	—	—	1
Apoplexy	17	—	—	—	—	—	—	—	—	—	—	—	1
Paralysis	13	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	1	2	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	7	3	1	—	1	1	—	—	1	—	—	—	—
Brain Disease	11	—	—	—	—	—	—	—	1	1	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	46	—	—	—	—	—	—	—	—	1	2	1	1
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	62	10	6	7	10	3	2	—	—	—	—	1	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	1	—	—
Pneumonia	9	—	—	—	—	—	—	—	—	—	—	—	2
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	9	—	—	7	2	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	5	1	—	—	—	—	—	—	—	—	1	—	—
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	1	—	—	—	—	—	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	10	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	1	—	—
Stone	1	—	—	—	—	—	—	—	—	1	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	4	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	1	1	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	—	2	—	—	1	—
Fracture and Contusion	7	—	—	—	—	—	—	—	1	—	1	—	1
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	1	—	—	—	—	—	—	—	—	—	1	1
Not Specified	7	4	2	—	—	—	—	—	—	—	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.

		DEATHS in 1869.												YEAR.
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	
MEAN TEMPERATURE in 1869		40°·4	41°·9	37°·8	46°·9	45°·1	53°·1	59°·3	56°·1	53°·7	47°·3	40°·4	34°·9	46°·4
SCOTLAND		6602	6184	7643	6654	6440	6398	5842	5413	5273	5429	6518	7479	75,875
INSULAR DISTRICTS . . .		226	230	287	279	245	249	187	192	185	195	224	285	2,784
MAINLAND DISTRICTS . .		3009	2824	3381	3034	2905	2837	2617	2453	2538	2511	2820	3209	34,138
TOWN DISTRICTS		3367	3130	3975	3341	3290	3312	3038	2768	2550	2723	3474	3985	38,953
DIVISIONS.														
1	Northern	165	178	210	192	178	200	138	128	151	146	162	196	2,044
2	North-Western	241	264	339	293	250	276	217	187	187	192	215	271	2,932
3	North-Eastern	607	604	768	626	546	504	461	472	450	429	483	600	6,550
4	East-Midland	1086	1039	1073	921	886	965	872	871	913	971	1175	1315	12,087
5	West-Midland	458	402	481	451	468	435	422	414	410	454	486	542	5,423
6	South-Western	2763	2548	3361	2891	2818	2633	2519	2189	2139	2225	2841	3240	32,167
7	South-Eastern	942	778	1076	910	945	1040	890	868	774	752	853	989	10,817
8	Southern	340	371	335	370	349	345	323	284	249	260	303	326	3,855
COUNTIES.														
I. NORTHERN.														
1	Shetland	38	44	56	45	49	41	25	41	39	39	44	55	516
2	Orkney	40	52	52	57	46	57	42	27	33	37	42	51	536
3	Caithness	57	49	57	56	47	59	47	41	52	53	47	58	623
4	Sutherland	30	33	45	34	36	43	24	19	27	17	29	32	369
II. NORTH-WESTERN.														
5	Ross and Cromarty . . .	106	118	150	123	124	132	104	91	82	98	92	152	1,372
6	Inverness	135	146	189	170	126	144	113	96	105	94	123	119	1,560
III. NORTH-EASTERN.														
7	Nairn	12	16	30	20	19	16	19	8	17	17	22	19	215
8	Elgin (or Moray)	54	86	120	72	88	75	67	60	54	50	44	62	832
9	Banff	89	86	122	108	88	77	55	49	64	57	60	65	920
10	Aberdeen	386	367	440	378	308	296	278	319	276	277	309	402	4,036
11	Kincardine	66	49	56	48	43	40	42	36	39	28	48	52	547
IV. EAST-MIDLAND.														
12	Forfar	495	502	530	424	432	455	392	435	480	515	618	692	5,970
13	Perth	236	231	230	218	189	215	215	202	194	221	255	287	2,693
14	Fife	280	260	259	232	228	242	228	204	210	204	265	271	2,883
15	Kinross	11	6	19	8	6	15	8	9	6	8	11	5	112
16	Clackmannan	64	40	35	39	31	38	29	21	23	23	26	60	429
V. WEST-MIDLAND.														
17	Stirling	188	164	184	167	187	187	173	154	172	226	228	242	2,272
18	Dumbarton	113	115	105	125	120	97	100	115	104	97	118	119	1,328
19	Argyll	131	93	157	118	124	117	127	111	105	104	116	144	1,447
20	Bute	26	30	35	41	37	34	22	34	29	27	24	37	376
VI. SOUTH-WESTERN.														
21	Renfrew	434	360	483	425	431	433	403	389	382	377	473	502	5,092
22	Ayr	354	319	399	369	374	340	339	306	354	326	443	462	4,385
23	Lanark	1975	1869	2479	2097	2013	1860	1777	1494	1403	1522	1925	2276	22,690
VII. SOUTH-EASTERN.														
24	Linlithgow	74	64	95	86	72	86	55	59	66	56	74	88	875
25	Edinburgh	706	589	796	683	707	792	688	656	557	558	653	765	8,150
26	Haddington	78	59	86	52	78	68	61	63	61	61	62	56	785
27	Berwick	51	36	57	50	49	54	49	54	47	53	37	49	586
28	Peebles	16	10	18	24	17	19	14	22	17	10	9	13	189
29	Selkirk	17	20	24	15	22	21	23	14	26	14	18	18	232
VIII. SOUTHERN.														
30	Roxburgh	85	88	87	92	91	105	83	75	63	74	77	77	997
31	Dumfries	108	136	129	135	111	119	118	95	86	94	111	117	1,359
32	Kirkcudbright	82	82	64	71	77	77	62	50	46	52	58	76	797
33	Wigtown	65	65	55	72	70	44	60	64	54	40	57	56	702

CONSTITUTION OF THE COMPOUND DISTRICTS, 1869.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and Part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenriness	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigean.
282	Dundee	Dundee, and part of Liff, Benzie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowles-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c. . . .	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelve	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c. . . .	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmacellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, 559	Auldearn, 121	Bressay, 1	Collessie, 416	Daviot, 187
Abbey St Bath- ans, 726	Avoch, 59	Bridgeton, 644	Colmonell, 582	Daviot & Dun- lichty, 95
Abbotshall, 399	Avondale, 621	Brodick, 553	Colonsay, 539	Deerness, 14
Abdie, 400	Ayr, 578	Broughton, 758	Colvend, 861	Delting, 2
Abercorn, 661	Ayton, 727	Brydekirk, 813b	Comrie, 341	Denny, 476
Aberdalgie, 323	Baldernock, 471	Buchanan, 474	Contin, 60	Deskford, 151
Aberdeen, 168	Balfron, 472	Buittle, 859	Cookney, 258	Dingwall, 62
Aberdour (Aber- deen), 169	Ballachulish & Cor- ran of Ardgour, 506	Bunkle and Preston, 728	Corsock-Bridge, 862	Dirleton, 705
Aberdour (Fife), 401	Ballantrae, 579	Burntisland, 411	Corstorphine, 678	Dollar, 467
Aberfeldy, 324	Ballingry, 408	Burra & Quarff, 1	Cortachy and Clova, 278	Dolphington, 640
Aberfoyle, 325	Balmacelllan, 856	Cabrach, 177	Coull, 182	Dores, 96
Aberlady, 702	Balmaghie, 857	Cadder, 626	Coupar-Angus, 279	Dornoch (Suth- erland), 47
Aberlemno, 269	Balmerino, 409	Cairney, 178	Covington and Thankerton, 634	Dornock (Dum- fries, 819
Aberlour, 145	Balquhiddel, 331	Calderhead, 626	Coylton, 583	Douglas, 641
Abernethy, 326	Banchory-Deve- nick, 251	Callander, 336	Craig, 280	Dowally, 344
Abernethy and Kincardine, 124	Banchory-Ter- nan, 252	Calton, 644	Craigie, 584	Drainie, 130
Abernyte, 327	Banff, 147	Cambuslang, 628	Craighish, 508	Dreghorn, 589
Aboyne, 170	Bargrennan, 857b	Cambusnethan, 627	Crail, 417	Dron, 345
Aharacle, 505	Barony, 622	Cameron, 412	Crailling, 786	Drumblade, 188
Airdrie, 651	Barr, 580	Campbeltown, 507	Cramond, 679	Drumelzier, 759
Airlie, 270	Barra (Inver- ness), 108	Campsie, 475	Cranshaws, 734	Drumochter, 189
Airth, 469	Barrhead, 572	Canisbay, 35	Cranston, 680	Dryfesdale, 820
Alford, 171	Barry (Forfar), 274	Canonbie, 814	Crathie and Braemar, 183	Drymen, 477
Alloa, 465	Barvas, 86a	Canongate, 685	Crawford, 635	Duddingston, 684
Alness, 57	Bathgate, 662	Caputh, 337	Crawfordjohn, 636	Duffus, 131
Alva (Stirling), 470	Beath (Fife), 410	Cardross, 494	Creich (Suther- land), 46	Duirinish, 110
Alvah (Banff), 146	Bedrule, 782	Careston, 277	Crichton, 681	Dull, 346
Alves, 125	Beith (Ayr), 581	Cargill, 338	Crieck (Fife), 418	Dumbarton, 496
Alvie, 90	Belhelvie, 174	Carlaverock, 815	Crieff, 342	Dumfries, 821
Alyth, 328	Bellie, 126	Carlway, 866	Crimond, 184	Dun, 281
Ancrum, 780	Benbecula, 118	Carluke, 629	Cromarty, 61	Dunbar, 706
Anderston, 644	Bendochy, 332	Carmichael, 630	Crowdale and Inverallan, 93	Dunbarney, 347
Annan, 812	Benholm, 253	Carmunnock, 631	Crossmichael, 863	Dunblane, 348
Anstruther- Easter, 402	Bernera, 111	Carmyle, 276	Croy & Dalcross, 94	Dunbog, 423
Anstruther- Wester, 403	Bervie, 254	Carnbee, 413	Cruden, 185	Dundee, 282
Anwoth, 855	Biggar, 623	Carnock, 414	Cullen, 150	Dundonald, 590
Appin, 525	Birnie, 127	Carnwath, 632	Culross, 343	Dunfermline, 424
Applecross, 58	Birsay, 13	Carriden, 664	Culsamond, 186	Dunino, 425
Applegarth, 813a	Birse, 175	Carrington, 675	Culter, 637	Dunipace, 478
Arbirlot, 271	Blackford, 333	Carsphairn, 860	Cults, 419	Dunkeld, 349
Arbroath, 272	Blair-Athol, 334	Carstairs, 633	Cumbernauld, 495	Dunlop, 591
Arbuthnott, 250	Blairgowrie, 335	Castleton, 784	Cumbræes, 552	Dunnet, 36
Ardchattan, 504	Blantyre, 624	Cathcart, 560	Cumlodden, 509	Dunnichen, 283
Ardclach, 120	Blythswood, 644	Cavers, 785	Cummertrees, 817	Dunning, 350
Ardersier, 91	Boharm, 128	Cawdor, 122	Cupar, 420	Dunnottar, 255
Ardnamurchan, 505	Boisdale, 118	Ceres, 415	Currie, 682	Dunoon & Kil- mun, 510
Ardrossan, 576	Boleskine, 92	Channelkirk, 729	Dailly, 585	Dunrossness, 3
Arisaig, 505	Bolton, 704	Chapel-of-Gari- och, 179	Dairsie, 421	Dunscore, 822
Armadales, 662	Bonar, 46	Chirnside, 730	Dalavich, 517	Dunse, 735
Arngask, 404	Bonhill, 493	Clackmannan, 466	Dalbavich, 864	Dunsyre, 642
Arrocher, 492	Borgue, 858	Clatt, 180	Dalbeattie, 422	Durness, 48
Ashkirk, 781	Bo'ness, 663	Cleish, 460	Dalgetty, 683	Duror, 525
Assynt, 44	Borthwick, 674	Closeburn, 816	Dalkeith, 129	Durris, 256
Athelstaneford, 703	Bothwell, 625	Clunie (Perth), 339	Dallas, 586	Durrisdeer, 823
Auchindoir, 172	Bothkennar, 473	Clunie (Aberd'n), 181	Dalmellington, 665	Duthil, 132
Auchinleck, 577	Botriphnie, 148	Clyde, 644	Dalmeny, 587	Dyce, 190
Auchterarder, 329	Bourtie, 176	Clyne, 45	Dalry (Ayr), 638	Dyke, 133
Auchterderran, 405	Bowden, 783	Cockburnspath, 731	Dalry (Kirk- cudbright), 588	Dysart, 426
Auchtergaven, 330	Bower, 34	Cockpen, 676	Dalrymple, 638	Eaglesham, 561
Auchterhouse, 273	Bowmore, 536	Coigach, 75	Dalserf, 818	Earlsferry, 436
Auchterless, 173	Boyndie, 149	Coldingham, 732	Dalton, 639	Earlston, 734
Auchtermuchty, 406	Bracadale, 109	Coldstream, 733		Eassie & Nevay, 286
Auchtertool, 407	Brechin, 275	Colinton, 677		East Kilbride, 643
		Coll, 551		
		Collace, 340		

* The actual number of Districts is 1016—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Eastwood, .	562	Garvock, .	260	Inveresk, .	689	Kilwinning, .	599	Ladykirk, .	746
Eccles, .	737	Gigha, .	537	Inverkeillor, .	293	Kincardine		Laggan, .	104
Ecclesmachan, .	666	Girthon, .	866	Inverkeithing, .	432	(Perth), .	364	Lairg, .	53
Echt, .	191	Girvan, .	594	Inverkeithny, .	158	Kincardine		Lanark, .	648
Eckford, .	787a	Gladsmuir, .	708	Inverness, .	98	(Ross), .	71	Langholm, .	839
Eday & Pharay, .	15	Glammis, .	289	Inverurie, .	204	Kincardine		Langton, .	747
Edderton, .	63	Glasgow, .	644	Iona, .	538	O'Neil, .	209	Larbert, .	485
Eddleston, .	760	Glass, .	199	Irongray, .	867	Kinclaven, .	365	Largo, .	443
Eddrachillis, .	49	Glassary, .	511	Irvine, .	595	Kinfauns, .	366	Largs, .	602
Edgerston, .	787b	Glasserton, .	885	Jedburgh, .	792	Kingarth, .	555	Larkhall, .	638
Edinburgh, .	685	Glassford, .	645	Johnstone		King-Edward, .	210	Lasswade, .	691
Edinkillie, .	134	Glenbervie, .	261	(Dumfries), .	832	Kinghorn, .	439	Latheron, .	38
Ednam, .	788	Glenbucket, .	200	Johnstone (Ren-		Kinglassie, .	440	Lauder, .	748
Edrom, .	738	Glencairn, .	826	frew), .	559	Kingoldrum, .	295	Laurencekirk, .	263
Edzell, .	285	Glencoe and		Jura, .	539	Kingsbarns, .	441	Leadhills, .	635
Elgin, .	135	Ballachulish, .	525	Keig, .	205	Kingussie, &c., .	102	Lecropt, .	371
Elie, .	427	Glencross, .	687	Keir, .	833	Kinloch, .	372	Legerwood, .	749
Ellon, .	192	Glendevon, .	358	Keith, .	159	Kinlochbervie, .	49	Leith, .	692
Enzie, .	152	Glenelg, .	97	Keith-hall, .	206	Kinloch-Ran-		Leochel-Cush-	
Errol, .	351	Glengarry, .	99	Kells, .	868	noch, .	367	nie, .	214
Erskine, .	563	Glenholm, .	761	Kelso, .	793	Kinlochspelve, .	545	Lerwick, .	5
Eskdalemuir, .	824	Glenisla, .	290	Kelton, .	869	Kinloss, .	138	Leslie (Aber-	
Ettrick, .	774	Glenlivat, .	157	Kemback, .	433	Kinnaid, .	368	deen), .	215
Evie & Rendall, .	16	Glenmoriston, .	107	Kemnay, .	207	Kinneff and		Leslie (Fife), .	444
Ewes, .	825	Glenmuick, Tul-		Kenmore, .	360	Catterline, .	262	Lesmahagow, .	649
Eyemouth, .	739	lich, &c., .	201	Kennoway, .	434	Kinnell, .	296	Leswalt, .	891
Fair Isle, .	3	Glenorchy and		Kettins, .	294	Kinnellar, .	211	Lethendy, .	372
Fala & Soutra, .	686	Inishail, .	512	Kettle, .	435	Kinnethmont, .	212	Lethnott and	
Falkirk, .	479	Glenriannes, .	155b	Kilbarchan, .	568	Kinnettles, .	297	Navar, .	300
Falkland, .	428	Glenshee, .	370	Kilberry, .	516	Kinnoull, .	369	Leuchars, .	445
Farnell, .	286	Glenshiel, .	67	Kilbirnie, .	596	Kinross, .	462	Libberton (Lan-	
Farr, .	50	Golspie, .	51	Kilbrandon and		Kintail, .	72	ark), .	650
Fearn (Forfar), .	287	Gordon, .	742	Kilchattan, .	515	Kintore, .	213	Liberton (Edin-	
Fearn (Ross), .	64	Gourock, .	567	Kilchattan, .	515	Kippen, .	484	burgh), .	693
Fenwick, .	592	Govan, .	646	Kilbride, .	553	Kirkbean, .	870	Liff, Benvie, and	
Ferry-Port-on-		Graitney (or		Kilbucko, .	763	Kirkcaldy, .	442	Invergowrie, .	301
Craig, .	429	Gretna), .	827	Kilcalmonell, .	516	Kirkcolm, .	887	Lilliesleaf, .	795
Fetlar, .	4	Grange, .	156	Kilchoman, .	540	Kirkconnel, .	834	Linlithgow, .	668
Fettercairn, .	257	Greenlaw, .	743	Kilchrennan, .	517	Kirkcowan, .	888	Linton, .	796
Fetteresso, .	258	Greenock, .	564	Kilconquhar, .	463	Kirkcudbright, .	871	Lintrathen, .	302
Pindo-Gask, .	352	Guthrie, .	291	Kildalton, .	541	Kirkden, .	298	Lismore, .	525
Fintray (Aber-		Haddington, .	709	Kildonan, .	52	Kirkgunzeon, .	872	Little Dun-	
deen), .	193	Halfmorton, .	828	Kildrummy, .	208	Kirkhill, .	103	keld, .	373
Fintry (Stirling), .	480	Halkirk, .	37	Kilfinan, .	518	Kirkhope, .	776	Livingstone, .	669
Firth & Stennes, .	17	Hamilton, .	647	Kilfinichen and		Kirkinner, .	889	Lochaber, .	99
Flisk, .	430	Harray, .	18	Kilviekeon, .	542	Kirkintilloch, .	498	Lochalsh, .	74
Flotta, .	32	Harris, .	111	Killean and		Kirkliston, .	667	Lochbroom, .	75
Fodderty, .	65	Hawick, .	789	Kilchenzie, .	519	Kirkmabreck, .	873	Lochcarron, .	76
Fogo, .	740	Heriot, .	688	Killearn, .	482	Kirkmahoe, .	835	Lochgilphead, .	526
Fordoun, .	259	Hobkirk, .	790	Killearnan, .	68	Kirkmaiden, .	890	Lochgailhead, .	527
Fordyce, .	153	Hoddam, .	829	Killin, .	361	Kirkmichael		Lochlee, .	303
Forfar, .	288	Holm & Paplay, .	19	Kilmaddock, .	362	(Ayr), .	600	Lochmaben, .	840
Forgan, .	431	Holytown, .	625	Kilmalecolm, .	569	Kirkmichael		Lochranza, .	556
Forgandenny, .	356	Holywood, .	830	Kilmalie, .	520	(Banff), .	160	Lochrutton, .	875
Forglen, .	154	Houston and		Kilmany (Fife), .	437	Kirkmichael		Lochs, .	87
Forgue, .	194	Killellan, .	565	Kilmarnock, .	597	(Dumfries), .	836	Lochwinnoch, .	570
Forres, .	137	Howmore, .	118	Kilmarnock, .	497	Kirkmichael		Logie (Fife), .	446
Fort-Augustus		Hownam, .	791	Kilmartin, .	521	(Perth), .	370	Logie (Perth), .	374
(or Abertarff), .	92	Hoy & Græmsay, .	20	Kilmaurs, .	598	Kirknewton and		Loglealmond, .	375
Forteviot, .	354	Humbie, .	710	Kilmelford, .	524	East Calder, .	690	Logie-Buchan, .	216
Fortingal, .	355a	Hume, .	744	Kilmeny (Ar-		Kirkoswald, .	601	Logie-Cold-	
Fortrose, .	80	Huntly, .	202	gyll), .	543	Kirkpatrick-		stone, .	217
Foss, .	355b	Hutchesontown, .	644	Kilmodan, .	522	Durham, .	874	Logie-Easter, .	77
Fossaway and		Hutton (Ber-		Kilmonivaig, .	99	Kirkpatrick-		Logie-Pert, .	304
Tulliebole, .	461	wick), .	745	Kilmorack, .	100	Fleming, .	837	Logierait, .	376
Foula, .	12	Hutton (Dum-		Kilmore & Kil-		Kirkpatrick-		Longforan, .	377
Foulden, .	741	fries), .	831	bride, .	523	Juxta, .	838	Longformacus, .	750
Foveran, .	195	Inch(Wigtown), .	886	Kilmorich, .	527	Kirkton (As-		Longside, .	218
Fowlis-Easter, .	356	Inchinnan, .	566	Kilmory, .	554	synt), .	44	Lonmay, .	219
Fowlis-Wester, .	357	Inchture, .	359	Kilmuir, .	112	Kirkton (Farr), .	50	Loth, .	54
Fraserburgh, .	196	Innerkip, .	567	Kilmuir-Easter, .	69	Kirktown (Rox-		Loudoun, .	603
Fyvie, .	197	Innerleithen, .	762	Kilmun, .	509	burgh), .	794	Lumphanan, .	220
Gairloch, .	66	Innerwick, .	711	Kilninian and		Kirkurd, .	764	Lunan, .	305
Galashiels, .	775	Insch (Aberd'n), .	203	Kilmore, .	544	Kirkwall & St Ola	21	Lundie, .	306
Galston, .	593	Inverallen, .	93	Kilninver, .	524	Kirriemuir, .	299	Lunnasting, .	7
Gamrie, .	155	Inveraray, .	513	Kilspindie, .	363	Knockando, .	139	Luss, .	499
Gargunnoch, .	481	Inverarity, .	292	Kilsyth, .	483	Knockbain, .	73	Lyne, .	765
Gartly, .	198	Inveravon, .	157	Kiltarlity, .	101	Knoydart, .	97	Madderty, .	770
Garvald, .	707	Inverchaolain, .	514	Kiltearn, .	70	Ladhope, .	799	Mains, .	833

Makerston, 797	New Pitsligo, 227b	Ratho, . 698	Shapinshay, 28	Tillicoultry, 468
Manor, . 766	New Spynie, 136	Rathven, . 164	Shettleston, 622	Tingwall, . 10
Markinch, . 447	Newton, . 696	Ratray, . 389	Shieldaig, . 58	Tinwald, . 849
Marnoch, . 161	Newtyle, . 314	Rayne, . 236	Shotts, . 655	Tobermory, 549
Maryculter, 264	Nigg (Kincard.) 266	Reay, . 40	Skene, . 238	Tomintoul, 160
Maryhill, . 622	Nigg (Ross), 78	Redgorton, 390	Skipness, . 531	Tongland, . 881
Marykirk, . 265	North Berwick, 713	Renfrew, . 575	Skirling, . 769	Tongue, . 56
Marytown, . 308	North Bute, 557	Rerrick, . 879	Slains, . 239	Torosay, . 550
Mauchline, 604	North Knapdale, 530	Rescobie, . 317	Slamaunan, 489	Torphichen, 671
Maxton, . 798	North Leith, 692	Resolis, . 79	Sleat, . 115	Torryburn, 458
Maybole, . 605	Northmavine, 8	Rhynd, . 391	Smailholm, 805	Torthorwald, 850
Mearns, . 571	North Morar, 97	Rhynie, . 237	Small Isles, 116	Tough, . 214
Megget, . 765	North Ronaldshay, 22	Riccarton, . 611	Snizort, . 117	Towie, . 245
Meigle, . 379	North Uist, 113	Roberton, . 777	Sorbie, . 897	Tradeston, . 644
Melrose, . 799	North Yell, 4	Rogart, . 55	Sorn, . 613	Tranent, . 722
Menmuir, . 309	Oa, . 546	Rosehall, . 46	Southdean, 806	Traquair, . 771
Merton, . 751	Oathlaw, . 315	Rosemarkie, 80	Southend, . 532	Trinity-Gask, 396
Methlic, . 221	Oban, . 523	Roseneath, 502	South Knapdale, 533	Troqueer, . 882
Methven, . 380	Ochiltree, . 609	Rosskeen, . 81	South Leith, 692	Tulliallan, . 397
Mid-Calder, 694	Old Ardrossan, 576	Rothiesay, . 558	South Ronaldshay and Bur-ray, 29	Tullynessle and Forbes, . 246
Middlebie, . 841	Old Cumnock, 610	Rothiemay, 165	South Uist, 118	Tundergarth, 851
Midmar, . 222	Old Deer, . 228	Rothiemurchus, 132	Speymouth, 143	Turriff, . 247
Mid & S. Yell, 6	Oldhamstocks, 714	Rousay and Egilshay, 24	Spott, . 720	Tweedsmuir, 772
Millbrex, . 222b	Old, or West, Kilpatrick, 501	Row, . 503	Springburn, 622	Twynholm, 883
Milton, . 644	Old Luce, . 894	Roxburgh, 803	Sprouston, 807	Tynron, . 852
Minnigaff, . 876	Old Machar, 168	Rutherglen, 654	Stair, . 614	Tyree, . 551
Minto, . 800	Old Meldrum, 229	Ruthven, . 318	Stenscholl, . 112	Tyrie, . 248
Mochrum, . 892	Old Monkland, 652	Ruthwell, . 846	Stenton, . 721	Udny, . 249
Moffat, . 842	Olrig, . 39	Saddell, . 531	Stevenston, 615	Uig, . 89
Moneydie, . 381	Ordiqhill, 163	St Andrews (Dundee), 282	Stewarton, . 616	Unst, . 11
Monifieth, . 310	Ormiston, . 715	St Andrew (Edinburgh), 685	Stirling, . 490	Uphall, . 672
Monikie, . 311	Orphir, . 23	St Andrews (Orkney), 25	Stitchel, . 808	Urquhart (Elgin), 144
Monimail, . 448	Orwell, . 463	St Andrews Lhanbryde, 142	Stobo, . 770	Urquhart (Inverness), 107
Monkton and Prestwick, 606	Oxnam, . 802	St Andrews and St Leonards (Fife), 453	Stoer, . 44	Urquhart and Logie-Wester, 84
Monquhitter, 223	Oyne, . 230	St Boswells, 804	Stonehouse, 656	Urr, . 884
Montrose, . 312	Paisley, . 573	St Clements, 282	Stoneykirk, 898	Urray, . 85
Monymusk, 224	Panbride, . 316	St Cyrus, . 267	Stornoway, 88	Walls (Shetland), 12
Monzie (Perth), 382	Papa-Stour, 12	St Fergus, . 166	Stow, . 699	Walls (Orkney), 32
Monzievaird, 383	Papa-Westray, 33	St George, 685	Stracathro, 320	Walston, . 658
Moonzie (Fife), 449	Partick, . 646	St Giles, . 685	Strachan, . 268	Wamphray, 853a
Mordington, 752	Parton, . 878	St Kilda, . 111	Strachur, . 534	Wandell and Lamington, 659
Morebattle, 801	Peebles, . 768	St Madoes, 392	Straiton, . 617	Wanlockhead, 853b
Morham, . 712	Pencaitland, 716	St Marys, . 282	Stralachlan, 534	Watten, . 42
Mortlach, . 162	Penicuik, . 697	St Martins, 393	Stranraer, . 899	Weem, . 398
Morton, . 843	Penninghame, 895	St Monance (or Abercrombie), 454	Strath, . 119	Wemyss, . 459
Morvern, . 528	Penpont, . 845	St Mungo, . 847	Strathblane, 491	West Calder, 701
Moulin, . 384	Persie, . 386b	St Nicholas, 168	Strathdon, . 240	Westerkirk, 854
Mousewald, 844	Perth, . 387	St Ninians, 488	Strathfillan, 394b	West Kilbride, 620
Moy and Dalarrossie, 105	Peterculter, 231	St Peter's, . 282	Strathmartine, 367	West Linton, 773
Muckairn, . 529	Peterhead, 232	St Quivox, &c., 612	Strathmiglo, 457	Westray, . 33
Muckhart, . 385	Pettinain, . 653	St Vigens, 319	Strathoykell, 71	Westruther, 756
Muiravonside, 486	Petty, . 106	Salen (Argyll), 548	Strathy, . 50	Whalsay and Skerries, 7
Muirkirk, . 607	Pitsligo, . 233	Saline (Fife), 455	Strichen, . 241	Whitburn, . 673
Murroes, . 313	Pittenweem, 452	Salton, . 719	Stromness, . 30	Whitekirk and Tynninghame, 723
Musselburgh, 689	Polmont, . 487	Sanday, . 26	Stronsay, . 31	Whiteness and Weisdale, 10
Muthill, . 386	Polwarth, . 754	Sandness, . 12	Sunart, . 505	Whithorn, . 900
Nairn, . 123	Port-Glasgow, 574	Sandsting and Aithsting, 9	Swinton, . 755	Whitsome, . 757
Neilston, . 572	Portlethen, 251	Sandwick, . 27	Symington (Ayr), 618	Whittinghame, 724
Nenthorn, . 753	Port of Men-teith, 388	Sandwick & Cunningsburgh, 3	Symington (Lanark), 657	Wick, . 43
Nesting, . 7	Portmoak, 464	Sanquhar, . 848	Tain, . 82	Wigtown, . 901
New Abbey, 877	Portmahaven, 547	Savoeh, . 237b	Tannadie, 321	Wilton, . 810
Newbattle, . 695	Portobello, 684	Seone, . 394a	Tarbat, . 83	Wiston and Robertson, 660
Newburgh, 450	Portpatrick, 896	Seonic, . 456	Tarbert, . 535	Yarrow, . 779
Newburn, . 451	Portree, . 114	Scourie, . 49	Tarbolton, . 619	Yester (or Gifford), 725
New Cumnock, 608	Premnay, . 234	Seafield, . 167	Tarland, . 242	Yetholm, . 811
New Deer, 225	Prestonkirk, 717	Selkirk, . 778	Tarves, . 243	
New Galloway, 868	Prestonpans, 718		Tealing, . 322	
New Kilpatrick, 500	Queensferry, 670		Temple, . 700	
Newhills, . 226	Rafford, . 140		Tenandry, 394c	
Newington, 685	Raasay, . 114		Terregles, . 880	
Newlands, . 767	Rathen, . 235		Teviothead, 809	
New Ardrossan, 576			Thurso, . 41	
New Luce, . 893			Tibbermore, 395	
New Machar, 227a				
New Monkland, 651				

